

Tabela de Preços		CATÁLOGO BRILUMEN 2018		
Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
133.80.360.12.30.AL	29	Iris 36W CRI+80 360º IP40 5Y 1200mm AL 3000K	153,20	5600974011085
133.80.360.12.30.TW	29	Iris 36W CRI+80 360º IP40 5Y 1200mm TW 3000K	153,20	5600974011092
133.80.360.12.42.AL	29	Iris 36W CRI+80 360º IP40 5Y 1200mm AL 4200K	153,20	5600974011108
133.80.360.12.42.TW	29	Iris 36W CRI+80 360º IP40 5Y 1200mm TW 4200K	153,20	5600974011115
136.80.360.06.30.TW	31	Iris V 24W CRI+80 360º IP40 5Y 600mm TW 3000K	118,00	5600974006357
136.80.360.06.42.TW	31	Iris V 24W CRI+80 360º IP40 5Y 600mm TW 4200K	118,00	5600974006548
137.80.360.12.30.TW	31	Iris V 36W CRI+80 360º IP40 5Y 1200mm TW 3000K	153,20	5600974006555
137.80.360.12.42.TW	31	Iris V 36W CRI+80 360º IP40 5Y 1200mm TW 4200K	153,20	5600974007873
128.80.90.11.30.TS	33	Sotis 35mm Suspended 36W CRI+80 90º IP40 5Y 1130mm TS 3000K	181,80	5600974021640
128.80.90.11.30.TB	33	Sotis 35mm Suspended 36W CRI+80 90º IP40 5Y 1130mm TB 3000K	181,80	5600974021657
128.80.90.11.30.TW	33	Sotis 35mm Suspended 36W CRI+80 90º IP40 5Y 1130mm TW 3000K	181,80	5600974021664
128.80.90.11.40.TS	33	Sotis 35mm Suspended 36W CRI+80 90º IP40 5Y 1130mm TS 4000K	181,80	5600974021671
128.80.90.11.40.TB	33	Sotis 35mm Suspended 36W CRI+80 90º IP40 5Y 1130mm TB 4000K	181,80	5600974021688
128.80.90.11.40.TW	33	Sotis 35mm Suspended 36W CRI+80 90º IP40 5Y 1130mm TW 4000K	181,80	5600974021695
128.80.90.14.30.TS	33	Sotis 35mm Suspended 45W CRI+80 90º IP40 5Y 1410mm TS 3000K	217,20	5600974021701
128.80.90.14.30.TB	33	Sotis 35mm Suspended 45W CRI+80 90º IP40 5Y 1410mm TB 3000K	217,20	5600974021718
128.80.90.14.30.TW	33	Sotis 35mm Suspended 45W CRI+80 90º IP40 5Y 1410mm TW 3000K	217,20	5600974021725
128.80.90.14.40.TS	33	Sotis 35mm Suspended 45W CRI+80 90º IP40 5Y 1410mm TS 4000K	217,20	5600974021732
128.80.90.14.40.TB	33	Sotis 35mm Suspended 45W CRI+80 90º IP40 5Y 1410mm TB 4000K	217,20	5600974021749
128.80.90.14.40.TW	33	Sotis 35mm Suspended 45W CRI+80 90º IP40 5Y 1410mm TW 4000K	217,20	5600974021756
128.80.90.16.30.TS	33	Sotis 35mm Suspended 54W CRI+80 90º IP40 5Y 1690mm TS 3000K	250,60	5600974021763
128.80.90.16.30.TB	33	Sotis 35mm Suspended 54W CRI+80 90º IP40 5Y 1690mm TB 3000K	250,60	5600974021770
128.80.90.16.30.TW	33	Sotis 35mm Suspended 54W CRI+80 90º IP40 5Y 1690mm TW 3000K	250,60	5600974021787
128.80.90.16.40.TS	33	Sotis 35mm Suspended 54W CRI+80 90º IP40 5Y 1690mm TS 4000K	250,60	5600974021794
128.80.90.16.40.TB	33	Sotis 35mm Suspended 54W CRI+80 90º IP40 5Y 1690mm TB 4000K	250,60	5600974021800
128.80.90.16.40.TW	33	Sotis 35mm Suspended 54W CRI+80 90º IP40 5Y 1690mm TW 4000K	250,60	5600974021817
128.80.90.19.30.TS	33	Sotis 35mm Suspended 64W CRI+80 90º IP40 5Y 1970mm TS 3000K	323,20	5600974021824
128.80.90.19.30.TB	33	Sotis 35mm Suspended 64W CRI+80 90º IP40 5Y 1970mm TB 3000K	323,20	5600974021831
128.80.90.19.30.TW	33	Sotis 35mm Suspended 64W CRI+80 90º IP40 5Y 1970mm TW 3000K	323,20	5600974021848
128.80.90.19.40.TS	33	Sotis 35mm Suspended 64W CRI+80 90º IP40 5Y 1970mm TS 4000K	323,20	5600974021855
128.80.90.19.40.TB	33	Sotis 35mm Suspended 64W CRI+80 90º IP40 5Y 1970mm TB 4000K	323,20	5600974021862
128.80.90.19.40.TW	33	Sotis 35mm Suspended 64W CRI+80 90º IP40 5Y 1970mm TW 4000K	323,20	5600974021879
128.80.90.22.30.TS	33	Sotis 35mm Suspended 73W CRI+80 90º IP40 5Y 2250mm TS 3000K	371,80	5600974021886
128.80.90.22.30.TB	33	Sotis 35mm Suspended 73W CRI+80 90º IP40 5Y 2250mm TB 3000K	371,80	5600974021893
128.80.90.22.30.TW	33	Sotis 35mm Suspended 73W CRI+80 90º IP40 5Y 2250mm TW 3000K	371,80	5600974021909
128.80.90.22.40.TS	33	Sotis 35mm Suspended 73W CRI+80 90º IP40 5Y 2250mm TS 4000K	371,80	5600974021916
128.80.90.22.40.TB	33	Sotis 35mm Suspended 73W CRI+80 90º IP40 5Y 2250mm TB 4000K	371,80	5600974021923
128.80.90.22.40.TW	33	Sotis 35mm Suspended 73W CRI+80 90º IP40 5Y 2250mm TW 4000K	371,80	5600974021930
128.80.90.25.30.TS	33	Sotis 35mm Suspended 82W CRI+80 90º IP40 5Y 2530mm TS 3000K	395,00	5600974021947
128.80.90.25.30.TB	33	Sotis 35mm Suspended 82W CRI+80 90º IP40 5Y 2530mm TB 3000K	395,00	5600974021954
128.80.90.25.30.TW	33	Sotis 35mm Suspended 82W CRI+80 90º IP40 5Y 2530mm TW 3000K	395,00	5600974021961
128.80.90.25.40.TS	33	Sotis 35mm Suspended 82W CRI+80 90º IP40 5Y 2530mm TS 4000K	395,00	5600974021978
128.80.90.25.40.TB	33	Sotis 35mm Suspended 82W CRI+80 90º IP40 5Y 2530mm TB 4000K	395,00	5600974021985
128.80.90.25.40.TW	33	Sotis 35mm Suspended 82W CRI+80 90º IP40 5Y 2530mm TW 4000K	395,00	5600974021992

Tabela de Preços		CATÁLOGO BRILUMEN 2018		
Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
128.80.90.28.30.TS	33	Sotis 35mm Suspended 91W CRI+80 90º IP40 5Y 2810mm TS 3000K	462,60	5600974022005
128.80.90.28.30.TB	33	Sotis 35mm Suspended 91W CRI+80 90º IP40 5Y 2810mm TB 3000K	462,60	5600974022012
128.80.90.28.30.TW	33	Sotis 35mm Suspended 91W CRI+80 90º IP40 5Y 2810mm TW 3000K	462,60	5600974022029
128.80.90.28.40.TS	33	Sotis 35mm Suspended 91W CRI+80 90º IP40 5Y 2810mm TS 4000K	462,60	5600974022036
128.80.90.28.40.TB	33	Sotis 35mm Suspended 91W CRI+80 90º IP40 5Y 2810mm TB 4000K	462,60	5600974022043
128.80.90.28.40.TW	33	Sotis 35mm Suspended 91W CRI+80 90º IP40 5Y 2810mm TW 4000K	462,60	5600974022050
128.80.90.30.30.TS	33	Sotis 35mm Suspended 100W CRI+80 90º IP40 5Y 3090mm TS 3000K	479,80	5600974022067
128.80.90.30.30.TB	33	Sotis 35mm Suspended 100W CRI+80 90º IP40 5Y 3090mm TB 3000K	479,80	5600974022074
128.80.90.30.30.TW	33	Sotis 35mm Suspended 100W CRI+80 90º IP40 5Y 3090mm TW 3000K	479,80	5600974022081
128.80.90.30.40.TS	33	Sotis 35mm Suspended 100W CRI+80 90º IP40 5Y 3090mm TS 4000K	479,80	5600974022098
128.80.90.30.40.TB	33	Sotis 35mm Suspended 100W CRI+80 90º IP40 5Y 3090mm TB 4000K	479,80	5600974022104
128.80.90.30.40.TW	33	Sotis 35mm Suspended 100W CRI+80 90º IP40 5Y 3090mm TW 4000K	479,80	5600974022111
131.80.90.11.30.TS	33	Sotis 35mm Surface Mounted 36W CRI+80 90º IP40 5Y 1130mm TS 3000K	145,80	5600974019968
131.80.90.11.30.TB	33	Sotis 35mm Surface Mounted 36W CRI+80 90º IP40 5Y 1130mm TB 3000K	145,80	5600974019975
131.80.90.11.30.TW	33	Sotis 35mm Surface Mounted 36W CRI+80 90º IP40 5Y 1130mm TW 3000K	145,80	5600974019982
131.80.90.11.40.TS	33	Sotis 35mm Surface Mounted 36W CRI+80 90º IP40 5Y 1130mm TS 4000K	145,80	5600974019999
131.80.90.11.40.TB	33	Sotis 35mm Surface Mounted 36W CRI+80 90º IP40 5Y 1130mm TB 4000K	145,80	5600974020001
131.80.90.11.40.TW	33	Sotis 35mm Surface Mounted 36W CRI+80 90º IP40 5Y 1130mm TW 4000K	145,80	5600974020018
131.80.90.14.30.TS	33	Sotis 35mm Surface Mounted 45W CRI+80 90º IP40 5Y 1410mm TS 3000K	175,80	5600974020025
131.80.90.14.30.TB	33	Sotis 35mm Surface Mounted 45W CRI+80 90º IP40 5Y 1410mm TB 3000K	175,80	5600974020032
131.80.90.14.30.TW	33	Sotis 35mm Surface Mounted 45W CRI+80 90º IP40 5Y 1410mm TW 3000K	175,80	5600974020049
131.80.90.14.40.TS	33	Sotis 35mm Surface Mounted 45W CRI+80 90º IP40 5Y 1410mm TS 4000K	175,80	5600974020056
131.80.90.14.40.TB	33	Sotis 35mm Surface Mounted 45W CRI+80 90º IP40 5Y 1410mm TB 4000K	175,80	5600974020063
131.80.90.14.40.TW	33	Sotis 35mm Surface Mounted 45W CRI+80 90º IP40 5Y 1410mm TW 4000K	175,80	5600974020070
131.80.90.16.30.TS	33	Sotis 35mm Surface Mounted 54W CRI+80 90º IP40 5Y 1690mm TS 3000K	203,80	5600974020087
131.80.90.16.30.TB	33	Sotis 35mm Surface Mounted 54W CRI+80 90º IP40 5Y 1690mm TB 3000K	203,80	5600974020094
131.80.90.16.30.TW	33	Sotis 35mm Surface Mounted 54W CRI+80 90º IP40 5Y 1690mm TW 3000K	203,80	5600974020100
131.80.90.16.40.TS	33	Sotis 35mm Surface Mounted 54W CRI+80 90º IP40 5Y 1690mm TS 4000K	203,80	5600974020117
131.80.90.16.40.TB	33	Sotis 35mm Surface Mounted 54W CRI+80 90º IP40 5Y 1690mm TB 4000K	203,80	5600974020124
131.80.90.16.40.TW	33	Sotis 35mm Surface Mounted 54W CRI+80 90º IP40 5Y 1690mm TW 4000K	203,80	5600974020131
131.80.90.19.30.TS	33	Sotis 35mm Surface Mounted 64W CRI+80 90º IP40 5Y 1970mm TS 3000K	263,80	5600974020148
131.80.90.19.30.TB	33	Sotis 35mm Surface Mounted 64W CRI+80 90º IP40 5Y 1970mm TB 3000K	263,80	5600974020155
131.80.90.19.30.TW	33	Sotis 35mm Surface Mounted 64W CRI+80 90º IP40 5Y 1970mm TW 3000K	263,80	5600974020162
131.80.90.19.40.TS	33	Sotis 35mm Surface Mounted 64W CRI+80 90º IP40 5Y 1970mm TS 4000K	263,80	5600974020179
131.80.90.19.40.TB	33	Sotis 35mm Surface Mounted 64W CRI+80 90º IP40 5Y 1970mm TB 4000K	263,80	5600974020186
131.80.90.19.40.TW	33	Sotis 35mm Surface Mounted 64W CRI+80 90º IP40 5Y 1970mm TW 4000K	263,80	5600974020193
131.80.90.22.30.TS	33	Sotis 35mm Surface Mounted 73W CRI+80 90º IP40 5Y 2250mm TS 3000K	299,80	5600974020209
131.80.90.22.30.TB	33	Sotis 35mm Surface Mounted 73W CRI+80 90º IP40 5Y 2250mm TB 3000K	299,80	5600974020216
131.80.90.22.30.TW	33	Sotis 35mm Surface Mounted 73W CRI+80 90º IP40 5Y 2250mm TW 3000K	299,80	5600974020223
131.80.90.22.40.TS	33	Sotis 35mm Surface Mounted 73W CRI+80 90º IP40 5Y 2250mm TS 4000K	299,80	5600974020230
131.80.90.22.40.TB	33	Sotis 35mm Surface Mounted 73W CRI+80 90º IP40 5Y 2250mm TB 4000K	299,80	5600974020247
131.80.90.22.40.TW	33	Sotis 35mm Surface Mounted 73W CRI+80 90º IP40 5Y 2250mm TW 4000K	299,80	5600974020254
131.80.90.25.30.TS	33	Sotis 35mm Surface Mounted 82W CRI+80 90º IP40 5Y 2530mm TS 3000K	315,80	5600974020261
131.80.90.25.30.TB	33	Sotis 35mm Surface Mounted 82W CRI+80 90º IP40 5Y 2530mm TB 3000K	315,80	5600974020278
131.80.90.25.30.TW	33	Sotis 35mm Surface Mounted 82W CRI+80 90º IP40 5Y 2530mm TW 3000K	315,80	5600974020285
131.80.90.25.40.TS	33	Sotis 35mm Surface Mounted 82W CRI+80 90º IP40 5Y 2530mm TS 4000K	315,80	5600974020292
131.80.90.25.40.TB	33	Sotis 35mm Surface Mounted 82W CRI+80 90º IP40 5Y 2530mm TB 4000K	315,80	5600974020308
131.80.90.25.40.TW	33	Sotis 35mm Surface Mounted 82W CRI+80 90º IP40 5Y 2530mm TW 4000K	315,80	5600974020315

Tabela de Preços		CATÁLOGO BRILUMEN 2018		
Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
131.80.90.28.30.TS	33	Sotis 35mm Surface Mounted 91W CRI+80 90º IP40 5Y 2810mm TS 3000K	378,00	5600974020322
131.80.90.28.30.TB	33	Sotis 35mm Surface Mounted 91W CRI+80 90º IP40 5Y 2810mm TB 3000K	378,00	5600974020339
131.80.90.28.30.TW	33	Sotis 35mm Surface Mounted 91W CRI+80 90º IP40 5Y 2810mm TW 3000K	378,00	5600974020346
131.80.90.28.40.TS	33	Sotis 35mm Surface Mounted 91W CRI+80 90º IP40 5Y 2810mm TS 4000K	378,00	5600974020353
131.80.90.28.40.TB	33	Sotis 35mm Surface Mounted 91W CRI+80 90º IP40 5Y 2810mm TB 4000K	378,00	5600974020360
131.80.90.28.40.TW	33	Sotis 35mm Surface Mounted 91W CRI+80 90º IP40 5Y 2810mm TW 4000K	378,00	5600974020377
131.80.90.30.30.TS	33	Sotis 35mm Surface Mounted 100W CRI+80 90º IP40 5Y 3090mm TS 3000K	408,00	5600974020384
131.80.90.30.30.TB	33	Sotis 35mm Surface Mounted 100W CRI+80 90º IP40 5Y 3090mm TB 3000K	408,00	5600974020391
131.80.90.30.30.TW	33	Sotis 35mm Surface Mounted 100W CRI+80 90º IP40 5Y 3090mm TW 3000K	408,00	5600974020407
131.80.90.30.40.TS	33	Sotis 35mm Surface Mounted 100W CRI+80 90º IP40 5Y 3090mm TS 4000K	408,00	5600974020414
131.80.90.30.40.TB	33	Sotis 35mm Surface Mounted 100W CRI+80 90º IP40 5Y 3090mm TB 4000K	408,00	5600974020421
131.80.90.30.40.TW	33	Sotis 35mm Surface Mounted 100W CRI+80 90º IP40 5Y 3090mm TW 4000K	408,00	5600974020438
142.80.90.11.30.AL	36	Oris Efficiency 50mm Suspended 36W CRI+80 90º IP40 5Y 1130mm AL 3000K	181,80	5600974018947
142.80.90.11.30.TB	36	Oris Efficiency 50mm Suspended 36W CRI+80 90º IP40 5Y 1130mm TB 3000K	181,80	5600974018954
142.80.90.11.30.TW	36	Oris Efficiency 50mm Suspended 36W CRI+80 90º IP40 5Y 1130mm TW 3000K	181,80	5600974018961
142.80.90.11.40.AL	36	Oris Efficiency 50mm Suspended 36W CRI+80 90º IP40 5Y 1130mm AL 4000K	181,80	5600974018978
142.80.90.11.40.TB	36	Oris Efficiency 50mm Suspended 36W CRI+80 90º IP40 5Y 1130mm TB 4000K	181,80	5600974018985
142.80.90.11.40.TW	36	Oris Efficiency 50mm Suspended 36W CRI+80 90º IP40 5Y 1130mm TW 4000K	181,80	5600974018992
142.80.90.14.30.AL	36	Oris Efficiency 50mm Suspended 45W CRI+80 90º IP40 5Y 1410mm AL 3000K	217,20	5600974019005
142.80.90.14.30.TB	36	Oris Efficiency 50mm Suspended 45W CRI+80 90º IP40 5Y 1410mm TB 3000K	217,20	5600974019012
142.80.90.14.30.TW	36	Oris Efficiency 50mm Suspended 45W CRI+80 90º IP40 5Y 1410mm TW 3000K	217,20	5600974019029
142.80.90.14.40.AL	36	Oris Efficiency 50mm Suspended 45W CRI+80 90º IP40 5Y 1410mm AL 4000K	217,20	5600974019036
142.80.90.14.40.TB	36	Oris Efficiency 50mm Suspended 45W CRI+80 90º IP40 5Y 1410mm TB 4000K	217,20	5600974019043
142.80.90.14.40.TW	36	Oris Efficiency 50mm Suspended 45W CRI+80 90º IP40 5Y 1410mm TW 4000K	217,20	5600974019050
142.80.90.16.30.AL	36	Oris Efficiency 50mm Suspended 54W CRI+80 90º IP40 5Y 1690mm AL 3000K	250,60	5600974019067
142.80.90.16.30.TB	36	Oris Efficiency 50mm Suspended 54W CRI+80 90º IP40 5Y 1690mm TB 3000K	250,60	5600974019074
142.80.90.16.30.TW	36	Oris Efficiency 50mm Suspended 54W CRI+80 90º IP40 5Y 1690mm TW 3000K	250,60	5600974019081
142.80.90.16.40.AL	36	Oris Efficiency 50mm Suspended 54W CRI+80 90º IP40 5Y 1690mm AL 4000K	250,60	5600974019098
142.80.90.16.40.TB	36	Oris Efficiency 50mm Suspended 54W CRI+80 90º IP40 5Y 1690mm TB 4000K	250,60	5600974019104
142.80.90.16.40.TW	36	Oris Efficiency 50mm Suspended 54W CRI+80 90º IP40 5Y 1690mm TW 4000K	250,60	5600974019111
142.80.90.19.30.AL	36	Oris Efficiency 50mm Suspended 64W CRI+80 90º IP40 5Y 1970mm AL 3000K	323,20	5600974019128
142.80.90.19.30.TB	36	Oris Efficiency 50mm Suspended 64W CRI+80 90º IP40 5Y 1970mm TB 3000K	323,20	5600974019135
142.80.90.19.30.TW	36	Oris Efficiency 50mm Suspended 64W CRI+80 90º IP40 5Y 1970mm TW 3000K	323,20	5600974019142
142.80.90.19.40.AL	36	Oris Efficiency 50mm Suspended 64W CRI+80 90º IP40 5Y 1970mm AL 4000K	323,20	5600974019159
142.80.90.19.40.TB	36	Oris Efficiency 50mm Suspended 64W CRI+80 90º IP40 5Y 1970mm TB 4000K	323,20	5600974019166
142.80.90.19.40.TW	36	Oris Efficiency 50mm Suspended 64W CRI+80 90º IP40 5Y 1970mm TW 4000K	323,20	5600974019173
142.80.90.22.30.AL	36	Oris Efficiency 50mm Suspended 73W CRI+80 90º IP40 5Y 2250mm AL 3000K	371,80	5600974019180
142.80.90.22.30.TB	36	Oris Efficiency 50mm Suspended 73W CRI+80 90º IP40 5Y 2250mm TB 3000K	371,80	5600974019197
142.80.90.22.30.TW	36	Oris Efficiency 50mm Suspended 73W CRI+80 90º IP40 5Y 2250mm TW 3000K	371,80	5600974019203
142.80.90.22.40.AL	36	Oris Efficiency 50mm Suspended 73W CRI+80 90º IP40 5Y 2250mm AL 4000K	371,80	5600974019210
142.80.90.22.40.TB	36	Oris Efficiency 50mm Suspended 73W CRI+80 90º IP40 5Y 2250mm TB 4000K	371,80	5600974019227
142.80.90.22.40.TW	36	Oris Efficiency 50mm Suspended 73W CRI+80 90º IP40 5Y 2250mm TW 4000K	371,80	5600974019234
142.80.90.25.30.AL	36	Oris Efficiency 50mm Suspended 82W CRI+80 90º IP40 5Y 2530mm AL 3000K	395,00	5600974019241
142.80.90.25.30.TB	36	Oris Efficiency 50mm Suspended 82W CRI+80 90º IP40 5Y 2530mm TB 3000K	395,00	5600974019258
142.80.90.25.30.TW	36	Oris Efficiency 50mm Suspended 82W CRI+80 90º IP40 5Y 2530mm TW 3000K	395,00	5600974019265
142.80.90.25.40.AL	36	Oris Efficiency 50mm Suspended 82W CRI+80 90º IP40 5Y 2530mm AL 4000K	395,00	5600974019272
142.80.90.25.40.TB	36	Oris Efficiency 50mm Suspended 82W CRI+80 90º IP40 5Y 2530mm TB 4000K	395,00	5600974019289
142.80.90.25.40.TW	36	Oris Efficiency 50mm Suspended 82W CRI+80 90º IP40 5Y 2530mm TW 4000K	395,00	5600974019296

Tabela de Preços

CATÁLOGO BRILUMEN 2018

Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
142.80.90.28.30.AL	36	Oris Efficiency 50mm Suspended 91W CRI+80 90º IP40 5Y 2810mm AL 3000K	462,60	5600974019302
142.80.90.28.30.TB	36	Oris Efficiency 50mm Suspended 91W CRI+80 90º IP40 5Y 2810mm TB 3000K	462,60	5600974019319
142.80.90.28.30.TW	36	Oris Efficiency 50mm Suspended 91W CRI+80 90º IP40 5Y 2810mm TW 3000K	462,60	5600974019326
142.80.90.28.40.AL	36	Oris Efficiency 50mm Suspended 91W CRI+80 90º IP40 5Y 2810mm AL 4000K	462,60	5600974019333
142.80.90.28.40.TB	36	Oris Efficiency 50mm Suspended 91W CRI+80 90º IP40 5Y 2810mm TB 4000K	462,60	5600974019340
142.80.90.28.40.TW	36	Oris Efficiency 50mm Suspended 91W CRI+80 90º IP40 5Y 2810mm TW 4000K	462,60	5600974019357
142.80.90.30.30.AL	36	Oris Efficiency 50mm Suspended 100W CRI+80 90º IP40 5Y 3090mm AL 3000K	479,80	5600974019364
142.80.90.30.30.TB	36	Oris Efficiency 50mm Suspended 100W CRI+80 90º IP40 5Y 3090mm TB 3000K	479,80	5600974019371
142.80.90.30.30.TW	36	Oris Efficiency 50mm Suspended 100W CRI+80 90º IP40 5Y 3090mm TW 3000K	479,80	5600974019388
142.80.90.30.40.AL	36	Oris Efficiency 50mm Suspended 100W CRI+80 90º IP40 5Y 3090mm AL 4000K	479,80	5600974019395
142.80.90.30.40.TB	36	Oris Efficiency 50mm Suspended 100W CRI+80 90º IP40 5Y 3090mm TB 4000K	479,80	5600974019401
142.80.90.30.40.TW	36	Oris Efficiency 50mm Suspended 100W CRI+80 90º IP40 5Y 3090mm TW 4000K	479,80	5600974019418
142.80.90.33.30.AL	36	Oris Efficiency 50mm Suspended 110W CRI+80 90º IP40 5Y 3370mm AL 3000K	505,80	5600974019425
142.80.90.33.30.TB	36	Oris Efficiency 50mm Suspended 110W CRI+80 90º IP40 5Y 3370mm TB 3000K	505,80	5600974019432
142.80.90.33.30.TW	36	Oris Efficiency 50mm Suspended 110W CRI+80 90º IP40 5Y 3370mm TW 3000K	505,80	5600974019449
142.80.90.33.40.AL	36	Oris Efficiency 50mm Suspended 110W CRI+80 90º IP40 5Y 3370mm AL 4000K	505,80	5600974019456
142.80.90.33.40.TB	36	Oris Efficiency 50mm Suspended 110W CRI+80 90º IP40 5Y 3370mm TB 4000K	505,80	5600974019463
142.80.90.33.40.TW	36	Oris Efficiency 50mm Suspended 110W CRI+80 90º IP40 5Y 3370mm TW 4000K	505,80	5600974019470
142.80.90.36.30.AL	36	Oris Efficiency 50mm Suspended 119W CRI+80 90º IP40 5Y 3650mm AL 3000K	581,80	5600974019487
142.80.90.36.30.TB	36	Oris Efficiency 50mm Suspended 119W CRI+80 90º IP40 5Y 3650mm TB 3000K	581,80	5600974019494
142.80.90.36.30.TW	36	Oris Efficiency 50mm Suspended 119W CRI+80 90º IP40 5Y 3650mm TW 3000K	581,80	5600974019500
142.80.90.36.40.AL	36	Oris Efficiency 50mm Suspended 119W CRI+80 90º IP40 5Y 3650mm AL 4000K	581,80	5600974019517
142.80.90.36.40.TB	36	Oris Efficiency 50mm Suspended 119W CRI+80 90º IP40 5Y 3650mm TB 4000K	581,80	5600974019524
142.80.90.36.40.TW	36	Oris Efficiency 50mm Suspended 119W CRI+80 90º IP40 5Y 3650mm TW 4000K	581,80	5600974019531
142.80.90.39.30.AL	36	Oris Efficiency 50mm Suspended 128W CRI+80 90º IP40 5Y 3930mm AL 3000K	614,60	5600974019548
142.80.90.39.30.TB	36	Oris Efficiency 50mm Suspended 128W CRI+80 90º IP40 5Y 3930mm TB 3000K	614,60	5600974019555
142.80.90.39.30.TW	36	Oris Efficiency 50mm Suspended 128W CRI+80 90º IP40 5Y 3930mm TW 3000K	614,60	5600974019562
142.80.90.39.40.AL	36	Oris Efficiency 50mm Suspended 128W CRI+80 90º IP40 5Y 3930mm AL 4000K	614,60	5600974019579
142.80.90.39.40.TB	36	Oris Efficiency 50mm Suspended 128W CRI+80 90º IP40 5Y 3930mm TB 4000K	614,60	5600974019586
142.80.90.39.40.TW	36	Oris Efficiency 50mm Suspended 128W CRI+80 90º IP40 5Y 3930mm TW 4000K	614,60	5600974019593
142.80.90.42.30.AL	36	Oris Efficiency 50mm Suspended 137W CRI+80 90º IP40 5Y 4210mm AL 3000K	651,80	5600974019609
142.80.90.42.30.TB	36	Oris Efficiency 50mm Suspended 137W CRI+80 90º IP40 5Y 4210mm TB 3000K	651,80	5600974019616
142.80.90.42.30.TW	36	Oris Efficiency 50mm Suspended 137W CRI+80 90º IP40 5Y 4210mm TW 3000K	651,80	5600974019623
142.80.90.42.40.AL	36	Oris Efficiency 50mm Suspended 137W CRI+80 90º IP40 5Y 4210mm AL 4000K	651,80	5600974019630
142.80.90.42.40.TB	36	Oris Efficiency 50mm Suspended 137W CRI+80 90º IP40 5Y 4210mm TB 4000K	651,80	5600974019647
142.80.90.42.40.TW	36	Oris Efficiency 50mm Suspended 137W CRI+80 90º IP40 5Y 4210mm TW 4000K	651,80	5600974019654
142.80.90.44.30.AL	36	Oris Efficiency 50mm Suspended 146W CRI+80 90º IP40 5Y 4490mm AL 3000K	685,80	5600974019661
142.80.90.44.30.TB	36	Oris Efficiency 50mm Suspended 146W CRI+80 90º IP40 5Y 4490mm TB 3000K	685,80	5600974019678
142.80.90.44.30.TW	36	Oris Efficiency 50mm Suspended 146W CRI+80 90º IP40 5Y 4490mm TW 3000K	685,80	5600974019685
142.80.90.44.40.AL	36	Oris Efficiency 50mm Suspended 146W CRI+80 90º IP40 5Y 4490mm AL 4000K	685,80	5600974019692
142.80.90.44.40.TB	36	Oris Efficiency 50mm Suspended 146W CRI+80 90º IP40 5Y 4490mm TB 4000K	685,80	5600974019708
142.80.90.44.40.TW	36	Oris Efficiency 50mm Suspended 146W CRI+80 90º IP40 5Y 4490mm TW 4000K	685,80	5600974019715
142.80.90.47.30.AL	36	Oris Efficiency 50mm Suspended 155W CRI+80 90º IP40 5Y 4770mm AL 3000K	721,80	5600974019722
142.80.90.47.30.TB	36	Oris Efficiency 50mm Suspended 155W CRI+80 90º IP40 5Y 4770mm TB 3000K	721,80	5600974019739
142.80.90.47.30.TW	36	Oris Efficiency 50mm Suspended 155W CRI+80 90º IP40 5Y 4770mm TW 3000K	721,80	5600974019746
142.80.90.47.40.AL	36	Oris Efficiency 50mm Suspended 155W CRI+80 90º IP40 5Y 4770mm AL 4000K	721,80	5600974019753
142.80.90.47.40.TB	36	Oris Efficiency 50mm Suspended 155W CRI+80 90º IP40 5Y 4770mm TB 4000K	721,80	5600974019760
142.80.90.47.40.TW	36	Oris Efficiency 50mm Suspended 155W CRI+80 90º IP40 5Y 4770mm TW 4000K	721,80	5600974019777

Tabela de Preços		CATÁLOGO BRILUMEN 2018		
Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
142.80.90.50.30.AL	36	Oris Efficiency 50mm Suspended 165W CRI+80 90º IP40 5Y 5050mm AL 3000K	839,80	5600974012662
142.80.90.50.30.TB	36	Oris Efficiency 50mm Suspended 165W CRI+80 90º IP40 5Y 5050mm TB 3000K	839,80	5600974012679
142.80.90.50.30.TW	36	Oris Efficiency 50mm Suspended 165W CRI+80 90º IP40 5Y 5050mm TW 3000K	839,80	5600974007880
142.80.90.50.40.AL	36	Oris Efficiency 50mm Suspended 165W CRI+80 90º IP40 5Y 5050mm AL 4000K	839,80	5600974007897
142.80.90.50.40.TB	36	Oris Efficiency 50mm Suspended 165W CRI+80 90º IP40 5Y 5050mm TB 4000K	839,80	5600974007903
142.80.90.50.40.TW	36	Oris Efficiency 50mm Suspended 165W CRI+80 90º IP40 5Y 5050mm TW 4000K	839,80	5600974007910
142.80.90.53.30.AL	36	Oris Efficiency 50mm Suspended 174W CRI+80 90º IP40 5Y 5330mm AL 3000K	969,80	5600974012648
142.80.90.53.30.TB	36	Oris Efficiency 50mm Suspended 174W CRI+80 90º IP40 5Y 5330mm TB 3000K	969,80	5600974010392
142.80.90.53.30.TW	36	Oris Efficiency 50mm Suspended 174W CRI+80 90º IP40 5Y 5330mm TW 3000K	969,80	5600974010460
142.80.90.53.40.AL	36	Oris Efficiency 50mm Suspended 174W CRI+80 90º IP40 5Y 5330mm AL 4000K	969,80	5600974006562
142.80.90.53.40.TB	36	Oris Efficiency 50mm Suspended 174W CRI+80 90º IP40 5Y 5330mm TB 4000K	969,80	5600974008924
142.80.90.53.40.TW	36	Oris Efficiency 50mm Suspended 174W CRI+80 90º IP40 5Y 5330mm TW 4000K	969,80	5600974011917
142.80.90.56.30.AL	36	Oris Efficiency 50mm Suspended 183W CRI+80 90º IP40 5Y 5610mm AL 3000K	1 059,80	5600974011924
142.80.90.56.30.TB	36	Oris Efficiency 50mm Suspended 183W CRI+80 90º IP40 5Y 5610mm TB 3000K	1 059,80	5600974011931
142.80.90.56.30.TW	36	Oris Efficiency 50mm Suspended 183W CRI+80 90º IP40 5Y 5610mm TW 3000K	1 059,80	5600974011979
142.80.90.56.40.AL	36	Oris Efficiency 50mm Suspended 183W CRI+80 90º IP40 5Y 5610mm AL 4000K	1 059,80	5600974012099
142.80.90.56.40.TB	36	Oris Efficiency 50mm Suspended 183W CRI+80 90º IP40 5Y 5610mm TB 4000K	1 059,80	5600974012167
142.80.90.56.40.TW	36	Oris Efficiency 50mm Suspended 183W CRI+80 90º IP40 5Y 5610mm TW 4000K	1 059,80	5600974012228
142.80.90.59.30.AL	36	Oris Efficiency 50mm Suspended 192W CRI+80 90º IP40 5Y 5900mm AL 3000K	1 211,56	5600974023279
142.80.90.59.30.TB	36	Oris Efficiency 50mm Suspended 192W CRI+80 90º IP40 5Y 5900mm TB 3000K	1 211,56	5600974023286
142.80.90.59.30.TW	36	Oris Efficiency 50mm Suspended 192W CRI+80 90º IP40 5Y 5900mm TW 3000K	1 211,56	5600974023293
142.80.90.59.40.AL	36	Oris Efficiency 50mm Suspended 192W CRI+80 90º IP40 5Y 5900mm AL 4000K	1 211,56	5600974023309
142.80.90.59.40.TB	36	Oris Efficiency 50mm Suspended 192W CRI+80 90º IP40 5Y 5900mm TB 4000K	1 211,56	5600974023316
142.80.90.59.40.TW	36	Oris Efficiency 50mm Suspended 192W CRI+80 90º IP40 5Y 5900mm TW 4000K	1 211,56	5600974019951
140.80.90.11.30.AL	37	Oris Efficiency 50mm Surface Mounted 36W CRI+80 90º IP40 5Y 1130mm AL 3000K	145,80	5600974017261
140.80.90.11.30.TB	37	Oris Efficiency 50mm Surface Mounted 36W CRI+80 90º IP40 5Y 1130mm TB 3000K	145,80	5600974017278
140.80.90.11.30.TW	37	Oris Efficiency 50mm Surface Mounted 36W CRI+80 90º IP40 5Y 1130mm TW 3000K	145,80	5600974017285
140.80.90.11.40.AL	37	Oris Efficiency 50mm Surface Mounted 36W CRI+80 90º IP40 5Y 1130mm AL 4000K	145,80	5600974017292
140.80.90.11.40.TB	37	Oris Efficiency 50mm Surface Mounted 36W CRI+80 90º IP40 5Y 1130mm TB 4000K	145,80	5600974017308
140.80.90.11.40.TW	37	Oris Efficiency 50mm Surface Mounted 36W CRI+80 90º IP40 5Y 1130mm TW 4000K	145,80	5600974017315
140.80.90.14.30.AL	37	Oris Efficiency 50mm Surface Mounted 45W CRI+80 90º IP40 5Y 1410mm AL 3000K	175,80	5600974017322
140.80.90.14.30.TB	37	Oris Efficiency 50mm Surface Mounted 45W CRI+80 90º IP40 5Y 1410mm TB 3000K	175,80	5600974017339
140.80.90.14.30.TW	37	Oris Efficiency 50mm Surface Mounted 45W CRI+80 90º IP40 5Y 1410mm TW 3000K	175,80	5600974017346
140.80.90.14.40.AL	37	Oris Efficiency 50mm Surface Mounted 45W CRI+80 90º IP40 5Y 1410mm AL 4000K	175,80	5600974017353
140.80.90.14.40.TB	37	Oris Efficiency 50mm Surface Mounted 45W CRI+80 90º IP40 5Y 1410mm TB 4000K	175,80	5600974017360
140.80.90.14.40.TW	37	Oris Efficiency 50mm Surface Mounted 45W CRI+80 90º IP40 5Y 1410mm TW 4000K	175,80	5600974017377
140.80.90.16.30.AL	37	Oris Efficiency 50mm Surface Mounted 54W CRI+80 90º IP40 5Y 1690mm AL 3000K	203,80	5600974017384
140.80.90.16.30.TB	37	Oris Efficiency 50mm Surface Mounted 54W CRI+80 90º IP40 5Y 1690mm TB 3000K	203,80	5600974017391
140.80.90.16.30.TW	37	Oris Efficiency 50mm Surface Mounted 54W CRI+80 90º IP40 5Y 1690mm TW 3000K	203,80	5600974017407
140.80.90.16.40.AL	37	Oris Efficiency 50mm Surface Mounted 54W CRI+80 90º IP40 5Y 1690mm AL 4000K	203,80	5600974017414
140.80.90.16.40.TB	37	Oris Efficiency 50mm Surface Mounted 54W CRI+80 90º IP40 5Y 1690mm TB 4000K	203,80	5600974017421
140.80.90.16.40.TW	37	Oris Efficiency 50mm Surface Mounted 54W CRI+80 90º IP40 5Y 1690mm TW 4000K	203,80	5600974017438
140.80.90.19.30.AL	37	Oris Efficiency 50mm Surface Mounted 64W CRI+80 90º IP40 5Y 1970mm AL 3000K	263,80	5600974017445
140.80.90.19.30.TB	37	Oris Efficiency 50mm Surface Mounted 64W CRI+80 90º IP40 5Y 1970mm TB 3000K	263,80	5600974017452
140.80.90.19.30.TW	37	Oris Efficiency 50mm Surface Mounted 64W CRI+80 90º IP40 5Y 1970mm TW 3000K	263,80	5600974017469
140.80.90.19.40.AL	37	Oris Efficiency 50mm Surface Mounted 64W CRI+80 90º IP40 5Y 1970mm AL 4000K	263,80	5600974017476
140.80.90.19.40.TB	37	Oris Efficiency 50mm Surface Mounted 64W CRI+80 90º IP40 5Y 1970mm TB 4000K	263,80	5600974017483
140.80.90.19.40.TW	37	Oris Efficiency 50mm Surface Mounted 64W CRI+80 90º IP40 5Y 1970mm TW 4000K	263,80	5600974017490

Tabela de Preços

CATÁLOGO BRILUMEN 2018

Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
140.80.90.22.30.AL	37	Oris Efficiency 50mm Surface Mounted 73W CRI+80 90º IP40 5Y 2250mm AL 3000K	299,80	5600974017506
140.80.90.22.30.TB	37	Oris Efficiency 50mm Surface Mounted 73W CRI+80 90º IP40 5Y 2250mm TB 3000K	299,80	5600974017513
140.80.90.22.30.TW	37	Oris Efficiency 50mm Surface Mounted 73W CRI+80 90º IP40 5Y 2250mm TW 3000K	299,80	5600974017520
140.80.90.22.40.AL	37	Oris Efficiency 50mm Surface Mounted 73W CRI+80 90º IP40 5Y 2250mm AL 4000K	299,80	5600974017537
140.80.90.22.40.TB	37	Oris Efficiency 50mm Surface Mounted 73W CRI+80 90º IP40 5Y 2250mm TB 4000K	299,80	5600974017544
140.80.90.22.40.TW	37	Oris Efficiency 50mm Surface Mounted 73W CRI+80 90º IP40 5Y 2250mm TW 4000K	299,80	5600974017551
140.80.90.25.30.AL	37	Oris Efficiency 50mm Surface Mounted 82W CRI+80 90º IP40 5Y 2530mm AL 3000K	315,80	5600974017568
140.80.90.25.30.TB	37	Oris Efficiency 50mm Surface Mounted 82W CRI+80 90º IP40 5Y 2530mm TB 3000K	315,80	5600974017575
140.80.90.25.30.TW	37	Oris Efficiency 50mm Surface Mounted 82W CRI+80 90º IP40 5Y 2530mm TW 3000K	315,80	5600974017582
140.80.90.25.40.AL	37	Oris Efficiency 50mm Surface Mounted 82W CRI+80 90º IP40 5Y 2530mm AL 4000K	315,80	5600974017599
140.80.90.25.40.TB	37	Oris Efficiency 50mm Surface Mounted 82W CRI+80 90º IP40 5Y 2530mm TB 4000K	315,80	5600974017605
140.80.90.25.40.TW	37	Oris Efficiency 50mm Surface Mounted 82W CRI+80 90º IP40 5Y 2530mm TW 4000K	315,80	5600974017612
140.80.90.28.30.AL	37	Oris Efficiency 50mm Surface Mounted 91W CRI+80 90º IP40 5Y 2810mm AL 3000K	378,00	5600974017629
140.80.90.28.30.TB	37	Oris Efficiency 50mm Surface Mounted 91W CRI+80 90º IP40 5Y 2810mm TB 3000K	378,00	5600974017636
140.80.90.28.30.TW	37	Oris Efficiency 50mm Surface Mounted 91W CRI+80 90º IP40 5Y 2810mm TW 3000K	378,00	5600974017643
140.80.90.28.40.AL	37	Oris Efficiency 50mm Surface Mounted 91W CRI+80 90º IP40 5Y 2810mm AL 4000K	378,00	5600974017650
140.80.90.28.40.TB	37	Oris Efficiency 50mm Surface Mounted 91W CRI+80 90º IP40 5Y 2810mm TB 4000K	378,00	5600974017667
140.80.90.28.40.TW	37	Oris Efficiency 50mm Surface Mounted 91W CRI+80 90º IP40 5Y 2810mm TW 4000K	378,00	5600974017674
140.80.90.30.30.AL	37	Oris Efficiency 50mm Surface Mounted 100W CRI+80 90º IP40 5Y 3090mm AL 3000K	408,00	5600974017681
140.80.90.30.30.TB	37	Oris Efficiency 50mm Surface Mounted 100W CRI+80 90º IP40 5Y 3090mm TB 3000K	408,00	5600974017698
140.80.90.30.30.TW	37	Oris Efficiency 50mm Surface Mounted 100W CRI+80 90º IP40 5Y 3090mm TW 3000K	408,00	5600974017704
140.80.90.30.40.AL	37	Oris Efficiency 50mm Surface Mounted 100W CRI+80 90º IP40 5Y 3090mm AL 4000K	408,00	5600974017711
140.80.90.30.40.TB	37	Oris Efficiency 50mm Surface Mounted 100W CRI+80 90º IP40 5Y 3090mm TB 4000K	408,00	5600974017728
140.80.90.30.40.TW	37	Oris Efficiency 50mm Surface Mounted 100W CRI+80 90º IP40 5Y 3090mm TW 4000K	408,00	5600974017735
140.80.90.33.30.AL	37	Oris Efficiency 50mm Surface Mounted 110W CRI+80 90º IP40 5Y 3370mm AL 3000K	438,00	5600974017742
140.80.90.33.30.TB	37	Oris Efficiency 50mm Surface Mounted 110W CRI+80 90º IP40 5Y 3370mm TB 3000K	438,00	5600974017759
140.80.90.33.30.TW	37	Oris Efficiency 50mm Surface Mounted 110W CRI+80 90º IP40 5Y 3370mm TW 3000K	438,00	5600974017766
140.80.90.33.40.AL	37	Oris Efficiency 50mm Surface Mounted 110W CRI+80 90º IP40 5Y 3370mm AL 4000K	438,00	5600974017773
140.80.90.33.40.TB	37	Oris Efficiency 50mm Surface Mounted 110W CRI+80 90º IP40 5Y 3370mm TB 4000K	438,00	5600974017780
140.80.90.33.40.TW	37	Oris Efficiency 50mm Surface Mounted 110W CRI+80 90º IP40 5Y 3370mm TW 4000K	438,00	5600974017797
140.80.90.36.30.AL	37	Oris Efficiency 50mm Surface Mounted 119W CRI+80 90º IP40 5Y 3650mm AL 3000K	508,00	5600974017803
140.80.90.36.30.TB	37	Oris Efficiency 50mm Surface Mounted 119W CRI+80 90º IP40 5Y 3650mm TB 3000K	508,00	5600974017810
140.80.90.36.30.TW	37	Oris Efficiency 50mm Surface Mounted 119W CRI+80 90º IP40 5Y 3650mm TW 3000K	508,00	5600974017827
140.80.90.36.40.AL	37	Oris Efficiency 50mm Surface Mounted 119W CRI+80 90º IP40 5Y 3650mm AL 4000K	508,00	5600974017834
140.80.90.36.40.TB	37	Oris Efficiency 50mm Surface Mounted 119W CRI+80 90º IP40 5Y 3650mm TB 4000K	508,00	5600974017841
140.80.90.36.40.TW	37	Oris Efficiency 50mm Surface Mounted 119W CRI+80 90º IP40 5Y 3650mm TW 4000K	508,00	5600974017858
140.80.90.39.30.AL	37	Oris Efficiency 50mm Surface Mounted 128W CRI+80 90º IP40 5Y 3930mm AL 3000K	536,00	5600974017865
140.80.90.39.30.TB	37	Oris Efficiency 50mm Surface Mounted 128W CRI+80 90º IP40 5Y 3930mm TB 3000K	536,00	5600974017872
140.80.90.39.30.TW	37	Oris Efficiency 50mm Surface Mounted 128W CRI+80 90º IP40 5Y 3930mm TW 3000K	536,00	5600974017889
140.80.90.39.40.AL	37	Oris Efficiency 50mm Surface Mounted 128W CRI+80 90º IP40 5Y 3930mm AL 4000K	536,00	5600974017896
140.80.90.39.40.TB	37	Oris Efficiency 50mm Surface Mounted 128W CRI+80 90º IP40 5Y 3930mm TB 4000K	536,00	5600974017902
140.80.90.39.40.TW	37	Oris Efficiency 50mm Surface Mounted 128W CRI+80 90º IP40 5Y 3930mm TW 4000K	536,00	5600974017919
140.80.90.42.30.AL	37	Oris Efficiency 50mm Surface Mounted 137W CRI+80 90º IP40 5Y 4210mm AL 3000K	566,00	5600974017926
140.80.90.42.30.TB	37	Oris Efficiency 50mm Surface Mounted 137W CRI+80 90º IP40 5Y 4210mm TB 3000K	566,00	5600974017933
140.80.90.42.30.TW	37	Oris Efficiency 50mm Surface Mounted 137W CRI+80 90º IP40 5Y 4210mm TW 3000K	566,00	5600974017940
140.80.90.42.40.AL	37	Oris Efficiency 50mm Surface Mounted 137W CRI+80 90º IP40 5Y 4210mm AL 4000K	566,00	5600974017957
140.80.90.42.40.TB	37	Oris Efficiency 50mm Surface Mounted 137W CRI+80 90º IP40 5Y 4210mm TB 4000K	566,00	5600974017964
140.80.90.42.40.TW	37	Oris Efficiency 50mm Surface Mounted 137W CRI+80 90º IP40 5Y 4210mm TW 4000K	566,00	5600974017971

Tabela de Preços

CATÁLOGO BRILUMEN 2018

Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
140.80.90.44.30.AL	37	Oris Efficiency 50mm Surface Mounted 146W CRI+80 90º IP40 5Y 4490mm AL 3000K	596,00	5600974017988
140.80.90.44.30.TB	37	Oris Efficiency 50mm Surface Mounted 146W CRI+80 90º IP40 5Y 4490mm TB 3000K	596,00	5600974017995
140.80.90.44.30.TW	37	Oris Efficiency 50mm Surface Mounted 146W CRI+80 90º IP40 5Y 4490mm TW 3000K	596,00	5600974018008
140.80.90.44.40.AL	37	Oris Efficiency 50mm Surface Mounted 146W CRI+80 90º IP40 5Y 4490mm AL 4000K	596,00	5600974018015
140.80.90.44.40.TB	37	Oris Efficiency 50mm Surface Mounted 146W CRI+80 90º IP40 5Y 4490mm TB 4000K	596,00	5600974018022
140.80.90.44.40.TW	37	Oris Efficiency 50mm Surface Mounted 146W CRI+80 90º IP40 5Y 4490mm TW 4000K	596,00	5600974018039
140.80.90.47.30.AL	37	Oris Efficiency 50mm Surface Mounted 155W CRI+80 90º IP40 5Y 4770mm AL 3000K	625,97	5600974018046
140.80.90.47.30.TB	37	Oris Efficiency 50mm Surface Mounted 155W CRI+80 90º IP40 5Y 4770mm TB 3000K	625,97	5600974018053
140.80.90.47.30.TW	37	Oris Efficiency 50mm Surface Mounted 155W CRI+80 90º IP40 5Y 4770mm TW 3000K	625,97	5600974018060
140.80.90.47.40.AL	37	Oris Efficiency 50mm Surface Mounted 155W CRI+80 90º IP40 5Y 4770mm AL 4000K	625,97	5600974018077
140.80.90.47.40.TB	37	Oris Efficiency 50mm Surface Mounted 155W CRI+80 90º IP40 5Y 4770mm TB 4000K	625,97	5600974018084
140.80.90.47.40.TW	37	Oris Efficiency 50mm Surface Mounted 155W CRI+80 90º IP40 5Y 4770mm TW 4000K	625,97	5600974018091
140.80.90.50.30.AL	37	Oris Efficiency 50mm Surface Mounted 165W CRI+80 90º IP40 5Y 5050mm AL 3000K	738,00	5600974008788
140.80.90.50.30.TB	37	Oris Efficiency 50mm Surface Mounted 165W CRI+80 90º IP40 5Y 5050mm TB 3000K	738,00	5600974008856
140.80.90.50.30.TW	37	Oris Efficiency 50mm Surface Mounted 165W CRI+80 90º IP40 5Y 5050mm TW 3000K	738,00	5600974008863
140.80.90.50.40.AL	37	Oris Efficiency 50mm Surface Mounted 165W CRI+80 90º IP40 5Y 5050mm AL 4000K	738,00	5600974008870
140.80.90.50.40.TB	37	Oris Efficiency 50mm Surface Mounted 165W CRI+80 90º IP40 5Y 5050mm TB 4000K	738,00	5600974008894
140.80.90.50.40.TW	37	Oris Efficiency 50mm Surface Mounted 165W CRI+80 90º IP40 5Y 5050mm TW 4000K	738,00	5600974008900
140.80.90.53.30.AL	37	Oris Efficiency 50mm Surface Mounted 174W CRI+80 90º IP40 5Y 5330mm AL 3000K	858,00	5600974009624
140.80.90.53.30.TB	37	Oris Efficiency 50mm Surface Mounted 174W CRI+80 90º IP40 5Y 5330mm TB 3000K	858,00	5600974009648
140.80.90.53.30.TW	37	Oris Efficiency 50mm Surface Mounted 174W CRI+80 90º IP40 5Y 5330mm TW 3000K	858,00	5600974009662
140.80.90.53.40.AL	37	Oris Efficiency 50mm Surface Mounted 174W CRI+80 90º IP40 5Y 5330mm AL 4000K	858,00	5600974009709
140.80.90.53.40.TB	37	Oris Efficiency 50mm Surface Mounted 174W CRI+80 90º IP40 5Y 5330mm TB 4000K	858,00	5600974009778
140.80.90.53.40.TW	37	Oris Efficiency 50mm Surface Mounted 174W CRI+80 90º IP40 5Y 5330mm TW 4000K	858,00	5600974009785
140.80.90.56.30.AL	37	Oris Efficiency 50mm Surface Mounted 183W CRI+80 90º IP40 5Y 5610mm AL 3000K	938,00	5600974009792
140.80.90.56.30.TB	37	Oris Efficiency 50mm Surface Mounted 183W CRI+80 90º IP40 5Y 5610mm TB 3000K	938,00	5600974012624
140.80.90.56.30.TW	37	Oris Efficiency 50mm Surface Mounted 183W CRI+80 90º IP40 5Y 5610mm TW 3000K	938,00	5600974012631
140.80.90.56.40.AL	37	Oris Efficiency 50mm Surface Mounted 183W CRI+80 90º IP40 5Y 5610mm AL 4000K	938,00	5600974012440
140.80.90.56.40.TB	37	Oris Efficiency 50mm Surface Mounted 183W CRI+80 90º IP40 5Y 5610mm TB 4000K	938,00	5600974012457
140.80.90.56.40.TW	37	Oris Efficiency 50mm Surface Mounted 183W CRI+80 90º IP40 5Y 5610mm TW 4000K	938,00	5600974012464
140.80.90.59.30.AL	37	Oris Efficiency 50mm Surface Mounted 192W CRI+80 90º IP40 5Y 5900mm AL 3000K	1 111,55	5600974023156
140.80.90.59.30.TB	37	Oris Efficiency 50mm Surface Mounted 192W CRI+80 90º IP40 5Y 5900mm TB 3000K	1 111,55	5600974023163
140.80.90.59.30.TW	37	Oris Efficiency 50mm Surface Mounted 192W CRI+80 90º IP40 5Y 5900mm TW 3000K	1 111,55	5600974023170
140.80.90.59.40.AL	37	Oris Efficiency 50mm Surface Mounted 192W CRI+80 90º IP40 5Y 5900mm AL 4000K	1 111,55	5600974023187
140.80.90.59.40.TB	37	Oris Efficiency 50mm Surface Mounted 192W CRI+80 90º IP40 5Y 5900mm TB 4000K	1 111,55	5600974023194
140.80.90.59.40.TW	37	Oris Efficiency 50mm Surface Mounted 192W CRI+80 90º IP40 5Y 5900mm TW 4000K	1 111,55	5600974023200
141.80.90.11.30.AL	37	Oris Efficiency 50mm Recessed 36W CRI+80 90º IP40 5Y 1130mm AL 3000K	145,80	5600974018107
141.80.90.11.30.TB	37	Oris Efficiency 50mm Recessed 36W CRI+80 90º IP40 5Y 1130mm TB 3000K	145,80	5600974018114
141.80.90.11.30.TW	37	Oris Efficiency 50mm Recessed 36W CRI+80 90º IP40 5Y 1130mm TW 3000K	145,80	5600974018121
141.80.90.11.40.AL	37	Oris Efficiency 50mm Recessed 36W CRI+80 90º IP40 5Y 1130mm AL 4000K	145,80	5600974018138
141.80.90.11.40.TB	37	Oris Efficiency 50mm Recessed 36W CRI+80 90º IP40 5Y 1130mm TB 4000K	145,80	5600974018145
141.80.90.11.40.TW	37	Oris Efficiency 50mm Recessed 36W CRI+80 90º IP40 5Y 1130mm TW 4000K	145,80	5600974018152
141.80.90.14.30.AL	37	Oris Efficiency 50mm Recessed 45W CRI+80 90º IP40 5Y 1410mm AL 3000K	175,80	5600974018169
141.80.90.14.30.TB	37	Oris Efficiency 50mm Recessed 45W CRI+80 90º IP40 5Y 1410mm TB 3000K	175,80	5600974018176
141.80.90.14.30.TW	37	Oris Efficiency 50mm Recessed 45W CRI+80 90º IP40 5Y 1410mm TW 3000K	175,80	5600974018183
141.80.90.14.40.AL	37	Oris Efficiency 50mm Recessed 45W CRI+80 90º IP40 5Y 1410mm AL 4000K	175,80	5600974018190
141.80.90.14.40.TB	37	Oris Efficiency 50mm Recessed 45W CRI+80 90º IP40 5Y 1410mm TB 4000K	175,80	5600974018206
141.80.90.14.40.TW	37	Oris Efficiency 50mm Recessed 45W CRI+80 90º IP40 5Y 1410mm TW 4000K	175,80	5600974018213

Tabela de Preços

CATÁLOGO BRILUMEN 2018

Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
141.80.90.16.30.AL	37	Oris Efficiency 50mm Recessed 54W CRI+80 90º IP40 5Y 1690mm AL 3000K	203,80	5600974018220
141.80.90.16.30.TB	37	Oris Efficiency 50mm Recessed 54W CRI+80 90º IP40 5Y 1690mm TB 3000K	203,80	5600974018237
141.80.90.16.30.TW	37	Oris Efficiency 50mm Recessed 54W CRI+80 90º IP40 5Y 1690mm TW 3000K	203,80	5600974018244
141.80.90.16.40.AL	37	Oris Efficiency 50mm Recessed 54W CRI+80 90º IP40 5Y 1690mm AL 4000K	203,80	5600974018251
141.80.90.16.40.TB	37	Oris Efficiency 50mm Recessed 54W CRI+80 90º IP40 5Y 1690mm TB 4000K	203,80	5600974018268
141.80.90.16.40.TW	37	Oris Efficiency 50mm Recessed 54W CRI+80 90º IP40 5Y 1690mm TW 4000K	203,80	5600974018275
141.80.90.19.30.AL	37	Oris Efficiency 50mm Recessed 64W CRI+80 90º IP40 5Y 1970mm AL 3000K	263,80	5600974018282
141.80.90.19.30.TB	37	Oris Efficiency 50mm Recessed 64W CRI+80 90º IP40 5Y 1970mm TB 3000K	263,80	5600974018299
141.80.90.19.30.TW	37	Oris Efficiency 50mm Recessed 64W CRI+80 90º IP40 5Y 1970mm TW 3000K	263,80	5600974018305
141.80.90.19.40.AL	37	Oris Efficiency 50mm Recessed 64W CRI+80 90º IP40 5Y 1970mm AL 4000K	263,80	5600974018312
141.80.90.19.40.TB	37	Oris Efficiency 50mm Recessed 64W CRI+80 90º IP40 5Y 1970mm TB 4000K	263,80	5600974018329
141.80.90.19.40.TW	37	Oris Efficiency 50mm Recessed 64W CRI+80 90º IP40 5Y 1970mm TW 4000K	263,80	5600974018336
141.80.90.22.30.AL	37	Oris Efficiency 50mm Recessed 73W CRI+80 90º IP40 5Y 2250mm AL 3000K	299,80	5600974018343
141.80.90.22.30.TB	37	Oris Efficiency 50mm Recessed 73W CRI+80 90º IP40 5Y 2250mm TB 3000K	299,80	5600974018350
141.80.90.22.30.TW	37	Oris Efficiency 50mm Recessed 73W CRI+80 90º IP40 5Y 2250mm TW 3000K	299,80	5600974018367
141.80.90.22.40.AL	37	Oris Efficiency 50mm Recessed 73W CRI+80 90º IP40 5Y 2250mm AL 4000K	299,80	5600974018374
141.80.90.22.40.TB	37	Oris Efficiency 50mm Recessed 73W CRI+80 90º IP40 5Y 2250mm TB 4000K	299,80	5600974018381
141.80.90.22.40.TW	37	Oris Efficiency 50mm Recessed 73W CRI+80 90º IP40 5Y 2250mm TW 4000K	299,80	5600974018398
141.80.90.25.30.AL	37	Oris Efficiency 50mm Recessed 82W CRI+80 90º IP40 5Y 2530mm AL 3000K	315,80	5600974018404
141.80.90.25.30.TB	37	Oris Efficiency 50mm Recessed 82W CRI+80 90º IP40 5Y 2530mm TB 3000K	315,80	5600974018411
141.80.90.25.30.TW	37	Oris Efficiency 50mm Recessed 82W CRI+80 90º IP40 5Y 2530mm TW 3000K	315,80	5600974018428
141.80.90.25.40.AL	37	Oris Efficiency 50mm Recessed 82W CRI+80 90º IP40 5Y 2530mm AL 4000K	315,80	5600974018435
141.80.90.25.40.TB	37	Oris Efficiency 50mm Recessed 82W CRI+80 90º IP40 5Y 2530mm TB 4000K	315,80	5600974018442
141.80.90.25.40.TW	37	Oris Efficiency 50mm Recessed 82W CRI+80 90º IP40 5Y 2530mm TW 4000K	315,80	5600974018459
141.80.90.28.30.AL	37	Oris Efficiency 50mm Recessed 91W CRI+80 90º IP40 5Y 2810mm AL 3000K	378,00	5600974018466
141.80.90.28.30.TB	37	Oris Efficiency 50mm Recessed 91W CRI+80 90º IP40 5Y 2810mm TB 3000K	378,00	5600974018473
141.80.90.28.30.TW	37	Oris Efficiency 50mm Recessed 91W CRI+80 90º IP40 5Y 2810mm TW 3000K	378,00	5600974018480
141.80.90.28.40.AL	37	Oris Efficiency 50mm Recessed 91W CRI+80 90º IP40 5Y 2810mm AL 4000K	378,00	5600974018497
141.80.90.28.40.TB	37	Oris Efficiency 50mm Recessed 91W CRI+80 90º IP40 5Y 2810mm TB 4000K	378,00	5600974018503
141.80.90.28.40.TW	37	Oris Efficiency 50mm Recessed 91W CRI+80 90º IP40 5Y 2810mm TW 4000K	378,00	5600974018510
141.80.90.30.30.AL	37	Oris Efficiency 50mm Recessed 100W CRI+80 90º IP40 5Y 3090mm AL 3000K	408,00	5600974018527
141.80.90.30.30.TB	37	Oris Efficiency 50mm Recessed 100W CRI+80 90º IP40 5Y 3090mm TB 3000K	408,00	5600974018534
141.80.90.30.30.TW	37	Oris Efficiency 50mm Recessed 100W CRI+80 90º IP40 5Y 3090mm TW 3000K	408,00	5600974018541
141.80.90.30.40.AL	37	Oris Efficiency 50mm Recessed 100W CRI+80 90º IP40 5Y 3090mm AL 4000K	408,00	5600974018558
141.80.90.30.40.TB	37	Oris Efficiency 50mm Recessed 100W CRI+80 90º IP40 5Y 3090mm TB 4000K	408,00	5600974018565
141.80.90.30.40.TW	37	Oris Efficiency 50mm Recessed 100W CRI+80 90º IP40 5Y 3090mm TW 4000K	408,00	5600974018572
141.80.90.33.30.AL	37	Oris Efficiency 50mm Recessed 110W CRI+80 90º IP40 5Y 3370mm AL 3000K	438,00	5600974018589
141.80.90.33.30.TB	37	Oris Efficiency 50mm Recessed 110W CRI+80 90º IP40 5Y 3370mm TB 3000K	438,00	5600974018596
141.80.90.33.30.TW	37	Oris Efficiency 50mm Recessed 110W CRI+80 90º IP40 5Y 3370mm TW 3000K	438,00	5600974018602
141.80.90.33.40.AL	37	Oris Efficiency 50mm Recessed 110W CRI+80 90º IP40 5Y 3370mm AL 4000K	438,00	5600974018619
141.80.90.33.40.TB	37	Oris Efficiency 50mm Recessed 110W CRI+80 90º IP40 5Y 3370mm TB 4000K	438,00	5600974018626
141.80.90.33.40.TW	37	Oris Efficiency 50mm Recessed 110W CRI+80 90º IP40 5Y 3370mm TW 4000K	438,00	5600974018633
141.80.90.36.30.AL	37	Oris Efficiency 50mm Recessed 119W CRI+80 90º IP40 5Y 3650mm AL 3000K	508,00	5600974018640
141.80.90.36.30.TB	37	Oris Efficiency 50mm Recessed 119W CRI+80 90º IP40 5Y 3650mm TB 3000K	508,00	5600974018657
141.80.90.36.30.TW	37	Oris Efficiency 50mm Recessed 119W CRI+80 90º IP40 5Y 3650mm TW 3000K	508,00	5600974018664
141.80.90.36.40.AL	37	Oris Efficiency 50mm Recessed 119W CRI+80 90º IP40 5Y 3650mm AL 4000K	508,00	5600974018671
141.80.90.36.40.TB	37	Oris Efficiency 50mm Recessed 119W CRI+80 90º IP40 5Y 3650mm TB 4000K	508,00	5600974018688
141.80.90.36.40.TW	37	Oris Efficiency 50mm Recessed 119W CRI+80 90º IP40 5Y 3650mm TW 4000K	508,00	5600974018695

Tabela de Preços		CATÁLOGO BRILUMEN 2018		
Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
141.80.90.39.30.AL	37	Oris Efficiency 50mm Recessed 128W CRI+80 90º IP40 5Y 3930mm AL 3000K	536,00	5600974018701
141.80.90.39.30.TB	37	Oris Efficiency 50mm Recessed 128W CRI+80 90º IP40 5Y 3930mm TB 3000K	536,00	5600974018718
141.80.90.39.30.TW	37	Oris Efficiency 50mm Recessed 128W CRI+80 90º IP40 5Y 3930mm TW 3000K	536,00	5600974018725
141.80.90.39.40.AL	37	Oris Efficiency 50mm Recessed 128W CRI+80 90º IP40 5Y 3930mm AL 4000K	536,00	5600974018732
141.80.90.39.40.TB	37	Oris Efficiency 50mm Recessed 128W CRI+80 90º IP40 5Y 3930mm TB 4000K	536,00	5600974018749
141.80.90.39.40.TW	37	Oris Efficiency 50mm Recessed 128W CRI+80 90º IP40 5Y 3930mm TW 4000K	536,00	5600974018756
141.80.90.42.30.AL	37	Oris Efficiency 50mm Recessed 137W CRI+80 90º IP40 5Y 4210mm AL 3000K	566,00	5600974018763
141.80.90.42.30.TB	37	Oris Efficiency 50mm Recessed 137W CRI+80 90º IP40 5Y 4210mm TB 3000K	566,00	5600974018770
141.80.90.42.30.TW	37	Oris Efficiency 50mm Recessed 137W CRI+80 90º IP40 5Y 4210mm TW 3000K	566,00	5600974018787
141.80.90.42.40.AL	37	Oris Efficiency 50mm Recessed 137W CRI+80 90º IP40 5Y 4210mm AL 4000K	566,00	5600974018794
141.80.90.42.40.TB	37	Oris Efficiency 50mm Recessed 137W CRI+80 90º IP40 5Y 4210mm TB 4000K	566,00	5600974018800
141.80.90.42.40.TW	37	Oris Efficiency 50mm Recessed 137W CRI+80 90º IP40 5Y 4210mm TW 4000K	566,00	5600974018817
141.80.90.44.30.AL	37	Oris Efficiency 50mm Recessed 146W CRI+80 90º IP40 5Y 4490mm AL 3000K	596,00	5600974018824
141.80.90.44.30.TB	37	Oris Efficiency 50mm Recessed 146W CRI+80 90º IP40 5Y 4490mm TB 3000K	596,00	5600974018831
141.80.90.44.30.TW	37	Oris Efficiency 50mm Recessed 146W CRI+80 90º IP40 5Y 4490mm TW 3000K	596,00	5600974018848
141.80.90.44.40.AL	37	Oris Efficiency 50mm Recessed 146W CRI+80 90º IP40 5Y 4490mm AL 4000K	596,00	5600974018855
141.80.90.44.40.TB	37	Oris Efficiency 50mm Recessed 146W CRI+80 90º IP40 5Y 4490mm TB 4000K	596,00	5600974018862
141.80.90.44.40.TW	37	Oris Efficiency 50mm Recessed 146W CRI+80 90º IP40 5Y 4490mm TW 4000K	596,00	5600974018879
141.80.90.47.30.AL	37	Oris Efficiency 50mm Recessed 155W CRI+80 90º IP40 5Y 4770mm AL 3000K	625,97	5600974018886
141.80.90.47.30.TB	37	Oris Efficiency 50mm Recessed 155W CRI+80 90º IP40 5Y 4770mm TB 3000K	625,97	5600974018893
141.80.90.47.30.TW	37	Oris Efficiency 50mm Recessed 155W CRI+80 90º IP40 5Y 4770mm TW 3000K	625,97	5600974018909
141.80.90.47.40.AL	37	Oris Efficiency 50mm Recessed 155W CRI+80 90º IP40 5Y 4770mm AL 4000K	625,97	5600974018916
141.80.90.47.40.TB	37	Oris Efficiency 50mm Recessed 155W CRI+80 90º IP40 5Y 4770mm TB 4000K	625,97	5600974018923
141.80.90.47.40.TW	37	Oris Efficiency 50mm Recessed 155W CRI+80 90º IP40 5Y 4770mm TW 4000K	625,97	5600974018930
141.80.90.50.30.AL	37	Oris Efficiency 50mm Recessed 165W CRI+80 90º IP40 5Y 5050mm AL 3000K	738,00	5600974012471
141.80.90.50.30.TB	37	Oris Efficiency 50mm Recessed 165W CRI+80 90º IP40 5Y 5050mm TB 3000K	738,00	5600974012549
141.80.90.50.30.TW	37	Oris Efficiency 50mm Recessed 165W CRI+80 90º IP40 5Y 5050mm TW 3000K	738,00	5600974012600
141.80.90.50.40.AL	37	Oris Efficiency 50mm Recessed 165W CRI+80 90º IP40 5Y 5050mm AL 4000K	738,00	5600974014093
141.80.90.50.40.TB	37	Oris Efficiency 50mm Recessed 165W CRI+80 90º IP40 5Y 5050mm TB 4000K	738,00	5600974014215
141.80.90.50.40.TW	37	Oris Efficiency 50mm Recessed 165W CRI+80 90º IP40 5Y 5050mm TW 4000K	738,00	5600974014352
141.80.90.53.30.AL	37	Oris Efficiency 50mm Recessed 174W CRI+80 90º IP40 5Y 5330mm AL 3000K	858,00	5600974014116
141.80.90.53.30.TB	37	Oris Efficiency 50mm Recessed 174W CRI+80 90º IP40 5Y 5330mm TB 3000K	858,00	5600974014154
141.80.90.53.30.TW	37	Oris Efficiency 50mm Recessed 174W CRI+80 90º IP40 5Y 5330mm TW 3000K	858,00	5600974014222
141.80.90.53.40.AL	37	Oris Efficiency 50mm Recessed 174W CRI+80 90º IP40 5Y 5330mm AL 4000K	858,00	5600974014185
141.80.90.53.40.TB	37	Oris Efficiency 50mm Recessed 174W CRI+80 90º IP40 5Y 5330mm TB 4000K	858,00	5600974014260
141.80.90.53.40.TW	37	Oris Efficiency 50mm Recessed 174W CRI+80 90º IP40 5Y 5330mm TW 4000K	858,00	5600974014406
141.80.90.56.30.AL	37	Oris Efficiency 50mm Recessed 183W CRI+80 90º IP40 5Y 5610mm AL 3000K	938,00	5600974014369
141.80.90.56.30.TB	37	Oris Efficiency 50mm Recessed 183W CRI+80 90º IP40 5Y 5610mm TB 3000K	938,00	5600974014512
141.80.90.56.30.TW	37	Oris Efficiency 50mm Recessed 183W CRI+80 90º IP40 5Y 5610mm TW 3000K	938,00	5600974014475
141.80.90.56.40.AL	37	Oris Efficiency 50mm Recessed 183W CRI+80 90º IP40 5Y 5610mm AL 4000K	938,00	5600974014130
141.80.90.56.40.TB	37	Oris Efficiency 50mm Recessed 183W CRI+80 90º IP40 5Y 5610mm TB 4000K	938,00	5600974014291
141.80.90.56.40.TW	37	Oris Efficiency 50mm Recessed 183W CRI+80 90º IP40 5Y 5610mm TW 4000K	938,00	5600974014123
141.80.90.59.30.AL	37	Oris Efficiency 50mm Recessed 192W CRI+80 90º IP40 5Y 5900mm AL 3000K	1 111,55	5600974023217
141.80.90.59.30.TB	37	Oris Efficiency 50mm Recessed 192W CRI+80 90º IP40 5Y 5900mm TB 3000K	1 111,55	5600974023224
141.80.90.59.30.TW	37	Oris Efficiency 50mm Recessed 192W CRI+80 90º IP40 5Y 5900mm TW 3000K	1 111,55	5600974023231
141.80.90.59.40.AL	37	Oris Efficiency 50mm Recessed 192W CRI+80 90º IP40 5Y 5900mm AL 4000K	1 111,55	5600974023248
141.80.90.59.40.TB	37	Oris Efficiency 50mm Recessed 192W CRI+80 90º IP40 5Y 5900mm TB 4000K	1 111,55	5600974023255
141.80.90.59.40.TW	37	Oris Efficiency 50mm Recessed 192W CRI+80 90º IP40 5Y 5900mm TW 4000K	1 111,55	5600974023262
8030-1400	41	Trimless fitting	17,28	#N/D

Tabela de Preços		CATÁLOGO BRILUMEN 2018		
Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
3080-013.AL	37	Round aluminium ceiling cup of 38mm for electric cable	3,98	5600974014970
3080-013.TB	37	Round black ceiling cup of 38mm for electric cable	3,98	5600974014161
3080-013.TW	37	Round white ceiling cup of 38mm for electric cable	3,98	5600974014239
3080-015.AL	37	Round aluminium ceiling cup of 60mm with 2 holes for electric cable	5,20	5600974015489
3080-015.TB	37	Round black ceiling cup of 60mm with 2 holes for electric cable	5,20	5600974014192
3080-015.TW	37	Round white ceiling cup of 60mm with 2 holes for electric cable	5,20	5600974014529
3080-016.AL	37	Round aluminium ceiling cup of 90mm with 1 hole for electric cable	5,98	5600974015519
3080-016.TB	37	Round black ceiling cup of 90mm with 1 hole for electric cable	5,98	5600974014482
3080-016.TW	37	Round white ceiling cup of 90mm with 1 hole for electric cable	5,98	5600974014147
145.80.30.30.40.AL	39	Oris High Performance 50mm Suspended 152W CRI+80 30º IP40 5Y 3090mm AL 4000K	519,80	5600974014307
145.80.30.30.40.TW	39	Oris High Performance 50mm Suspended 152W CRI+80 30º IP40 5Y 3090mm TW 4000K	519,80	5600974008573
145.80.30.30.50.AL	39	Oris High Performance 50mm Suspended 152W CRI+80 30º IP40 5Y 3090mm AL 5000K	519,80	5600974008580
145.80.30.30.50.TW	39	Oris High Performance 50mm Suspended 152W CRI+80 30º IP40 5Y 3090mm TW 5000K	519,80	5600974008672
145.80.30.33.40.AL	39	Oris High Performance 50mm Suspended 166W CRI+80 30º IP40 5Y 3370mm AL 4000K	547,20	5600974008634
145.80.30.33.40.TW	39	Oris High Performance 50mm Suspended 166W CRI+80 30º IP40 5Y 3370mm TW 4000K	547,20	5600974008641
145.80.30.33.50.AL	39	Oris High Performance 50mm Suspended 166W CRI+80 30º IP40 5Y 3370mm AL 5000K	547,20	5600974023460
145.80.30.33.50.TW	39	Oris High Performance 50mm Suspended 166W CRI+80 30º IP40 5Y 3370mm TW 5000K	547,20	5600974023484
145.80.30.36.40.AL	39	Oris High Performance 50mm Suspended 180W CRI+80 30º IP40 5Y 3650mm AL 4000K	624,80	5600974023507
145.80.30.36.40.TW	39	Oris High Performance 50mm Suspended 180W CRI+80 30º IP40 5Y 3650mm TW 4000K	624,80	5600974023545
145.80.30.36.50.AL	39	Oris High Performance 50mm Suspended 180W CRI+80 30º IP40 5Y 3650mm AL 5000K	624,80	5600974008948
145.80.30.36.50.TW	39	Oris High Performance 50mm Suspended 180W CRI+80 30º IP40 5Y 3650mm TW 5000K	624,80	5600974008955
145.80.30.39.40.AL	39	Oris High Performance 50mm Suspended 194W CRI+80 30º IP40 5Y 3930mm AL 4000K	661,80	5600974006647
145.80.30.39.40.TW	39	Oris High Performance 50mm Suspended 194W CRI+80 30º IP40 5Y 3930mm TW 4000K	661,80	5600974004605
145.80.30.39.50.AL	39	Oris High Performance 50mm Suspended 194W CRI+80 30º IP40 5Y 3930mm AL 5000K	661,80	5600974004445
145.80.30.39.50.TW	39	Oris High Performance 50mm Suspended 194W CRI+80 30º IP40 5Y 3930mm TW 5000K	661,80	5600974004452
145.80.30.42.40.AL	39	Oris High Performance 50mm Suspended 208W CRI+80 30º IP40 5Y 4210mm AL 4000K	709,80	5600974002052
145.80.30.42.40.TW	39	Oris High Performance 50mm Suspended 208W CRI+80 30º IP40 5Y 4210mm TW 4000K	709,80	5600974002182
145.80.30.42.50.AL	39	Oris High Performance 50mm Suspended 208W CRI+80 30º IP40 5Y 4210mm AL 5000K	709,80	5600974002199
145.80.30.42.50.TW	39	Oris High Performance 50mm Suspended 208W CRI+80 30º IP40 5Y 4210mm TW 5000K	709,80	5600974002212
145.80.30.44.40.AL	39	Oris High Performance 50mm Suspended 222W CRI+80 30º IP40 5Y 4490mm AL 4000K	749,80	5600974002229
145.80.30.44.40.TW	39	Oris High Performance 50mm Suspended 222W CRI+80 30º IP40 5Y 4490mm TW 4000K	749,80	5600974002243
145.80.30.44.50.AL	39	Oris High Performance 50mm Suspended 222W CRI+80 30º IP40 5Y 4490mm AL 5000K	749,80	5600974002250
145.80.30.44.50.TW	39	Oris High Performance 50mm Suspended 222W CRI+80 30º IP40 5Y 4490mm TW 5000K	749,80	5600974002267
145.80.30.47.40.AL	39	Oris High Performance 50mm Suspended 235W CRI+80 30º IP40 5Y 4770mm AL 4000K	789,80	5600974004636
145.80.30.47.40.TW	39	Oris High Performance 50mm Suspended 235W CRI+80 30º IP40 5Y 4770mm TW 4000K	789,80	5600974004520
145.80.30.47.50.AL	39	Oris High Performance 50mm Suspended 235W CRI+80 30º IP40 5Y 4770mm AL 5000K	789,80	5600974004544
145.80.30.47.50.TW	39	Oris High Performance 50mm Suspended 235W CRI+80 30º IP40 5Y 4770mm TW 5000K	789,80	5600974004582
145.80.30.50.40.AL	39	Oris High Performance 50mm Suspended 250W CRI+80 30º IP40 5Y 5050mm AL 4000K	899,80	5600974002427
145.80.30.50.40.TW	39	Oris High Performance 50mm Suspended 250W CRI+80 30º IP40 5Y 5050mm TW 4000K	899,80	5600974002434
145.80.30.50.50.AL	39	Oris High Performance 50mm Suspended 250W CRI+80 30º IP40 5Y 5050mm AL 5000K	899,80	5600974002458
145.80.30.50.50.TW	39	Oris High Performance 50mm Suspended 250W CRI+80 30º IP40 5Y 5050mm TW 5000K	899,80	5600974004902
145.80.30.53.40.AL	39	Oris High Performance 50mm Suspended 263W CRI+80 30º IP40 5Y 5330mm AL 4000K	915,60	5600974006746
145.80.30.53.40.TW	39	Oris High Performance 50mm Suspended 263W CRI+80 30º IP40 5Y 5330mm TW 4000K	915,60	5600974002137
145.80.30.53.50.AL	39	Oris High Performance 50mm Suspended 263W CRI+80 30º IP40 5Y 5330mm AL 5000K	915,60	5600974004681
145.80.30.53.50.TW	39	Oris High Performance 50mm Suspended 263W CRI+80 30º IP40 5Y 5330mm TW 5000K	915,60	5600974002373

Tabela de Preços		CATÁLOGO BRILUMEN 2018		
Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
145.80.30.56.40.AL	39	Oris High Performance 50mm Suspended 277W CRI+80 30º IP40 5Y 5610mm AL 4000K	1 099,80	5600974007958
145.80.30.56.40.TW	39	Oris High Performance 50mm Suspended 277W CRI+80 30º IP40 5Y 5610mm TW 4000K	1 099,80	5600974007965
145.80.30.56.50.AL	39	Oris High Performance 50mm Suspended 277W CRI+80 30º IP40 5Y 5610mm AL 5000K	1 099,80	5600974007972
145.80.30.56.50.TW	39	Oris High Performance 50mm Suspended 277W CRI+80 30º IP40 5Y 5610mm TW 5000K	1 099,80	5600974007989
145.80.30.59.40.AL	39	Oris High Performance 50mm Suspended 291W CRI+80 30º IP40 5Y 5900mm AL 4000K	1 299,80	5600974007996
145.80.30.59.40.TW	39	Oris High Performance 50mm Suspended 291W CRI+80 30º IP40 5Y 5900mm TW 4000K	1 299,80	5600974008009
145.80.30.59.50.AL	39	Oris High Performance 50mm Suspended 291W CRI+80 30º IP40 5Y 5900mm AL 5000K	1 299,80	5600974004643
145.80.30.59.50.TW	39	Oris High Performance 50mm Suspended 291W CRI+80 30º IP40 5Y 5900mm TW 5000K	1 299,80	5600974004858
145.80.60.30.40.AL	39	Oris High Performance 50mm Suspended 152W CRI+80 60º IP40 5Y 3090mm AL 4000K	519,80	5600974004650
145.80.60.30.40.TW	39	Oris High Performance 50mm Suspended 152W CRI+80 60º IP40 5Y 3090mm TW 4000K	519,80	5600974004667
145.80.60.30.50.AL	39	Oris High Performance 50mm Suspended 152W CRI+80 60º IP40 5Y 3090mm AL 5000K	519,80	5600974002595
145.80.60.30.50.TW	39	Oris High Performance 50mm Suspended 152W CRI+80 60º IP40 5Y 3090mm TW 5000K	519,80	5600974002618
145.80.60.33.40.AL	39	Oris High Performance 50mm Suspended 166W CRI+80 60º IP40 5Y 3370mm AL 4000K	547,20	5600974002526
145.80.60.33.40.TW	39	Oris High Performance 50mm Suspended 166W CRI+80 60º IP40 5Y 3370mm TW 4000K	547,20	5600974002540
145.80.60.33.50.AL	39	Oris High Performance 50mm Suspended 166W CRI+80 60º IP40 5Y 3370mm AL 5000K	547,20	5600974002571
145.80.60.33.50.TW	39	Oris High Performance 50mm Suspended 166W CRI+80 60º IP40 5Y 3370mm TW 5000K	547,20	5600974002625
145.80.60.36.40.AL	39	Oris High Performance 50mm Suspended 180W CRI+80 60º IP40 5Y 3650mm AL 4000K	624,80	5600974002632
145.80.60.36.40.TW	39	Oris High Performance 50mm Suspended 180W CRI+80 60º IP40 5Y 3650mm TW 4000K	624,80	5600974005169
145.80.60.36.50.AL	39	Oris High Performance 50mm Suspended 180W CRI+80 60º IP40 5Y 3650mm AL 5000K	624,80	5600974005206
145.80.60.36.50.TW	39	Oris High Performance 50mm Suspended 180W CRI+80 60º IP40 5Y 3650mm TW 5000K	624,80	5600974005220
145.80.60.39.40.AL	39	Oris High Performance 50mm Suspended 194W CRI+80 60º IP40 5Y 3930mm AL 4000K	661,80	5600974005237
145.80.60.39.40.TW	39	Oris High Performance 50mm Suspended 194W CRI+80 60º IP40 5Y 3930mm TW 4000K	661,80	5600974005202
145.80.60.39.50.AL	39	Oris High Performance 50mm Suspended 194W CRI+80 60º IP40 5Y 3930mm AL 5000K	661,80	5600974005219
145.80.60.39.50.TW	39	Oris High Performance 50mm Suspended 194W CRI+80 60º IP40 5Y 3930mm TW 5000K	661,80	5600974004971
145.80.60.42.40.AL	39	Oris High Performance 50mm Suspended 208W CRI+80 60º IP40 5Y 4210mm AL 4000K	709,80	5600974002649
145.80.60.42.40.TW	39	Oris High Performance 50mm Suspended 208W CRI+80 60º IP40 5Y 4210mm TW 4000K	709,80	5600974002656
145.80.60.42.50.AL	39	Oris High Performance 50mm Suspended 208W CRI+80 60º IP40 5Y 4210mm AL 5000K	709,80	5600974002670
145.80.60.42.50.TW	39	Oris High Performance 50mm Suspended 208W CRI+80 60º IP40 5Y 4210mm TW 5000K	709,80	5600974008801
145.80.60.44.40.AL	39	Oris High Performance 50mm Suspended 222W CRI+80 60º IP40 5Y 4490mm AL 4000K	749,80	5600974008825
145.80.60.44.40.TW	39	Oris High Performance 50mm Suspended 222W CRI+80 60º IP40 5Y 4490mm TW 4000K	749,80	5600974005398
145.80.60.44.50.AL	39	Oris High Performance 50mm Suspended 222W CRI+80 60º IP40 5Y 4490mm AL 5000K	749,80	5600974002953
145.80.60.44.50.TW	39	Oris High Performance 50mm Suspended 222W CRI+80 60º IP40 5Y 4490mm TW 5000K	749,80	5600974008887
145.80.60.47.40.AL	39	Oris High Performance 50mm Suspended 235W CRI+80 60º IP40 5Y 4770mm AL 4000K	789,80	5600974005336
145.80.60.47.40.TW	39	Oris High Performance 50mm Suspended 235W CRI+80 60º IP40 5Y 4770mm TW 4000K	789,80	5600974005343
145.80.60.47.50.AL	39	Oris High Performance 50mm Suspended 235W CRI+80 60º IP40 5Y 4770mm AL 5000K	789,80	5600974015427
145.80.60.47.50.TW	39	Oris High Performance 50mm Suspended 235W CRI+80 60º IP40 5Y 4770mm TW 5000K	789,80	5600974015557
145.80.60.50.40.AL	39	Oris High Performance 50mm Suspended 250W CRI+80 60º IP40 5Y 5050mm AL 4000K	899,80	5600974008849
145.80.60.50.40.TW	39	Oris High Performance 50mm Suspended 250W CRI+80 60º IP40 5Y 5050mm TW 4000K	899,80	5600974005473
145.80.60.50.50.AL	39	Oris High Performance 50mm Suspended 250W CRI+80 60º IP40 5Y 5050mm AL 5000K	899,80	5600974003684
145.80.60.50.50.TW	39	Oris High Performance 50mm Suspended 250W CRI+80 60º IP40 5Y 5050mm TW 5000K	899,80	5600974003721
145.80.60.53.40.AL	39	Oris High Performance 50mm Suspended 263W CRI+80 60º IP40 5Y 5330mm AL 4000K	915,60	5600974003752
145.80.60.53.40.TW	39	Oris High Performance 50mm Suspended 263W CRI+80 60º IP40 5Y 5330mm TW 4000K	915,60	5600974003776
145.80.60.53.50.AL	39	Oris High Performance 50mm Suspended 263W CRI+80 60º IP40 5Y 5330mm AL 5000K	915,60	5600974012426
145.80.60.53.50.TW	39	Oris High Performance 50mm Suspended 263W CRI+80 60º IP40 5Y 5330mm TW 5000K	915,60	5600974012433

Tabela de Preços		CATÁLOGO BRILUMEN 2018		
Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
145.80.60.56.40.AL	39	Oris High Performance 50mm Suspended 277W CRI+80 60º IP40 5Y 5610mm AL 4000K	1 099,80	5600974003851
145.80.60.56.40.TW	39	Oris High Performance 50mm Suspended 277W CRI+80 60º IP40 5Y 5610mm TW 4000K	1 099,80	5600974003868
145.80.60.56.50.AL	39	Oris High Performance 50mm Suspended 277W CRI+80 60º IP40 5Y 5610mm AL 5000K	1 099,80	5600974003899
145.80.60.56.50.TW	39	Oris High Performance 50mm Suspended 277W CRI+80 60º IP40 5Y 5610mm TW 5000K	1 099,80	5600974003905
145.80.60.59.40.AL	39	Oris High Performance 50mm Suspended 291W CRI+80 60º IP40 5Y 5900mm AL 4000K	1 299,80	5600974003929
145.80.60.59.40.TW	39	Oris High Performance 50mm Suspended 291W CRI+80 60º IP40 5Y 5900mm TW 4000K	1 299,80	5600974003912
145.80.60.59.50.AL	39	Oris High Performance 50mm Suspended 291W CRI+80 60º IP40 5Y 5900mm AL 5000K	1 299,80	5600974003943
145.80.60.59.50.TW	39	Oris High Performance 50mm Suspended 291W CRI+80 60º IP40 5Y 5900mm TW 5000K	1 299,80	5600974003806
145.80.90.30.40.AL	39	Oris High Performance 50mm Suspended 152W CRI+80 90º IP40 5Y 3090mm AL 4000K	519,80	5600974012907
145.80.90.30.40.TW	39	Oris High Performance 50mm Suspended 152W CRI+80 90º IP40 5Y 3090mm TW 4000K	519,80	5600974012921
145.80.90.30.50.AL	39	Oris High Performance 50mm Suspended 152W CRI+80 90º IP40 5Y 3090mm AL 5000K	519,80	5600974005138
145.80.90.30.50.TW	39	Oris High Performance 50mm Suspended 152W CRI+80 90º IP40 5Y 3090mm TW 5000K	519,80	5600974005145
145.80.90.33.40.AL	39	Oris High Performance 50mm Suspended 166W CRI+80 90º IP40 5Y 3370mm AL 4000K	547,20	5600974005152
145.80.90.33.40.TW	39	Oris High Performance 50mm Suspended 166W CRI+80 90º IP40 5Y 3370mm TW 4000K	547,20	5600974005077
145.80.90.33.50.AL	39	Oris High Performance 50mm Suspended 166W CRI+80 90º IP40 5Y 3370mm AL 5000K	547,20	5600974008184
145.80.90.33.50.TW	39	Oris High Performance 50mm Suspended 166W CRI+80 90º IP40 5Y 3370mm TW 5000K	547,20	5600974008191
145.80.90.36.40.AL	39	Oris High Performance 50mm Suspended 180W CRI+80 90º IP40 5Y 3650mm AL 4000K	624,80	5600974015571
145.80.90.36.40.TW	39	Oris High Performance 50mm Suspended 180W CRI+80 90º IP40 5Y 3650mm TW 4000K	624,80	5600974009990
145.80.90.36.50.AL	39	Oris High Performance 50mm Suspended 180W CRI+80 90º IP40 5Y 3650mm AL 5000K	624,80	5600974013072
145.80.90.36.50.TW	39	Oris High Performance 50mm Suspended 180W CRI+80 90º IP40 5Y 3650mm TW 5000K	624,80	5600974010002
145.80.90.39.40.AL	39	Oris High Performance 50mm Suspended 194W CRI+80 90º IP40 5Y 3930mm AL 4000K	661,80	5600974013102
145.80.90.39.40.TW	39	Oris High Performance 50mm Suspended 194W CRI+80 90º IP40 5Y 3930mm TW 4000K	661,80	5600974013119
145.80.90.39.50.AL	39	Oris High Performance 50mm Suspended 194W CRI+80 90º IP40 5Y 3930mm AL 5000K	661,80	5600974010026
145.80.90.39.50.TW	39	Oris High Performance 50mm Suspended 194W CRI+80 90º IP40 5Y 3930mm TW 5000K	661,80	5600974013126
145.80.90.42.40.AL	39	Oris High Performance 50mm Suspended 208W CRI+80 90º IP40 5Y 4210mm AL 4000K	709,80	5600974010033
145.80.90.42.40.TW	39	Oris High Performance 50mm Suspended 208W CRI+80 90º IP40 5Y 4210mm TW 4000K	709,80	5600974013133
145.80.90.42.50.AL	39	Oris High Performance 50mm Suspended 208W CRI+80 90º IP40 5Y 4210mm AL 5000K	709,80	5600974010040
145.80.90.42.50.TW	39	Oris High Performance 50mm Suspended 208W CRI+80 90º IP40 5Y 4210mm TW 5000K	709,80	5600974010187
145.80.90.44.40.AL	39	Oris High Performance 50mm Suspended 222W CRI+80 90º IP40 5Y 4490mm AL 4000K	749,80	5600974014833
145.80.90.44.40.TW	39	Oris High Performance 50mm Suspended 222W CRI+80 90º IP40 5Y 4490mm TW 4000K	749,80	5600974010224
145.80.90.44.50.AL	39	Oris High Performance 50mm Suspended 222W CRI+80 90º IP40 5Y 4490mm AL 5000K	749,80	5600974010248
145.80.90.44.50.TW	39	Oris High Performance 50mm Suspended 222W CRI+80 90º IP40 5Y 4490mm TW 5000K	749,80	5600974010262
145.80.90.47.40.AL	39	Oris High Performance 50mm Suspended 235W CRI+80 90º IP40 5Y 4770mm AL 4000K	789,80	5600974010286
145.80.90.47.40.TW	39	Oris High Performance 50mm Suspended 235W CRI+80 90º IP40 5Y 4770mm TW 4000K	789,80	5600974010309
145.80.90.47.50.AL	39	Oris High Performance 50mm Suspended 235W CRI+80 90º IP40 5Y 4770mm AL 5000K	789,80	5600974010316
145.80.90.47.50.TW	39	Oris High Performance 50mm Suspended 235W CRI+80 90º IP40 5Y 4770mm TW 5000K	789,80	5600974010323
145.80.90.50.40.AL	39	Oris High Performance 50mm Suspended 250W CRI+80 90º IP40 5Y 5050mm AL 4000K	899,80	5600974010330
145.80.90.50.40.TW	39	Oris High Performance 50mm Suspended 250W CRI+80 90º IP40 5Y 5050mm TW 4000K	899,80	5600974010347
145.80.90.50.50.AL	39	Oris High Performance 50mm Suspended 250W CRI+80 90º IP40 5Y 5050mm AL 5000K	899,80	5600974010385
145.80.90.50.50.TW	39	Oris High Performance 50mm Suspended 250W CRI+80 90º IP40 5Y 5050mm TW 5000K	899,80	5600974010408
145.80.90.53.40.AL	39	Oris High Performance 50mm Suspended 263W CRI+80 90º IP40 5Y 5330mm AL 4000K	915,60	5600974010415
145.80.90.53.40.TW	39	Oris High Performance 50mm Suspended 263W CRI+80 90º IP40 5Y 5330mm TW 4000K	915,60	5600974010422
145.80.90.53.50.AL	39	Oris High Performance 50mm Suspended 263W CRI+80 90º IP40 5Y 5330mm AL 5000K	915,60	5600974010439
145.80.90.53.50.TW	39	Oris High Performance 50mm Suspended 263W CRI+80 90º IP40 5Y 5330mm TW 5000K	915,60	5600974010446

Tabela de Preços		CATÁLOGO BRILUMEN 2018		
Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
145.80.90.56.40.AL	39	Oris High Performance 50mm Suspended 277W CRI+80 90º IP40 5Y 5610mm AL 4000K	1 099,80	5600974013140
145.80.90.56.40.TW	39	Oris High Performance 50mm Suspended 277W CRI+80 90º IP40 5Y 5610mm TW 4000K	1 099,80	5600974010576
145.80.90.56.50.AL	39	Oris High Performance 50mm Suspended 277W CRI+80 90º IP40 5Y 5610mm AL 5000K	1 099,80	5600974013157
145.80.90.56.50.TW	39	Oris High Performance 50mm Suspended 277W CRI+80 90º IP40 5Y 5610mm TW 5000K	1 099,80	5600974010583
145.80.90.59.40.AL	39	Oris High Performance 50mm Suspended 291W CRI+80 90º IP40 5Y 5900mm AL 4000K	1 299,80	5600974013164
145.80.90.59.40.TW	39	Oris High Performance 50mm Suspended 291W CRI+80 90º IP40 5Y 5900mm TW 4000K	1 299,80	5600974010590
145.80.90.59.50.AL	39	Oris High Performance 50mm Suspended 291W CRI+80 90º IP40 5Y 5900mm AL 5000K	1 299,80	5600974013171
145.80.90.59.50.TW	39	Oris High Performance 50mm Suspended 291W CRI+80 90º IP40 5Y 5900mm TW 5000K	1 299,80	5600974010606
143.80.90.66.30.AL	43	Oris 50mm Suspended 620x620 72W CRI+80 90º IP40 5Y AL 3000K	478,00	5600974013201
143.80.90.66.30.TB	43	Oris 50mm Suspended 620x620 72W CRI+80 90º IP40 5Y TB 3000K	478,00	5600974010613
143.80.90.66.30.TW	43	Oris 50mm Suspended 620x620 72W CRI+80 90º IP40 5Y TW 3000K	478,00	5600974013218
143.80.90.66.40.AL	43	Oris 50mm Suspended 620x620 72W CRI+80 90º IP40 5Y AL 4000K	478,00	5600974010620
143.80.90.66.40.TB	43	Oris 50mm Suspended 620x620 72W CRI+80 90º IP40 5Y TB 4000K	478,00	5600974013225
143.80.90.66.40.TW	43	Oris 50mm Suspended 620x620 72W CRI+80 90º IP40 5Y TW 4000K	478,00	5600974010637
155.80.90.113.30.AL	43	Oris 50mm Suspended 1180x340 90W CRI+80 90º IP40 5Y AL 3000K	538,00	5600974013232
155.80.90.113.30.TB	43	Oris 50mm Suspended 1180x340 90W CRI+80 90º IP40 5Y TB 3000K	538,00	5600974010644
155.80.90.113.30.TW	43	Oris 50mm Suspended 1180x340 90W CRI+80 90º IP40 5Y TW 3000K	538,00	5600974013188
155.80.90.113.40.AL	43	Oris 50mm Suspended 1180x340 90W CRI+80 90º IP40 5Y AL 4000K	538,00	5600974010651
155.80.90.113.40.TB	43	Oris 50mm Suspended 1180x340 90W CRI+80 90º IP40 5Y TB 4000K	538,00	5600974013195
155.80.90.113.40.TW	43	Oris 50mm Suspended 1180x340 90W CRI+80 90º IP40 5Y TW 4000K	538,00	5600974010668
144.80.90.116.30.AL	43	Oris 50mm Suspended 1180x620 108W CRI+80 90º IP40 5Y AL 3000K	605,80	5600974013348
144.80.90.116.30.TB	43	Oris 50mm Suspended 1180x620 108W CRI+80 90º IP40 5Y TB 3000K	605,80	5600974010774
144.80.90.116.30.TW	43	Oris 50mm Suspended 1180x620 108W CRI+80 90º IP40 5Y TW 3000K	605,80	5600974013355
144.80.90.116.40.AL	43	Oris 50mm Suspended 1180x620 108W CRI+80 90º IP40 5Y AL 4000K	605,80	5600974010781
144.80.90.116.40.TB	43	Oris 50mm Suspended 1180x620 108W CRI+80 90º IP40 5Y TB 4000K	605,80	5600974013362
144.80.90.116.40.TW	43	Oris 50mm Suspended 1180x620 108W CRI+80 90º IP40 5Y TW 4000K	605,80	5600974010798
147.80.90.63.30.TB	43	Sotis 35mm Suspended 605x325 54W CRI+80 90º IP40 5Y TB 3000K	399,80	5600974013379
147.80.90.63.30.TS	43	Sotis 35mm Suspended 605x325 54W CRI+80 90º IP40 5Y TS 3000K	399,80	5600974010804
147.80.90.63.30.TW	43	Sotis 35mm Suspended 605x325 54W CRI+80 90º IP40 5Y TW 3000K	399,80	5600974013409
147.80.90.63.40.TB	43	Sotis 35mm Suspended 605x325 54W CRI+80 90º IP40 5Y TB 4000K	399,80	5600974010811
147.80.90.63.40.TS	43	Sotis 35mm Suspended 605x325 54W CRI+80 90º IP40 5Y TS 4000K	399,80	5600974013416
147.80.90.63.40.TW	43	Sotis 35mm Suspended 605x325 54W CRI+80 90º IP40 5Y TW 4000K	399,80	5600974010828
146.80.90.66.30.TB	43	Sotis 35mm Suspended 605x605 72W CRI+80 90º IP40 5Y TB 3000K	439,80	5600974013423
146.80.90.66.30.TS	43	Sotis 35mm Suspended 605x605 72W CRI+80 90º IP40 5Y TS 3000K	439,80	5600974010835
146.80.90.66.30.TW	43	Sotis 35mm Suspended 605x605 72W CRI+80 90º IP40 5Y TW 3000K	439,80	5600974013430
146.80.90.66.40.TB	43	Sotis 35mm Suspended 605x605 72W CRI+80 90º IP40 5Y TB 4000K	439,80	5600974010842
146.80.90.66.40.TS	43	Sotis 35mm Suspended 605x605 72W CRI+80 90º IP40 5Y TS 4000K	439,80	5600974013386
146.80.90.66.40.TW	43	Sotis 35mm Suspended 605x605 72W CRI+80 90º IP40 5Y TW 4000K	439,80	5600974010859
149.80.90.113.30.TB	43	Sotis 35mm Suspended 1165x325 90W CRI+80 90º IP40 5Y TB 3000K	485,80	5600974013393
149.80.90.113.30.TS	43	Sotis 35mm Suspended 1165x325 90W CRI+80 90º IP40 5Y TS 3000K	485,80	5600974010866
149.80.90.113.30.TW	43	Sotis 35mm Suspended 1165x325 90W CRI+80 90º IP40 5Y TW 3000K	485,80	5600974010972
149.80.90.113.40.TB	43	Sotis 35mm Suspended 1165x325 90W CRI+80 90º IP40 5Y TB 4000K	485,80	5600974010989
149.80.90.113.40.TS	43	Sotis 35mm Suspended 1165x325 90W CRI+80 90º IP40 5Y TS 4000K	485,80	5600974010996
149.80.90.113.40.TW	43	Sotis 35mm Suspended 1165x325 90W CRI+80 90º IP40 5Y TW 4000K	485,80	5600974011009
148.80.90.116.30.TB	43	Sotis 35mm Suspended 1165x605 108W CRI+80 90º IP40 5Y TB 3000K	527,80	5600974011016
148.80.90.116.30.TS	43	Sotis 35mm Suspended 1165x605 108W CRI+80 90º IP40 5Y TS 3000K	527,80	5600974011023
148.80.90.116.30.TW	43	Sotis 35mm Suspended 1165x605 108W CRI+80 90º IP40 5Y TW 3000K	527,80	5600974011030
148.80.90.116.40.TB	43	Sotis 35mm Suspended 1165x605 108W CRI+80 90º IP40 5Y TB 4000K	527,80	5600974011047
148.80.90.116.40.TS	43	Sotis 35mm Suspended 1165x605 108W CRI+80 90º IP40 5Y TS 4000K	527,80	5600974011061
148.80.90.116.40.TW	43	Sotis 35mm Suspended 1165x605 108W CRI+80 90º IP40 5Y TW 4000K	527,80	5600974011177

Tabela de Preços		CATÁLOGO BRILUMEN 2018		
Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
340.85.50.30.TW	47	Tinker Bell 1W CRI+85 50º IP44 5Y 12mm TW 3000K	13,80	5600974011153
340.85.50.40.TW	47	Tinker Bell 1W CRI+85 50º IP44 5Y 12mm TW 4000K	13,80	5600974011160
342.85.36.30.TWB	48	Pummerin 1W CRI+85 36º IP65 5Y 32mm TWB 3000K	25,80	5600974013454
342.85.36.40.TWB	48	Pummerin 1W CRI+85 36º IP65 5Y 32mm TWB 4000K	25,80	5600974011184
343.85.36.30.TWB	49	Kyoto 4W CRI+85 36º IP65 5Y 49mm TWB 3000K	39,80	5600974013461
343.85.36.40.TWB	49	Kyoto 4W CRI+85 36º IP65 5Y 49mm TWB 4000K	39,80	5600974011191
329.90.36.30.TWB	51	Savage 10W CRI+95 36º IP54 5Y 82mm TWB 3000K	57,98	5600974004803
329.90.36.40.TWB	51	Savage 10W CRI+95 36º IP54 5Y 82mm TWB 4000K	57,98	5600974004810
329.90.60.30.TWB	51	Savage 10W CRI+95 60º IP54 5Y 82mm TWB 3000K	57,98	5600974002991
329.90.60.40.TWB	51	Savage 10W CRI+95 60º IP54 5Y 82mm TWB 4000K	57,98	5600974003004
331.90.36.30.TWB	53	Savage Asymmetric 10W CRI+95 36º IP54 5Y 82mm TWB 3000K	57,98	5600974013478
331.90.36.40.TWB	53	Savage Asymmetric 10W CRI+95 36º IP54 5Y 82mm TWB 4000K	57,98	5600974011207
331.90.60.30.TWB	53	Savage Asymmetric 10W CRI+95 60º IP54 5Y 82mm TWB 3000K	57,98	5600974013508
331.90.60.40.TWB	53	Savage Asymmetric 10W CRI+95 60º IP54 5Y 82mm TWB 4000K	57,98	5600974011214
326.90.36.30.TW	55	Eridane 10W CRI+95 36º IP54 5Y 90x90mm TW 3000K	69,80	5600974013515
326.90.36.40.TW	55	Eridane 10W CRI+95 36º IP54 5Y 90x90mm TW 4000K	69,80	5600974011221
326.90.60.30.TW	55	Eridane 10W CRI+95 60º IP54 5Y 90x90mm TW 3000K	69,80	5600974013522
326.90.60.40.TW	55	Eridane 10W CRI+95 60º IP54 5Y 90x90mm TW 4000K	69,80	5600974011238
339.90.36.30.TW	55	Eridane 13W CRI+90 36º IP54 5Y 90x90mm TW 3000K	85,80	5600974013539
339.90.36.40.TW	55	Eridane 13W CRI+90 36º IP54 5Y 90x90mm TW 4000K	85,80	5600974011245
338.85.36.30.TW	57	Spitzer 7W CRI+85 36º IP20 5Y 90x90mm TW 3000K	71,80	5600974011252
338.85.36.40.TW	57	Spitzer 7W CRI+85 36º IP20 5Y 90x90mm TW 4000K	71,80	5600974013492
327.90.36.30.TW	59	Monet 10W CRI+95 36º IP54 5Y 97mm TW 3000K	67,80	5600974011269
327.90.36.40.TW	59	Monet 10W CRI+95 36º IP54 5Y 97mm TW 4000K	67,80	5600974011276
327.90.60.30.TW	59	Monet 10W CRI+95 60º IP54 5Y 97mm TW 3000K	67,80	5600974013553
327.90.60.40.TW	59	Monet 10W CRI+95 60º IP54 5Y 97mm TW 4000K	67,80	5600974011283
341.90.36.30.TW	59	Monet 13W CRI+90 36º IP54 5Y 97mm TW 3000K	83,80	5600974011290
341.90.36.40.TW	59	Monet 13W CRI+90 36º IP54 5Y 97mm TW 4000K	83,80	5600974013577
337.85.36.30.TW	61	Hubble 7W CRI+85 36º IP20 5Y 97mm TW 3000K	71,80	5600974011306
337.85.36.40.TW	61	Hubble 7W CRI+85 36º IP20 5Y 97mm TW 4000K	71,80	5600974011313
325.90.36.30.TB	63	Rodin 10W CRI+95 36º IP54 5Y 83mm TB 3000K	55,80	5600974013614
325.90.36.30.TW	63	Rodin 10W CRI+95 36º IP54 5Y 83mm TW 3000K	55,80	5600974011320
325.90.36.40.TB	63	Rodin 10W CRI+95 36º IP54 5Y 83mm TB 4000K	55,80	5600974013621
325.90.36.40.TW	63	Rodin 10W CRI+95 36º IP54 5Y 83mm TW 4000K	55,80	5600974011337
325.90.60.30.TB	63	Rodin 10W CRI+95 60º IP54 5Y 83mm TB 3000K	55,80	5600974013638
325.90.60.30.TW	63	Rodin 10W CRI+95 60º IP54 5Y 83mm TW 3000K	55,80	5600974011344
325.90.60.40.TB	63	Rodin 10W CRI+95 60º IP54 5Y 83mm TB 4000K	55,80	5600974013584
325.90.60.40.TW	63	Rodin 10W CRI+95 60º IP54 5Y 83mm TW 4000K	55,80	5600974011351
304.90.36.30.TW	65	Matisse 13W CRI+90 36º IP54 5Y 95mm TW 3000K	69,80	5600974013591
304.90.36.40.TW	65	Matisse 13W CRI+90 36º IP54 5Y 95mm TW 4000K	69,80	5600974011368
306.90.36.30.TW	67	Klein 18W CRI+90 36º IP54 5Y 133mm TW 3000K	99,80	5600974011375
306.90.36.40.TW	67	Klein 18W CRI+90 36º IP54 5Y 133mm TW 4000K	99,80	5600974013652

Tabela de Preços		CATÁLOGO BRILUMEN 2018		
Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
328.90.36.30.TB	69	Miró 10W CRI+95 36º IP44 5Y 82x82mm TB 3000K	63,80	5600974011382
328.90.36.30.TW	69	Miró 10W CRI+95 36º IP44 5Y 82x82mm TW 3000K	63,80	5600974011399
328.90.36.30.TWB	69	Miró 10W CRI+95 36º IP44 5Y 82x82mm TWB 3000K	63,80	5600974013676
328.90.36.40.TB	69	Miró 10W CRI+95 36º IP44 5Y 82x82mm TB 4000K	63,80	5600974011405
328.90.36.40.TW	69	Miró 10W CRI+95 36º IP44 5Y 82x82mm TW 4000K	63,80	5600974011412
328.90.36.40.TWB	69	Miró 10W CRI+95 36º IP44 5Y 82x82mm TWB 4000K	63,80	5600974013713
328.90.60.30.TB	69	Miró 10W CRI+95 60º IP44 5Y 82x82mm TB 3000K	63,80	5600974011429
328.90.60.30.TW	69	Miró 10W CRI+95 60º IP44 5Y 82x82mm TW 3000K	63,80	5600974013720
328.90.60.30.TWB	69	Miró 10W CRI+95 60º IP44 5Y 82x82mm TWB 3000K	63,80	5600974011436
328.90.60.40.TB	69	Miró 10W CRI+95 60º IP44 5Y 82x82mm TB 4000K	63,80	5600974013737
328.90.60.40.TW	69	Miró 10W CRI+95 60º IP44 5Y 82x82mm TW 4000K	63,80	5600974011443
328.90.60.40.TWB	69	Miró 10W CRI+95 60º IP44 5Y 82x82mm TWB 3000K	63,80	5600974013683
309.90.36.30.TW	71	Harvey 13W CRI+90 36º IP54 5Y 92x92mm TW 3000K	75,80	5600974011450
309.90.36.40.TW	71	Harvey 13W CRI+90 36º IP54 5Y 92x92mm TW 4000K	75,80	5600974013690
333.90.36.30.TB	72	Crystal 10W CRI+95 36º IP20 5Y 90x135mm TB 3000K	93,40	5600974011467
333.90.36.30.TW	72	Crystal 10W CRI+95 36º IP20 5Y 90x135mm TW 3000K	93,40	5600974015601
333.90.36.40.TB	72	Crystal 10W CRI+95 36º IP20 5Y 90x135mm TB 4000K	93,40	5600974015618
333.90.36.40.TW	72	Crystal 10W CRI+95 36º IP20 5Y 90x135mm TW 4000K	93,40	5600974012129
333.90.60.30.TB	72	Crystal 10W CRI+95 60º IP20 5Y 90x135mm TB 3000K	93,40	5600974005992
333.90.60.30.TW	72	Crystal 10W CRI+95 60º IP20 5Y 90x135mm TW 3000K	93,40	5600974023798
333.90.60.40.TB	72	Crystal 10W CRI+95 60º IP20 5Y 90x135mm TB 4000K	93,40	5600974023804
333.90.60.40.TW	72	Crystal 10W CRI+95 60º IP20 5Y 90x135mm TW 4000K	93,40	5600974023811
334.90.36.30.TB	73	Double Crystal 20W CRI+95 36º IP20 5Y 90x180x135mm TB 3000K	198,00	5600974023828
334.90.36.30.TW	73	Double Crystal 20W CRI+95 36º IP20 5Y 90x180x135mm TW 3000K	198,00	5600974023835
334.90.36.40.TB	73	Double Crystal 20W CRI+95 36º IP20 5Y 90x180x135mm TB 4000K	198,00	5600974023842
334.90.36.40.TW	73	Double Crystal 20W CRI+95 36º IP20 5Y 90x180x135mm TW 4000K	198,00	5600974023859
334.90.60.30.TB	73	Double Crystal 20W CRI+95 60º IP20 5Y 90x180x135mm TB 3000K	198,00	5600974023866
334.90.60.30.TW	73	Double Crystal 20W CRI+95 60º IP20 5Y 90x180x135mm TW 3000K	198,00	5600974023873
334.90.60.40.TB	73	Double Crystal 20W CRI+95 60º IP20 5Y 90x180x135mm TB 4000K	198,00	5600974023880
334.90.60.40.TW	73	Double Crystal 20W CRI+95 60º IP20 5Y 90x180x135mm TW 4000K	198,00	5600974023897
332.90.36.30.TB	75	Roxane 10W CRI+95 36º IP20 5Y 90x140mm TB 3000K	95,80	5600974023903
332.90.36.30.TW	75	Roxane 10W CRI+95 36º IP20 5Y 90x140mm TW 3000K	95,80	5600974023910
332.90.36.40.TB	75	Roxane 10W CRI+95 36º IP20 5Y 90x140mm TB 4000K	95,80	5600974023927
332.90.36.40.TW	75	Roxane 10W CRI+95 36º IP20 5Y 90x140mm TW 4000K	95,80	5600974023934
332.90.60.30.TB	75	Roxane 10W CRI+95 60º IP20 5Y 90x140mm TB 3000K	95,80	5600974023941
332.90.60.30.TW	75	Roxane 10W CRI+95 60º IP20 5Y 90x140mm TW 3000K	95,80	5600974023958
332.90.60.40.TB	75	Roxane 10W CRI+95 60º IP20 5Y 90x140mm TB 4000K	95,80	5600974023965
332.90.60.40.TW	75	Roxane 10W CRI+95 60º IP20 5Y 90x140mm TW 4000K	95,80	5600974023972
344.85.60.30.BAL	77	Eliot 1W CRI+85 60º asym. IP54 5Y 32mm BAL 3000K	19,80	5600974023989
344.85.60.30.TW	77	Eliot 1W CRI+85 60º asym. IP54 5Y 32mm TW 3000K	19,80	5600974023996
344.85.60.40.BAL	77	Eliot 1W CRI+85 60º asym. IP54 5Y 32mm BAL 4000K	19,80	5600974024009
344.85.60.40.TW	77	Eliot 1W CRI+85 60º asym. IP54 5Y 32mm TW 4000K	19,80	5600974024016
345.85.45.30.BAL	78	Doyle 4W CRI+85 45º asym. IP65 5Y 49mm BAL 3000K	33,80	5600974024023
345.85.45.30.TW	78	Doyle 4W CRI+85 45º asym. IP65 5Y 49mm TW 3000K	33,80	5600974024030
345.85.45.40.BAL	78	Doyle 4W CRI+85 45º asym. IP65 5Y 49mm BAL 4000K	33,80	5600974024047
345.85.45.40.TW	78	Doyle 4W CRI+85 45º asym. IP65 5Y 49mm TW 4000K	33,80	5600974024054
346.85.45.30.BAL	79	Frost 4W CRI+85 45º asym. IP65 5Y 49mm BAL 3000K	33,80	5600974024061
346.85.45.30.TW	79	Frost 4W CRI+85 45º asym. IP65 5Y 49mm TW 3000K	33,80	5600974024078
346.85.45.40.BAL	79	Frost 4W CRI+85 45º asym. IP65 5Y 49mm BAL 4000K	33,80	5600974024085
346.85.45.40.TW	79	Frost 4W CRI+85 45º asym. IP65 5Y 49mm TW 4000K	33,80	5600974024092

Tabela de Preços

CATÁLOGO BRILUMEN 2018

Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
8015-0222	77	Driver 350mA for connecting 1 - 3 pieces	11,80	5600974014727
8015-0224	78	Driver 350mA for connecting 4 - 6 pieces	11,80	5600974014703
8030-0004	47	Distributor with 6 outputs	3,80	5600974014772
8030-0008	47	Distributor shunt	0,58	5600974026027
4080-1030	47	Waterproof box 81x83x55mm: 1 cable gland input of 4,8mm and 5 outputs	11,60	5600974025990
4080-1031	47	Output cable gland for waterproof box	1,74	5600974026003
4080-1033	47	Cover for waterproof box	1,70	5600974026010
430.80.24.27.BL	82	Puma 39W CRI+80 24º IP40 3Y 86x125mm BL 2700K	139,80	5600974011740
430.80.24.30.BL	82	Puma 39W CRI+80 24º IP40 3Y 86x125mm BL 3000K	139,80	5600974011757
430.80.24.40.BL	82	Puma 39W CRI+80 24º IP40 3Y 86x125mm BL 4000K	139,80	5600974011771
430.80.24.27.WH	82	Puma 39W CRI+80 24º IP40 3Y 86x125mm WH 2700K	139,80	5600974011788
430.80.24.30.WH	82	Puma 39W CRI+80 24º IP40 3Y 86x125mm WH 3000K	139,80	5600974011795
430.80.24.40.WH	82	Puma 39W CRI+80 24º IP40 3Y 86x125mm WH 4000K	139,80	5600974011801
430.80.38.27.BL	82	Puma 39W CRI+80 38º IP40 3Y 86x125mm BL 2700K	139,80	5600974024108
430.80.38.30.BL	82	Puma 39W CRI+80 38º IP40 3Y 86x125mm BL 3000K	139,80	5600974024115
430.80.38.40.BL	82	Puma 39W CRI+80 38º IP40 3Y 86x125mm BL 4000K	139,80	5600974024122
430.80.38.27.WH	82	Puma 39W CRI+80 38º IP40 3Y 86x125mm WH 2700K	139,80	5600974024139
430.80.38.30.WH	82	Puma 39W CRI+80 38º IP40 3Y 86x125mm WH 3000K	139,80	5600974024146
430.80.38.40.WH	82	Puma 39W CRI+80 38º IP40 3Y 86x125mm WH 4000K	139,80	5600974024153
430.95.24.27.BL	82	Puma 39W CRI+95 24º IP40 3Y 86x125mm BL 2700K	139,80	5600974024160
430.95.24.30.BL	82	Puma 39W CRI+95 24º IP40 3Y 86x125mm BL 3000K	139,80	5600974024177
430.95.24.40.BL	82	Puma 39W CRI+95 24º IP40 3Y 86x125mm BL 4000K	139,80	5600974024184
430.95.24.27.WH	82	Puma 39W CRI+95 24º IP40 3Y 86x125mm WH 2700K	139,80	5600974024191
430.95.24.30.WH	82	Puma 39W CRI+95 24º IP40 3Y 86x125mm WH 3000K	139,80	5600974024207
430.95.24.40.WH	82	Puma 39W CRI+95 24º IP40 3Y 86x125mm WH 4000K	139,80	5600974024214
430.95.38.27.BL	82	Puma 39W CRI+95 38º IP40 3Y 86x125mm BL 2700K	139,80	5600974024221
430.95.38.30.BL	82	Puma 39W CRI+95 38º IP40 3Y 86x125mm BL 3000K	139,80	5600974024238
430.95.38.40.BL	82	Puma 39W CRI+95 38º IP40 3Y 86x125mm BL 4000K	139,80	5600974024245
430.95.38.27.WH	82	Puma 39W CRI+95 38º IP40 3Y 86x125mm WH 2700K	139,80	5600974024252
430.95.38.30.WH	82	Puma 39W CRI+95 38º IP40 3Y 86x125mm WH 3000K	139,80	5600974024269
430.95.38.40.WH	82	Puma 39W CRI+95 38º IP40 3Y 86x125mm WH 4000K	139,80	5600974024276
440.80.24.27.TB	85	Spar 25W CRI+80 24º IP30 3Y 83x188mm TB 2700K	119,80	5600974024283
440.80.24.30.TB	85	Spar 25W CRI+80 24º IP30 3Y 83x188mm TB 3000K	119,80	5600974024290
440.80.24.40.TB	85	Spar 25W CRI+80 24º IP30 3Y 83x188mm TB 4000K	119,80	5600974024306
440.80.24.27.TW	85	Spar 25W CRI+80 24º IP30 3Y 83x188mm TW 2700K	119,80	5600974024313
440.80.24.30.TW	85	Spar 25W CRI+80 24º IP30 3Y 83x188mm TW 3000K	119,80	5600974024320
440.80.24.40.TW	85	Spar 25W CRI+80 24º IP30 3Y 83x188mm TW 4000K	119,80	5600974024337
440.80.38.27.TB	85	Spar 25W CRI+80 38º IP30 3Y 83x188mm TB 2700K	119,80	5600974024344
440.80.38.30.TB	85	Spar 25W CRI+80 38º IP30 3Y 83x188mm TB 3000K	119,80	5600974024351
440.80.38.40.TB	85	Spar 25W CRI+80 38º IP30 3Y 83x188mm TB 4000K	119,80	5600974024368
440.80.38.27.TW	85	Spar 25W CRI+80 38º IP30 3Y 83x188mm TW 2700K	119,80	5600974024375
440.80.38.30.TW	85	Spar 25W CRI+80 38º IP30 3Y 83x188mm TW 3000K	119,80	5600974024382
440.80.38.40.TW	85	Spar 25W CRI+80 38º IP30 3Y 83x188mm TW 4000K	119,80	5600974024399
440.95.24.27.TB	85	Spar 25W CRI+95 24º IP30 3Y 83x188mm TB 2700K	119,80	5600974024405
440.95.24.30.TB	85	Spar 25W CRI+95 24º IP30 3Y 83x188mm TB 3000K	119,80	5600974024412
440.95.24.40.TB	85	Spar 25W CRI+95 24º IP30 3Y 83x188mm TB 4000K	119,80	5600974024429
440.95.24.27.TW	85	Spar 25W CRI+95 24º IP30 3Y 83x188mm TW 2700K	119,80	5600974024436
440.95.24.30.TW	85	Spar 25W CRI+95 24º IP30 3Y 83x188mm TW 3000K	119,80	5600974024443
440.95.24.40.TW	85	Spar 25W CRI+95 24º IP30 3Y 83x188mm TW 4000K	119,80	5600974024450

Tabela de Preços		CATÁLOGO BRILUMEN 2018		
Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
440.95.38.27.TB	85	Spar 25W CRI+95 38º IP30 3Y 83x188mm TB 2700K	119,80	5600974024467
440.95.38.30.TB	85	Spar 25W CRI+95 38º IP30 3Y 83x188mm TB 3000K	119,80	5600974024474
440.95.38.40.TB	85	Spar 25W CRI+95 38º IP30 3Y 83x188mm TB 4000K	119,80	5600974024481
440.95.38.27.TW	85	Spar 25W CRI+95 38º IP30 3Y 83x188mm TW 2700K	119,80	5600974024498
440.95.38.30.TW	85	Spar 25W CRI+95 38º IP30 3Y 83x188mm TW 3000K	59,90	5600974024504
440.95.38.40.TW	85	Spar 25W CRI+95 38º IP30 3Y 83x188mm TW 4000K	119,80	5600974024511
442.80.24.27.TB	87	Lory 12W CRI+80 24º IP40 3Y 60x138mm TB 2700K	77,80	5600974005893
442.80.24.30.TB	87	Lory 12W CRI+80 24º IP40 3Y 60x138mm TB 3000K	77,80	5600974005909
442.80.24.40.TB	87	Lory 12W CRI+80 24º IP40 3Y 60x138mm TB 4000K	77,80	5600974004001
442.80.24.27.TW	87	Lory 12W CRI+80 24º IP40 3Y 60x138mm TW 2700K	77,80	5600974004018
442.80.24.30.TW	87	Lory 12W CRI+80 24º IP40 3Y 60x138mm TW 3000K	77,80	5600974003967
442.80.24.40.TW	87	Lory 12W CRI+80 24º IP40 3Y 60x138mm TW 4000K	77,80	5600974011733
442.80.38.27.TB	87	Lory 12W CRI+80 38º IP40 3Y 60x138mm TB 2700K	77,80	5600974005800
442.80.38.30.TB	87	Lory 12W CRI+80 38º IP40 3Y 60x138mm TB 3000K	77,80	5600974005824
442.80.38.40.TB	87	Lory 12W CRI+80 38º IP40 3Y 60x138mm TB 4000K	77,80	5600974005831
442.80.38.27.TW	87	Lory 12W CRI+80 38º IP40 3Y 60x138mm TW 2700K	77,80	5600974005848
442.80.38.30.TW	87	Lory 12W CRI+80 38º IP40 3Y 60x138mm TW 3000K	77,80	5600974005855
442.80.38.40.TW	87	Lory 12W CRI+80 38º IP40 3Y 60x138mm TW 4000K	77,80	5600974005862
442.95.24.27.TB	87	Lory 12W CRI+95 24º IP40 3Y 60x138mm TB 2700K	77,80	5600974024528
442.95.24.30.TB	87	Lory 12W CRI+95 24º IP40 3Y 60x138mm TB 3000K	77,80	5600974024535
442.95.24.40.TB	87	Lory 12W CRI+95 24º IP40 3Y 60x138mm TB 4000K	77,80	5600974024542
442.95.24.27.TW	87	Lory 12W CRI+95 24º IP40 3Y 60x138mm TW 2700K	77,80	5600974024559
442.95.24.30.TW	87	Lory 12W CRI+95 24º IP40 3Y 60x138mm TW 3000K	77,80	5600974024566
442.95.24.40.TW	87	Lory 12W CRI+95 24º IP40 3Y 60x138mm TW 4000K	77,80	5600974024573
442.95.38.27.TB	87	Lory 12W CRI+95 38º IP40 3Y 60x138mm TB 2700K	77,80	5600974024580
442.95.38.30.TB	87	Lory 12W CRI+95 38º IP40 3Y 60x138mm TB 3000K	77,80	5600974024597
442.95.38.40.TB	87	Lory 12W CRI+95 38º IP40 3Y 60x138mm TB 4000K	77,80	5600974024603
442.95.38.27.TW	87	Lory 12W CRI+95 38º IP40 3Y 60x138mm TW 2700K	77,80	5600974024610
442.95.38.30.TW	87	Lory 12W CRI+95 38º IP40 3Y 60x138mm TW 3000K	77,80	5600974024627
442.95.38.40.TW	87	Lory 12W CRI+95 38º IP40 3Y 60x138mm TW 4000K	77,80	5600974024634
3080-0160	88	Carril 3 circuitos Branco (perfil reto) 2000 mm s/topo e alimentador	78,80	6,43838E+12
3080-0016	88	Carril 3 circuitos Branco (perfil reto) 3000 mm s/topo e alimentador	118,40	6,43838E+12
3080-0132	88	Carril 3 circuitos Preto (perfil reto) 2000 mm s/topo e alimentador	78,80	6,43838E+12
3080-0133	88	Carril 3 circuitos Preto (perfil reto) 3000 mm s/topo e alimentador	118,40	6,43838E+12
3080-0135	88	Carril de encastrar 3 circuitos Branco (perfil reto) 2000 mm s/topo e alimentador	119,80	6,43838E+12
3080-0136	88	Carril de encastrar 3 circuitos Branco (perfil reto) 3000 mm s/topo e alimentador	179,80	6,43838E+12
3080-0138	88	Carril de encastrar 3 circuitos Preto (perfil reto) 2000 mm s/topo e alimentador	119,80	6,43838E+12
3080-0139	88	Carril de encastrar 3 circuitos Preto (perfil reto) 3000 mm s/topo e alimentador	179,80	6,43838E+12
3080-0017	89	Alimentador elétrico Branco p/ carril 3 circuitos (tipo A)	18,80	6,43838E+12
3080-0140	89	Alimentador elétrico Preto p/ carril 3 circuitos (tipo A)	18,80	6,43838E+12
3080-0117	89	Alimentador elétrico Branco p/ carril 3 circuitos (tipo B)	18,80	6,43838E+12
3080-0141	89	Alimentador elétrico Preto p/ carril 3 circuitos (tipo B)	18,80	6,43838E+12
3080-0144	89	Derivação L (A) p/ carril Branca 3 circuitos	29,80	6,43838E+12
3080-0146	89	Derivação L (A) p/ carril Preta 3 circuitos	29,80	6,43838E+12

Tabela de Preços		CATÁLOGO BRILUMEN 2018		
Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
3080-0149	89	Derivação T (ângulo A) p/ carril Branco 3 circuitos	39,90	6,43838E+12
3080-0153	89	Derivação T (ângulo A) p/ carril Preto 3 circuitos	39,90	6,43838E+12
3080-0150	89	Derivação T (ângulo B) p/ carril Branco 3 circuitos	39,90	6,43838E+12
3080-0154	89	Derivação T (ângulo B) p/ carril Preto 3 circuitos	39,90	6,43838E+12
3080-0151	89	Derivação T (ângulo C) p/ carril Branco 3 circuitos	39,90	6,43838E+12
3080-0155	89	Derivação T (ângulo C) p/ carril Preto 3 circuitos	39,90	6,43838E+12
3080-0152	89	Derivação T (ângulo D) p/ carril Branco 3 circuitos	39,90	6,43838E+12
3080-0156	89	Derivação T (ângulo D) p/ carril Preto 3 circuitos	39,90	6,43838E+12
3080-0158	89	Derivação X p/ carril Branco 3 circuitos	49,00	6,43838E+12
3080-0157	89	Derivação X p/ carril Preto 3 circuitos	49,00	6,43838E+12
3080-0143	89	União invisível p/ carril (perfil reto) 3 circuitos	17,80	6,43838E+12
3080-0142	89	União intermédia Branca p/ carril (perfil reto) 3 circuitos ST	29,80	6,43838E+12
3080-0119	89	União intermédia Preta p/ carril (perfil reto) 3 circuitos ST	29,80	6,43838E+12
3080-0147	89	Derivação L ajustável p/ carril branco 3 circuitos	33,80	6,43838E+12
3080-0148	89	Derivação L ajustável p/ carril preto 3 circuitos	33,80	6,43838E+12
3080-0018	89	Topo final p/ carril Branco 3 circuitos	5,80	6,43838E+12
3080-0159	89	Topo final p/ carril Preto 3 circuitos	5,80	6,43838E+12
3080-0171.WH	89	Recessed track light accessory WH	28,00	6,43838E+12
3080-0171.BL	89	Recessed track light accessory BL	28,00	6,43838E+12
3080-0038	89	Suspension kit of 1,5m for track lights with 1 cable	9,80	6,43838E+12
3080-0172.WH	89	Holder for suspended track WH	2,38	6,43838E+12
3080-0172.BL	89	Holder for suspended track BL	2,38	6,43838E+12
370.80.60.30.TW	91	Carol 15W CRI+80 60º IP44 5Y 145mm TW 3000K	34,80	5600974024641
370.80.60.40.TW	91	Carol 15W CRI+80 60º IP44 5Y 145mm TW 4000K	34,80	5600974024658
371.80.60.30.TW	91	Carol 20W CRI+80 60º IP44 5Y 145mm TW 3000K	39,80	5600974024665
371.80.60.40.TW	91	Carol 20W CRI+80 60º IP44 5Y 145mm TW 4000K	39,80	5600974024672
372.80.60.30.TW	91	Carol 30W CRI+80 60º IP44 5Y 205mm TW 3000K	53,80	5600974024689
372.80.60.40.TW	91	Carol 30W CRI+80 60º IP44 5Y 205mm TW 4000K	53,80	5600974024696
373.80.60.30.TW	91	Carol 40W CRI+80 60º IP44 5Y 205mm TW 3000K	59,80	5600974024702
373.80.60.40.TW	91	Carol 40W CRI+80 60º IP44 5Y 205mm TW 4000K	59,80	5600974001291
374.80.60.30.TW	91	Carol 60W CRI+80 60º IP44 5Y 205mm TW 3000K	85,80	5600974000157
374.80.60.40.TW	91	Carol 60W CRI+80 60º IP44 5Y 205mm TW 4000K	85,80	5600974000164
347.90.24.30	93	AR111 30W CRI+90 24º IP20 5Y 3000K	73,80	5600974007828
347.90.24.40	93	AR111 30W CRI+90 24º IP20 5Y 4000K	73,80	5600974007835
347.90.38.30	93	AR111 30W CRI+90 38º IP20 5Y 3000K	73,80	5600974007842
347.90.38.40	93	AR111 30W CRI+90 38º IP20 5Y 4000K	73,80	5600974007859
8010-2002.AL	NEW	TRIX perfil de alumínio com opção de difusor p/ fita led 2000mm AL Anodizado.	5,92	5600974026348
8010-2002.TW	NEW	TRIX perfil de alumínio com opção de difusor p/ fita led 2000mm Branco texturado	5,92	5600974026355
8010-2002.TB	NEW	TRIX perfil de alumínio com opção de difusor p/ fita led 2000mm Preto texturado	5,92	5600974026362
8080-2007	NEW	Difusor opalino p/ perfil Trix e Dax 2000mm	2,98	5600974013904
8080-0004	NEW	Terminal topo p/ perfil Trix	0,58	5600974013935
8080-0006	NEW	Grampo p/ perfil Trix e Dax	0,58	5600974013928

Tabela de Preços

CATÁLOGO BRILUMEN 2018

Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
8010-2005	NEW	KANTEX perfil de ângulo em alumínio p/ fita led 2000mm	8,20	5600974013973
8080-2012	NEW	Difusor opalino p/ perfil de ângulo Kantex 2000mm	3,80	5600974013980
8080-0010	NEW	Terminal topo p/ perfil de ângulo Kantex	0,74	5600974026331
8080-0014	NEW	Terminal passagem p/ perfil de ângulo Kantex	0,74	5600974014000
8080-0011	NEW	Grampo p/ perfil de ângulo Kantex	0,84	5600974013997
G8107012	99	PL10 LED Surface-mounted profile and universal channel cable, anodised aluminium, 200 cm	10,74	5600974025716
G8106210	99	Mounting bracket for PL profile series	0,64	5600974025709
G8104050	99	Mounting bracket for PO23	0,96	5600974025365
G8106012	100	PL1 LED Surface-mounted anodised aluminium profile, 200 cm	6,32	5600974025433
G8600004	100	C1 Opal/satin cover 200 cm for PL1/PL2/PL3/PL7/PL8 profiles	2,84	5600974025853
G8600003	100	C2 Clear cover 200 cm for PL1/PL2/PL3/PL7/PL8 profiles	2,70	5600974025846
G8106015	100	End cap E1 for Perfil PL1, 1 pc	0,44	5600974025440
G8106110	100	End cap E2 for PL1 profile with cable port, 1 pc	0,50	5600974025631
G8106017	100	End cap E1W for profile PL1, 1 pc	0,50	5600974025457
G8106111	100	End cap E2W for PL1 profile with cable port, 1 pc	0,60	5600974025648
G8106010	100	End cap E3 aluminium for PL1 profile in connection with PL10, 2 pcs, incl. screws	7,52	5600974025426
G8106032	101	PL3 LED Recessed profile, anodised aluminium, 200 cm	11,68	5600974025488
G8600004	101	C1 Opal/satin cover 200 cm for PL1/PL2/PL3/PL7/PL8 profiles	2,84	5600974025853
G8600003	101	C2 Clear cover 200 cm for PL1/PL2/PL3/PL7/PL8 profiles	2,70	5600974025846
G8106135	101	End cap E7 for PL3 profile, 1 pc	0,52	5600974025679
G8106030	101	End cap E8 for PL3 profile with cable port, 1 pc	0,60	5600974025471
G8106120	101	End cap E9 aluminium for PL3 profile in connection with PL10, 2 pcs, incl. screws	7,94	5600974025655
G8105201	103	PL5 LED Surface-mounted anodised aluminium profile, 200 cm	10,74	5600974025419
G8600005	103	C3 Opal/satin cover 200 cm for PO15/PL5/PL6 profiles	4,60	5600974025860
G8600006	103	C4 Opal/satin cover 200 cm for PO15/PL5/PL6 profiles	6,90	5600974025877
G8106050	103	End cap E10 for PL5 profile, 1 pc	0,52	5600974025501
G8106052	103	End cap E11 for PL5 profile with cable port, 1 pc	0,60	5600974025518
G8110009	103	End cap E53 for PL5 profile in combination with C4, 1 pc	0,50	5600974025723
G8110010	103	End cap E54 for PL5 profile in combination with C4, 1 pc	0,60	5600974025730
G8106155	103	End cap E13 for PL5 profile in combination with C5, 1 pc	0,52	5600974025686
G8106057	103	End cap E14 for PL5 profile (in combination with C5) with cable port, 1 pc	0,52	5600974025532
G8106025	103	End cap E12 aluminium for PL5 profile in connection with PL10, 2 pcs, incl. screws	7,84	5600974025464
G8106055	103	End cap E15 aluminium for PL5 profile in connection with PL10, 2 pcs, incl. screws	9,22	5600974025525
G8106062	104	PL6 LED Surface-mounted anodised aluminium profile, 200 cm	9,60	5600974025549
G8600005	104	C3 Opal/satin cover 200 cm for PO15/PL5/PL6 profiles	4,60	5600974025860
G8600006	104	C4 Opal/satin cover 200 cm for PO15/PL5/PL6 profiles	6,90	5600974025877
G8106068	104	End cap E16 for PL6 profile (in combination with C4), 1 pc	0,50	5600974025587
G8106063	104	End cap E17 for PL6 profile (in combination with C4) with cable port, 1 pc	0,60	5600974025556
G8106067	104	End cap E19 for PL6 profile (in combination with C5), 1 pc	0,50	5600974025570
G8106168	104	End cap E20 for PL6 profile (in combination with C5) with cable port, 1 pc	0,60	5600974025693
G8106064	104	End cap E18 aluminium for PL6 profile in connection with PL10, 2 pcs, incl. screws	11,64	5600974025563
G8106130	104	End cap E21 aluminium for PL6 profile in connection with PL10, 2 pcs, incl. screws	7,94	5600974025662
G8106082	105	PL8 LED recessed profile, anodised aluminium, 200 cm	7,82	5600974025617
G8600004	105	C1 Opal/satin cover 200 cm for PL1/PL2/PL3/PL7/PL8 profiles	2,84	5600974025853
G8600003	105	C2 Clear cover 200 cm for PL1/PL2/PL3/PL7/PL8 profiles	2,70	5600974025846
G8106085	105	End cap E25 for PL8 profile, 1 pc	0,84	5600974025624
G8106080	105	End cap E26 for PL8 profile with cable port, 1 pc	0,60	5600974025600
G8106045	105	End cap E27 aluminium for PL8 profile in connection with PL10, 2 pcs, incl. screws	7,94	5600974025495

Tabela de Preços

CATÁLOGO BRILUMEN 2018

Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
G8102062	107	PO15 LED Surface-mounted anodised aluminium profile, 200 cm	6,58	5600974025273
G8600005	107	C3 Opal/satin cover 200 cm for PO15/PL5/PL6 profiles	4,60	5600974025860
G8600007	107	C5 Opal/satin cover 200 cm for PO15/PL5/PL6 profiles	12,34	5600974025884
G8102060	107	End cap E35 for PO15 profile in connection with C3, 1 pc	0,36	5600974025266
G8103062	107	End cap E36 for PO15 profile in connection with C3, with cable port, 1 pc	0,38	5600974025341
G8106017	107	End cap E1W for profile PL1, 1 pc	0,50	5600974025457
G8103063	107	End cap E36W for PO15 profile in connection with C3, with cable port, 1 pc	0,40	5600974025358
G8102070	107	End cap E37 for PO15 profile in connection with C5, 1 pc	0,52	5600974025280
G8102072	107	End cap E38 for PO15 profile in connection with C5, with cable port, 1 pc	0,52	5600974025297
G8104052	108	PO23 LED Corner anodised aluminium profile, 200 cm	18,66	5600974025372
G8600013	108	C8 Opal/satin cover 200 cm for PO17/PO23 profiles	3,60	5600974025907
G8600012	108	C9 Clear cover 200 cm for PO17/PO23 profiles	2,84	5600974025891
G8103050	108	End cap E41 for PO23 profile, 1 pc	0,52	5600974025303
G8103052	108	End cap E42 for PO23 profile with cable port, 1 pc	0,52	5600974025310
G8103053	108	End cap E41W for PO23 profile, 1 pc	0,50	5600974025327
G8103054	108	End cap E42w for PO23 profile with cable port, 1 pc	0,50	5600974025334
G8201012	109	PN4 LED Surface-mounted anodised aluminium profile, 200 cm	18,66	5600974025754
G8600017	109	C10 Opal/satin cover 200 cm for PN4/PN5/PN6/PN7 profiles	7,98	5600974025921
G8600019	109	C12 Opal/satin cover 200 cm for PN4/PN5/PN6/PN7 profiles	21,52	5600974025945
G8201011	109	End cap E43 aluminium for PN4 profile in connection with C10, 2 pcs, incl. screws	7,34	5600974025747
G8202011	109	End cap E44 aluminium for PN4 profile in connection with C11, 2 pcs, incl. screws	7,34	5600974025761
G8203011	109	End cap E45 aluminium for PN4 profile in connection with C12, 2 pcs, incl. screws	7,34	5600974025778
G8204011	109	End cap E46 aluminium for PN4 profile in connection with C12, 2 pcs, incl. screws	7,34	5600974025785
G8301012	111	PN6 LED Surface-mounted anodised aluminium profile, 200 cm	25,62	5600974025808
G8600018	111	C11 Opal/satin cover 200 cm for PN4/PN5/PN6/PN7 profiles	15,72	5600974025938
G8600020	111	C13 Opal/satin cover 200 cm for profile PN4 / PN5 / PN6 / PN7	13,76	5600974025952
G8301011	111	End cap E47 aluminium for PN6 profile in connection with C10, 2 pcs, incl. screws	7,34	5600974025792
G8302011	111	End cap E48 aluminium for PN6 profile in connection with C11, 2 pcs, incl. screws	7,34	5600974025815
G8303011	111	End cap E49 aluminium for PN6 profile in connection with C12, 2 pcs, incl. screws	12,36	5600974025822
G8304011	111	End cap E50 aluminium for PN6 profile in connection with C13	12,36	5600974025839
G8105042	112	PN17 LED Surface-mounted anodised aluminium profile, 200 cm	62,28	5600974025389
G8600014	112	C14 Opal/satin cover 200 cm for PN17 profile	8,52	5600974025914
G8106075	112	End cap E52 aluminium for PN17, 2 pcs, incl. screws	11,10	5600974025594
G8105043	113	PN18 LED Surface-mounted anodised aluminium profile, 200 cm	51,08	5600974025396
G8600022	113	C15 Opal/satin cover 200 cm for PN18 profile	13,34	5600974025969
G8106075	113	End cap E52 aluminium for PN17, 2 pcs, incl. screws	11,10	5600974025594
G8105044	115	PN19 LED Corner anodised aluminium profile, 200 cm	41,20	5600974025402
G8600023	115	C16 Opal/satin cover 200 cm for PN19 profile	16,16	5600974025976
G8600024	115	C17 Opal/satin cover 200 cm for PN19 profile	19,38	5600974025983
G8106075	115	End cap E52 aluminium for PN17, 2 pcs, incl. screws	11,10	5600974025594
2002-138.90.27	119	Professional LED Strip 300 LEDs SMD2216 20W/m 24VDC IP20 CRI>90 5M/Roll 2700K	16,10	5600974005886
2002-138.90.42	119	Professional LED Strip 300 LEDs SMD2216 20W/m 24VDC IP20 CRI>90 5M/Roll 4200K	16,10	5600974026126
2002-138.80.27	119	Professional LED Strip 300 LEDs SMD2216 20W/m 24VDC IP20 CRI>80 5M/Roll 2700K	16,10	5600974009471
2002-138.80.42	119	Professional LED Strip 300 LEDs SMD2216 20W/m 24VDC IP20 CRI>80 5M/Roll 4200K	16,10	5600974009488
2002-123.80.27	120	Professional Led Strip IP20 5M/Roll 24V 5050 60 Leds 14.4W CRI>80 2700K	12,32	5600974014536
2002-123.80.42	120	Professional Led Strip IP20 5M/Roll 24V 5050 60 Leds 14.4W CRI>80 4200K	12,32	5600974012754
2002-123.80.65	120	Professional Led Strip IP20 5M/Roll 24V 5050 60 Leds 14.4W CRI>80 6500K	12,32	5600974012747

Tabela de Preços

CATÁLOGO BRILUMEN 2018

Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
2002-126.80.27	121	Professional LED Strip 60 LEDs SMD5050 14,4W/m 24VDC IP65 CRI>80 5M/Roll 2700K	13,00	5600974011672
2002-126.80.42	121	Professional LED Strip 60 LEDs SMD5050 14,4W/m 24VDC IP65 CRI>80 5M/Roll 4200K	13,00	5600974014567
2002-126.80.65	121	Professional LED Strip 60 LEDs SMD5050 14,4W/m 24VDC IP65 CRI>80 5M/Roll 6500K	13,00	5600974014543
2002-128.80.27	122	Professional LED Strip 120 LEDs SMD2835 14,4W/m 24VDC IP20 CRI>80 5M/Roll 2700K	12,32	5600974001475
2002-128.80.42	122	Professional LED Strip 120 LEDs SMD2835 14,4W/m 24VDC IP20 CRI>80 5M/Roll 4200K	12,32	5600974001451
2002-128.80.65	122	Professional LED Strip 120 LEDs SMD2835 14,4W/m 24VDC IP20 CRI>80 5M/Roll 6500K	12,32	5600974004216
2002-128.90.27	122	Professional LED Strip 120 LEDs SMD2835 14,4W/m 24VDC IP20 CRI>90 5M/Roll 2700K	13,80	5600974001376
2002-129.80.27	123	Professional Led Strip 60 LEDs SMD2835 7,2W/m 24VDC IP20 CRI>80 5M/Roll 2700K	10,50	5600974014574
2002-129.80.42	123	Professional Led Strip 60 LEDs SMD2835 7,2W/m 24VDC IP20 CRI>80 5M/Roll 4200K	10,50	5600974011511
2002-129.80.65	123	Professional Led Strip 60 LEDs SMD2835 7,2W/m 24VDC IP20 CRI>80 5M/Roll 6500K	10,50	5600974011528
2002-132.80.27	123	Professional LED Strip 60 LEDs SMD2835 14,4W/m 24VDC IP20 CRI>80 5M/Roll 2700K	9,80	5600974001758
2002-132.80.42	123	Professional LED Strip 60 LEDs SMD2835 14,4W/m 24VDC IP20 CRI>80 5M/Roll 4200K	9,80	5600974002403
2002-132.80.65	123	Professional LED Strip 60 LEDs SMD2835 14,4W/m 24VDC IP20 CRI>80 5M/Roll 6500K	9,80	5600974002410
2002-1112	125	Fita LED Flex IP20 5M/Rolo 12V 5050 60 LEDs 14.4W Branco frio / Branco quente	6,90	5600974009440
2002-1111	126	Fita LED Flex IP65 5M/Rolo 12V 5050 60 LEDs 14.4W RGBW	9,28	5600974009433
2002-122.80.28	127	LED Strip 60 LEDs SMD5050 14,4W/m 24VDC IP20 CRI>80 5M/Roll 2800K	4,56	5600974023422
2002-122.80.42	127	LED Strip 60 LEDs SMD5050 14,4W/m 24VDC IP20 CRI>80 5M/Roll 4200K	4,56	5600974023415
2002-122.80.64	127	LED Strip 60 LEDs SMD5050 14,4W/m 24VDC IP20 CRI>80 5M/Roll 6400K	4,56	5600974023408
8013-0014	129	Conetor fita 10mm	0,40	5600974014017
8013-0015	129	Conetor com ligador	0,50	5600974014048
8013-0016	129	Conetor duplo com ligador	0,80	5600974014031
8013-0017	129	Conetor em L	1,30	5600974014024
TD28001920	130	Tridonic Power supply and DALI Controller 24V 35W	85,08	9,00621E+12
TD28001921	130	Tridonic Power supply and DALI Controller 24V 60W	100,61	9,00621E+12
TD28001253	130	Tridonic Power supply and DALI Controller 24V 100W	126,65	9,00621E+12
TD28001437	130	Tridonic Power supply and DALI Controller 24V 150W	163,59	9,00621E+12
8012-0063	131	Single channel DALI controller	60,85	5600974012075
8012-0062	132	Single channel 0-10V / 1-10V 12/24VDC dimmer	49,80	5600974008252
8012-0064	133	Multichannel 12/24VDC DALI controller	90,00	5600974002496
8012-0061	134	Controlador RF/WiFi	130,00	5600974012617
8012-0068	135	RF remote control for tunable white LED strip	85,00	5600974002489
8012-0075	135	RF wall control for tunable white LED strip	99,80	5600974004957
8012-0067	135	RF remote control for RGBW LED strip	85,00	5600974006135
8012-0069	135	RF wall control for RGBW LED strip	99,80	5600974006173
8012-0065	136	Single channel 12/24VDC power amplifier	43,00	5600974014581
8012-0066	137	Multichannel 12/24VDC power amplifier	49,80	5600974014598

Tabela de Preços		CATÁLOGO BRILUMEN 2018		
Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
8011-0004	138	Fonte Aliment. Fita LED 25W, 220V-12V	9,80	5600974000232
8011-0005	138	Fonte Aliment. Fita LED 60W, 220V-12V	14,47	5600974000249
8011-0006	138	Fonte Aliment. Fita LED 100W, 220V-12V	17,84	5600974000256
8011-0007	138	Fonte Aliment. Fita LED 150W, 220V-12V	19,52	5600974000263
8011-0017	138	Fonte Aliment. Fita LED 250W, 220V-12V	31,81	5600974000287
8011-0010	138	Fonte Aliment. Fita LED 350W, 220V-12V	39,55	5600974000294
8011-2404	138	Fonte Aliment. Fita LED 25W, 220V-24V	9,80	5600974000317
8011-2409	138	Fonte Aliment. Fita LED 40W, 220V-24V	11,00	5600974015182
8011-2405	138	Fonte Aliment. Fita LED 60W, 220V-24V	14,47	5600974000324
8011-2406	138	Fonte Aliment. Fita LED 100W, 220V-24V	17,84	5600974000331
8011-2407	138	Fonte Aliment. Fita LED 150W, 220V-24V	19,52	5600974000348
8011-2408	138	Fonte Aliment. Fita LED 200W, 220V-24V	28,45	5600974000355
8011-2417	138	Fonte Aliment. Fita LED 250W, 220V-24V	31,81	5600974000362
8011-2410	138	Fonte Aliment. Fita LED 350W, 220V-24V	39,55	5600974000379
TD28000406	138	Tridonic ON/OFF 12V 35W power supply	47,80	9,00621E+12
TD28000407	138	Tridonic ON/OFF 12V 60W power supply	67,80	9,00621E+12
TD28000408	138	Tridonic ON/OFF 12V 100W power supply	82,80	9,00621E+12
TD28000411	138	Tridonic ON/OFF 24V 35W power supply	47,80	9,00621E+12
TD28000412	138	Tridonic ON/OFF 24V 60W power supply	69,80	9,00621E+12
TD28000413	138	Tridonic ON/OFF 24V 96W power supply	82,80	9,00621E+12
TD28000414	138	Tridonic ON/OFF 24V 180W power supply	139,80	9,00621E+12
8011-0002	NEW	LED Power Supply IP67 ON/OFF 12V 30W	16,32	5600974000409
8011-1020	NEW	LED Power Supply IP67 ON/OFF 12V 45W	29,80	5600974026379
8011-1003	NEW	LED Power Supply IP67 ON/OFF 12V 60W	33,80	5600974000423
8011-1005	NEW	LED Power Supply IP67 ON/OFF 12V 150W	64,84	5600974005947
8011-1012	NEW	LED Power Supply IP67 ON/OFF 12V 200W	79,80	5600974026386
8011-1007	NEW	LED Power Supply IP67 ON/OFF 24V 30W	16,32	5600974001833
8011-1018	NEW	LED Power Supply IP67 ON/OFF 24V 45W	29,80	5600974026393
8011-1017	NEW	LED Power Supply IP67 ON/OFF 24V 60W	33,80	5600974011689
8011-1010	NEW	LED Power Supply IP67 ON/OFF 24V 150W	64,84	5600974005954
8011-1011	NEW	LED Power Supply IP67 ON/OFF 24V 200W	79,80	5600974005961
501.80.20.30	143	Lemming 8W CRI+80 20º IP54 90x95mm 3000K	99,80	5600974001000
501.80.20.40	143	Lemming 8W CRI+80 20º IP54 90x95mm 4000K	99,80	5600974001017
500.80.45.30	145	Humming 12W CRI+80 45º IP54 90x102,5mm 3000K	107,80	5600974001024
500.80.45.40	145	Humming 12W CRI+80 45º IP54 90x102,5mm 4000K	107,80	5600974001031
506.80.20.30	147	Tosh 2x8W CRI+80 20º IP54 108x108x112mm 3000K	127,80	5600974001109
506.80.20.40	147	Tosh 2x8W CRI+80 20º IP54 108x108x112mm 4000K	127,80	5600974001116
503.80.100.30	148	Marley 2x8W CRI+80 50/100º IP54 43x90x125mm 3000K	87,80	5600974001680
503.80.100.40	148	Marley 2x8W CRI+80 50/100º IP54 43x90x125mm 4000K	87,80	5600974001697
505.80.70.30	149	Miller 2x8W CRI+80 70º IP54 82x62x145mm 3000K	113,80	5600974001208
505.80.70.40	149	Miller 2x8W CRI+80 70º IP54 82x62x145mm 4000K	113,80	5600974001215
508.80.105.30	150	Wailer 16W CRI+80 105º IP65 500x49x50mm 3000K	149,80	5600974001222
508.80.105.40	150	Wailer 16W CRI+80 105º IP65 500x49x50mm 4000K	149,80	5600974001239
509.80.20.30	151	Levy 4W CRI+80 20º IP65 165x62mm 3000K	55,80	5600974001185
509.80.20.40	151	Levy 4W CRI+80 20º IP65 165x62mm 4000K	55,80	5600974001192

Tabela de Preços		CATÁLOGO BRILUMEN 2018		
Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
510.80.25.30	153	Lemur 9W CRI+80 35/25º IP54 650x36x127mm 3000K	127,80	5600974001918
510.80.25.40	153	Lemur 9W CRI+80 35/25º IP54 650x36x127mm 4000K	127,80	5600974001925
511.80.40.30	155	Eros 9W CRI+80 40º IP65 80x70x117mm 3000K	83,80	5600974001932
511.80.40.40	155	Eros 9W CRI+80 40º IP65 80x70x117mm 4000K	83,80	5600974002700
603.85.36.30.BS	157	Round Orion 2W CRI+85 36º IP65 35mm BS 3000K	38,80	5600974002717
603.85.36.40.BS	157	Round Orion 2W CRI+85 36º IP65 35mm BS 4000K	38,80	5600974002687
602.85.36.30.BS	157	Square Orion 2W CRI+85 36º IP65 35mm BS 3000K	38,80	5600974002694
602.85.36.40.BS	157	Square Orion 2W CRI+85 36º IP65 35mm BS 4000K	38,80	5600974008603
SFSLT3-700ISC	157	Driver Self SLT3-700ISC 700mA IP66	11,80	5600974008610
8015-0221	157	LED Driver 12W 700mA, DC6-17V AC100-240V IP65 (2-5 Orion)	13,80	5600974014710
4080-1030	157	Caixa estanque 81x83x55mm c/ bucim 4-8mm	11,60	5600974025990
4080-1031	157	Bucim p/ caixa estanque 3-6.5mm	1,74	5600974026003
4080-1033	157	Tampa p/ saída de caixa estanque 8.5mm	1,70	5600974026010
600.85.70.30.BAL	159	One Way Bennet 1W CRI+85 70/10º IP65 35mm BAL 3000K	34,80	5600974008627
600.85.70.40.BAL	159	One Way Bennet 1W CRI+85 70/10º IP65 35mm BAL 4000K	34,80	5600974008214
601.85.70.30.BAL	159	Two Ways Bennet 1W CRI+85 70/10º IP65 35mm BAL 3000K	35,80	5600974009167
601.85.70.40.BAL	159	Two Ways Bennet 1W CRI+85 70/10º IP65 35mm BAL 4000K	35,80	5600974001949
8015-0222	159	LED Driver 4W 350mA, DC2-12V AC100-240V IP65 (1-3 Bennet)	11,80	5600974014727
8015-0224	159	LED Driver 6W 350mA, DC9-18V AC100-240V IP20 (3-5 Tinker bell)	11,80	5600974014703
4080-1030	159	Caixa estanque 81x83x55mm c/ bucim 4-8mm	11,60	5600974025990
4080-1031	159	Bucim p/ caixa estanque 3-6.5mm	1,74	5600974026003
4080-1033	159	Tampa p/ saída de caixa estanque 8.5mm	1,70	5600974026010
604.85.36.30.BS	161	Lunen 7W CRI+85 36º IP65 62mm BS 3000K	79,80	5600974001956
604.85.36.40.BS	161	Lunen 7W CRI+85 36º IP65 62mm BS 4000K	79,80	5600974015694
4011-396.60.42	NEW	Ellington 50W CRI+80 60º IP65 4200K	128,00	5600974026133
4011-396.60.65	NEW	Ellington 50W CRI+80 60º IP65 6500K	128,00	5600974026140
4011-396.90.42	NEW	Ellington 50W CRI+80 90º IP65 4200K	128,00	5600974026157
4011-396.90.65	NEW	Ellington 50W CRI+80 90º IP65 6500K	128,00	5600974026164
4011-397.90.42	NEW	Ellington 100W CRI+80 60º IP65 4200K	218,00	5600974026171
4011-397.90.65	NEW	Ellington 100W CRI+80 60º IP65 6500K	218,00	5600974026188
4011-397.60.42	NEW	Ellington 100W CRI+80 90º IP65 4200K	218,00	5600974026195
4011-397.60.65	NEW	Ellington 100W CRI+80 90º IP65 6500K	218,00	5600974026201
4011-398.90.42	NEW	Ellington 150W CRI+80 60º IP65 4200K	318,00	5600974026218
4011-398.90.65	NEW	Ellington 150W CRI+80 60º IP65 6500K	318,00	5600974026225
4011-398.60.42	NEW	Ellington 150W CRI+80 90º IP65 4200K	318,00	5600974026232
4011-398.60.65	NEW	Ellington 150W CRI+80 90º IP65 6500K	318,00	5600974026249
4011-399.90.42	NEW	Ellington 200W CRI+80 60º IP65 4200K	398,00	5600974026256
4011-399.90.65	NEW	Ellington 200W CRI+80 60º IP65 6500K	398,00	5600974026263
4011-399.60.42	NEW	Ellington 200W CRI+80 90º IP65 4200K	398,00	5600974026270
4011-399.60.65	NEW	Ellington 200W CRI+80 90º IP65 6500K	398,00	5600974026287
4011-400.90.42	NEW	Ellington 300W CRI+80 60º IP65 4200K	618,00	5600974026294
4011-400.90.65	NEW	Ellington 300W CRI+80 60º IP65 6500K	618,00	5600974026300
4011-400.60.42	NEW	Ellington 300W CRI+80 90º IP65 4200K	618,00	5600974026317
4011-400.60.65	NEW	Ellington 300W CRI+80 90º IP65 6500K	618,00	5600974026324

Tabela de Preços

CATÁLOGO BRILUMEN 2018

Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
721.70.45.30	170	Tyson D180 620W CRI+70 45º IP65 5Y 3000K	1 458,00	5600974023064
721.70.45.40	170	Tyson D180 620W CRI+70 45º IP65 5Y 4000K	1 458,00	5600974023439
721.70.45.50	170	Tyson D180 620W CRI+70 45º IP65 5Y 5000K	1 458,00	5600974023453
721.70.45.65	170	Tyson D180 620W CRI+70 45º IP65 5Y 6500K	1 458,00	5600974023477
721.70.60.30	170	Tyson D180 620W CRI+70 60º IP65 5Y 3000K	1 458,00	5600974023491
721.70.60.40	170	Tyson D180 620W CRI+70 60º IP65 5Y 4000K	1 458,00	5600974023514
721.70.60.50	170	Tyson D180 620W CRI+70 60º IP65 5Y 5000K	1 458,00	5600974023538
721.70.60.65	170	Tyson D180 620W CRI+70 60º IP65 5Y 6500K	1 458,00	5600974023552
721.70.90.30	170	Tyson D180 620W CRI+70 90º IP65 5Y 3000K	1 458,00	5600974023576
721.70.90.40	170	Tyson D180 620W CRI+70 90º IP65 5Y 4000K	1 458,00	5600974023613
721.70.90.50	170	Tyson D180 620W CRI+70 90º IP65 5Y 5000K	1 458,00	5600974023620
721.70.90.65	170	Tyson D180 620W CRI+70 90º IP65 5Y 6500K	1 458,00	5600974023637
721.70.120.30	170	Tyson D180 620W CRI+70 120º IP65 5Y 3000K	1 458,00	5600974023644
721.70.120.40	170	Tyson D180 620W CRI+70 120º IP65 5Y 4000K	1 458,00	5600974023651
721.70.120.50	170	Tyson D180 620W CRI+70 120º IP65 5Y 5000K	1 458,00	5600974023668
721.70.120.65	170	Tyson D180 620W CRI+70 120º IP65 5Y 6500K	1 458,00	5600974023675
721.80.45.30	170	Tyson D180 620W CRI+80 45º IP65 5Y 3000K	1 458,00	5600974023682
721.80.45.40	170	Tyson D180 620W CRI+80 45º IP65 5Y 4000K	1 458,00	5600974023699
721.80.45.50	170	Tyson D180 620W CRI+80 45º IP65 5Y 5000K	1 458,00	5600974023705
721.80.45.65	170	Tyson D180 620W CRI+80 45º IP65 5Y 6500K	1 458,00	5600974023712
721.80.60.30	170	Tyson D180 620W CRI+80 60º IP65 5Y 3000K	1 458,00	5600974023729
721.80.60.40	170	Tyson D180 620W CRI+80 60º IP65 5Y 4000K	1 458,00	5600974015755
721.80.60.50	170	Tyson D180 620W CRI+80 60º IP65 5Y 5000K	1 458,00	5600974015762
721.80.60.65	170	Tyson D180 620W CRI+80 60º IP65 5Y 6500K	1 458,00	5600974023736
721.80.90.30	170	Tyson D180 620W CRI+80 90º IP65 5Y 3000K	1 458,00	5600974023743
721.80.90.40	170	Tyson D180 620W CRI+80 90º IP65 5Y 4000K	1 458,00	5600974015779
721.80.90.50	170	Tyson D180 620W CRI+80 90º IP65 5Y 5000K	1 458,00	5600974015786
721.80.90.65	170	Tyson D180 620W CRI+80 90º IP65 5Y 6500K	1 458,00	5600974021237
721.80.120.30	170	Tyson D180 620W CRI+80 120º IP65 5Y 3000K	1 458,00	5600974021268
721.80.120.40	170	Tyson D180 620W CRI+80 120º IP65 5Y 4000K	1 458,00	5600974015793
721.80.120.50	170	Tyson D180 620W CRI+80 120º IP65 5Y 5000K	1 458,00	5600974015809
721.80.120.65	170	Tyson D180 620W CRI+80 120º IP65 5Y 6500K	1 458,00	5600974021220
721.90.45.57	170	Tyson D180 620W CRI+90 45º IP65 5Y 5700K	1 458,00	5600974021251
721.90.60.57	170	Tyson D180 620W CRI+90 60º IP65 5Y 5700K	1 458,00	5600974016127
721.90.90.57	170	Tyson D180 620W CRI+90 90º IP65 5Y 5700K	1 458,00	5600974016134
721.90.120.57	170	Tyson D180 620W CRI+90 120º IP65 5Y 5700K	1 458,00	5600974016141
722.70.15.30	170	Tyson D180 800W CRI+70 15º IP65 5Y 3000K	2 679,89	5600974021244
722.70.15.40	170	Tyson D180 800W CRI+70 15º IP65 5Y 4000K	2 679,89	5600974021275
722.70.15.50	170	Tyson D180 800W CRI+70 15º IP65 5Y 5000K	2 679,89	5600974021299
722.70.15.65	170	Tyson D180 800W CRI+70 15º IP65 5Y 6500K	2 679,89	5600974021329
722.70.25.30	170	Tyson D180 800W CRI+70 25º IP65 5Y 3000K	2 679,89	5600974021282
722.70.25.40	170	Tyson D180 800W CRI+70 25º IP65 5Y 4000K	2 679,89	5600974021312
722.70.25.50	170	Tyson D180 800W CRI+70 25º IP65 5Y 5000K	2 679,89	5600974021305
722.70.25.65	170	Tyson D180 800W CRI+70 25º IP65 5Y 6500K	2 679,89	5600974021336
722.70.45.30	170	Tyson D180 800W CRI+70 45º IP65 5Y 3000K	2 679,89	5600974021350
722.70.45.40	170	Tyson D180 800W CRI+70 45º IP65 5Y 4000K	2 679,89	5600974021381
722.70.45.50	170	Tyson D180 800W CRI+70 45º IP65 5Y 5000K	2 679,89	5600974021343
722.70.45.65	170	Tyson D180 800W CRI+70 45º IP65 5Y 6500K	2 679,89	5600974021374

Tabela de Preços

CATÁLOGO BRILUMEN 2018

Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
722.80.15.30	170	Tyson D180 800W CRI+80 15º IP65 5Y 3000K	2 679,89	5600974021367
722.80.15.40	170	Tyson D180 800W CRI+80 15º IP65 5Y 4000K	2 679,89	5600974015816
722.80.15.50	170	Tyson D180 800W CRI+80 15º IP65 5Y 5000K	2 679,89	5600974015823
722.80.15.65	170	Tyson D180 800W CRI+80 15º IP65 5Y 6500K	2 679,89	5600974021398
722.80.25.30	170	Tyson D180 800W CRI+80 25º IP65 5Y 3000K	2 679,89	5600974021411
722.80.25.40	170	Tyson D180 800W CRI+80 25º IP65 5Y 4000K	2 679,89	5600974015830
722.80.25.50	170	Tyson D180 800W CRI+80 25º IP65 5Y 5000K	2 679,89	5600974015847
722.80.25.65	170	Tyson D180 800W CRI+80 25º IP65 5Y 6500K	2 679,89	5600974021442
722.80.45.30	170	Tyson D180 800W CRI+80 45º IP65 5Y 3000K	2 679,89	5600974021404
722.80.45.40	170	Tyson D180 800W CRI+80 45º IP65 5Y 4000K	2 679,89	5600974015854
722.80.45.50	170	Tyson D180 800W CRI+80 45º IP65 5Y 5000K	2 679,89	5600974015861
722.80.45.65	170	Tyson D180 800W CRI+80 45º IP65 5Y 6500K	2 679,89	5600974021435
722.90.15.57	170	Tyson D180 800W CRI+90 15º IP65 5Y 5700K	2 679,89	5600974016158
722.90.25.57	170	Tyson D180 800W CRI+90 25º IP65 5Y 5700K	2 679,89	5600974016165
722.90.45.57	170	Tyson D180 800W CRI+90 45º IP65 5Y 5700K	2 679,89	5600974016172
723.70.60.30	170	Tyson D180 800W CRI+70 60º IP65 5Y 3000K	2 689,67	5600974021428
723.70.60.40	170	Tyson D180 800W CRI+70 60º IP65 5Y 4000K	2 689,67	5600974021459
723.70.60.50	170	Tyson D180 800W CRI+70 60º IP65 5Y 5000K	2 689,67	5600974021473
723.70.60.65	170	Tyson D180 800W CRI+70 60º IP65 5Y 6500K	2 689,67	5600974021503
723.70.90.30	170	Tyson D180 800W CRI+70 90º IP65 5Y 3000K	2 689,67	5600974021466
723.70.90.40	170	Tyson D180 800W CRI+70 90º IP65 5Y 4000K	2 689,67	5600974021497
723.70.90.50	170	Tyson D180 800W CRI+70 90º IP65 5Y 5000K	2 689,67	5600974021480
723.70.90.65	170	Tyson D180 800W CRI+70 90º IP65 5Y 6500K	2 689,67	5600974021510
723.70.120.30	170	Tyson D180 800W CRI+70 120º IP65 5Y 3000K	2 689,67	5600974021534
723.70.120.40	170	Tyson D180 800W CRI+70 120º IP65 5Y 4000K	2 689,67	5600974021565
723.70.120.50	170	Tyson D180 800W CRI+70 120º IP65 5Y 5000K	2 689,67	5600974021527
723.70.120.65	170	Tyson D180 800W CRI+70 120º IP65 5Y 6500K	2 689,67	5600974021558
723.80.60.30	170	Tyson D180 800W CRI+80 60º IP65 5Y 3000K	2 689,67	5600974021541
723.80.60.40	170	Tyson D180 800W CRI+80 60º IP65 5Y 4000K	2 689,67	5600974015878
723.80.60.50	170	Tyson D180 800W CRI+80 60º IP65 5Y 5000K	2 689,67	5600974015885
723.80.60.65	170	Tyson D180 800W CRI+80 60º IP65 5Y 6500K	2 689,67	5600974021572
723.80.90.30	170	Tyson D180 800W CRI+80 90º IP65 5Y 3000K	2 689,67	5600974021596
723.80.90.40	170	Tyson D180 800W CRI+80 90º IP65 5Y 4000K	2 689,67	5600974015892
723.80.90.50	170	Tyson D180 800W CRI+80 90º IP65 5Y 5000K	2 689,67	5600974015908
723.80.90.65	170	Tyson D180 800W CRI+80 90º IP65 5Y 6500K	2 689,67	5600974021626
723.80.120.30	170	Tyson D180 800W CRI+80 120º IP65 5Y 3000K	2 689,67	5600974021589
723.80.120.40	170	Tyson D180 800W CRI+80 120º IP65 5Y 4000K	2 689,67	5600974015915
723.80.120.50	170	Tyson D180 800W CRI+80 120º IP65 5Y 5000K	2 689,67	5600974015922
723.80.120.65	170	Tyson D180 800W CRI+80 120º IP65 5Y 6500K	2 689,67	5600974021619
723.90.60.57	170	Tyson D180 800W CRI+90 60º IP65 5Y 5700K	2 689,67	5600974016189
723.90.90.57	170	Tyson D180 800W CRI+90 90º IP65 5Y 5700K	2 689,67	5600974016196
723.90.120.57	170	Tyson D180 800W CRI+90 120º IP65 5Y 5700K	2 689,67	5600974016202

Tabela de Preços

CATÁLOGO BRILUMEN 2018

Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
724.70.45.30	170	Tyson D180 900W CRI+70 45º IP65 5Y 3000K	2 814,97	5600974021602
724.70.45.40	170	Tyson D180 900W CRI+70 45º IP65 5Y 4000K	2 814,97	5600974021633
724.70.45.50	170	Tyson D180 900W CRI+70 45º IP65 5Y 5000K	2 814,97	5600974020810
724.70.45.65	170	Tyson D180 900W CRI+70 45º IP65 5Y 6500K	2 814,97	5600974020841
724.70.60.30	170	Tyson D180 900W CRI+70 60º IP65 5Y 3000K	2 814,97	5600974020803
724.70.60.40	170	Tyson D180 900W CRI+70 60º IP65 5Y 4000K	2 814,97	5600974020834
724.70.60.50	170	Tyson D180 900W CRI+70 60º IP65 5Y 5000K	2 814,97	5600974020827
724.70.60.65	170	Tyson D180 900W CRI+70 60º IP65 5Y 6500K	2 814,97	5600974020858
724.70.90.30	170	Tyson D180 900W CRI+70 90º IP65 5Y 3000K	2 814,97	5600974020872
724.70.90.40	170	Tyson D180 900W CRI+70 90º IP65 5Y 4000K	2 814,97	5600974020902
724.70.90.50	170	Tyson D180 900W CRI+70 90º IP65 5Y 5000K	2 814,97	5600974020865
724.70.90.65	170	Tyson D180 900W CRI+70 90º IP65 5Y 6500K	2 814,97	5600974020896
724.70.120.30	170	Tyson D180 900W CRI+70 120º IP65 5Y 3000K	2 814,97	5600974020889
724.70.120.40	170	Tyson D180 900W CRI+70 120º IP65 5Y 4000K	2 814,97	5600974020919
724.70.120.50	170	Tyson D180 900W CRI+70 120º IP65 5Y 5000K	2 814,97	5600974020933
724.70.120.65	170	Tyson D180 900W CRI+70 120º IP65 5Y 6500K	2 814,97	5600974020964
724.80.45.30	170	Tyson D180 900W CRI+80 45º IP65 5Y 3000K	2 814,97	5600974020926
724.80.45.40	170	Tyson D180 900W CRI+80 45º IP65 5Y 4000K	2 814,97	5600974015939
724.80.45.50	170	Tyson D180 900W CRI+80 45º IP65 5Y 5000K	2 814,97	5600974015946
724.80.45.65	170	Tyson D180 900W CRI+80 45º IP65 5Y 6500K	2 814,97	5600974020957
724.80.60.30	170	Tyson D180 900W CRI+80 60º IP65 5Y 3000K	2 814,97	5600974020940
724.80.60.40	170	Tyson D180 900W CRI+80 60º IP65 5Y 4000K	2 814,97	5600974015953
724.80.60.50	170	Tyson D180 900W CRI+80 60º IP65 5Y 5000K	2 814,97	5600974015960
724.80.60.65	170	Tyson D180 900W CRI+80 60º IP65 5Y 6500K	2 814,97	5600974020971
724.80.90.30	170	Tyson D180 900W CRI+80 90º IP65 5Y 3000K	2 814,97	5600974020995
724.80.90.40	170	Tyson D180 900W CRI+80 90º IP65 5Y 4000K	2 814,97	5600974015977
724.80.90.50	170	Tyson D180 900W CRI+80 90º IP65 5Y 5000K	2 814,97	5600974015984
724.80.90.65	170	Tyson D180 900W CRI+80 90º IP65 5Y 6500K	2 814,97	5600974021022
724.80.120.30	170	Tyson D180 900W CRI+80 120º IP65 5Y 3000K	2 814,97	5600974020988
724.80.120.40	170	Tyson D180 900W CRI+80 120º IP65 5Y 4000K	2 814,97	5600974015991
724.80.120.50	170	Tyson D180 900W CRI+80 120º IP65 5Y 5000K	2 814,97	5600974016004
724.80.120.65	170	Tyson D180 900W CRI+80 120º IP65 5Y 6500K	2 814,97	5600974021015
724.90.45.57	170	Tyson D180 900W CRI+90 45º IP65 5Y 5700K	2 814,97	5600974016219
724.90.60.57	170	Tyson D180 900W CRI+90 60º IP65 5Y 5700K	2 814,97	5600974016226
724.90.90.57	170	Tyson D180 900W CRI+90 90º IP65 5Y 5700K	2 814,97	5600974016233
724.90.120.57	170	Tyson D180 900W CRI+90 120º IP65 5Y 5700K	2 814,97	5600974016240
725.70.45.30	170	Tyson D180 1000W CRI+70 45º IP65 5Y 3000K	3 548,66	5600974021008
725.70.45.40	170	Tyson D180 1000W CRI+70 45º IP65 5Y 4000K	3 548,66	5600974021039
725.70.45.50	170	Tyson D180 1000W CRI+70 45º IP65 5Y 5000K	3 548,66	5600974021053
725.70.45.65	170	Tyson D180 1000W CRI+70 45º IP65 5Y 6500K	3 548,66	5600974021084
725.70.60.30	170	Tyson D180 1000W CRI+70 60º IP65 5Y 3000K	3 548,66	5600974021046
725.70.60.40	170	Tyson D180 1000W CRI+70 60º IP65 5Y 4000K	3 548,66	5600974021077
725.70.60.50	170	Tyson D180 1000W CRI+70 60º IP65 5Y 5000K	3 548,66	5600974021060
725.70.60.65	170	Tyson D180 1000W CRI+70 60º IP65 5Y 6500K	3 548,66	5600974021091
725.70.90.30	170	Tyson D180 1000W CRI+70 90º IP65 5Y 3000K	3 548,66	5600974021114
725.70.90.40	170	Tyson D180 1000W CRI+70 90º IP65 5Y 4000K	3 548,66	5600974021145
725.70.90.50	170	Tyson D180 1000W CRI+70 90º IP65 5Y 5000K	3 548,66	5600974021107
725.70.90.65	170	Tyson D180 1000W CRI+70 90º IP65 5Y 6500K	3 548,66	5600974021138
725.70.120.30	170	Tyson D180 1000W CRI+70 120º IP65 5Y 3000K	3 548,66	5600974021121
725.70.120.40	170	Tyson D180 1000W CRI+70 120º IP65 5Y 4000K	3 548,66	5600974021152
725.70.120.50	170	Tyson D180 1000W CRI+70 120º IP65 5Y 5000K	3 548,66	5600974021176
725.70.120.65	170	Tyson D180 1000W CRI+70 120º IP65 5Y 6500K	3 548,66	5600974021206

Tabela de Preços

CATÁLOGO BRILUMEN 2018

Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
725.80.45.30	170	Tyson D180 1000W CRI+80 45º IP65 5Y 3000K	3 548,66	5600974021169
725.80.45.40	170	Tyson D180 1000W CRI+80 45º IP65 5Y 4000K	3 548,66	5600974016011
725.80.45.50	170	Tyson D180 1000W CRI+80 45º IP65 5Y 5000K	3 548,66	5600974016028
725.80.45.65	170	Tyson D180 1000W CRI+80 45º IP65 5Y 6500K	3 548,66	5600974021190
725.80.60.30	170	Tyson D180 1000W CRI+80 60º IP65 5Y 3000K	3 548,66	5600974021183
725.80.60.40	170	Tyson D180 1000W CRI+80 60º IP65 5Y 4000K	3 548,66	5600974016035
725.80.60.50	170	Tyson D180 1000W CRI+80 60º IP65 5Y 5000K	3 548,66	5600974016042
725.80.60.65	170	Tyson D180 1000W CRI+80 60º IP65 5Y 6500K	3 548,66	5600974021213
725.80.90.30	170	Tyson D180 1000W CRI+80 90º IP65 5Y 3000K	3 548,66	5600974020452
725.80.90.40	170	Tyson D180 1000W CRI+80 90º IP65 5Y 4000K	3 548,66	5600974016059
725.80.90.50	170	Tyson D180 1000W CRI+80 90º IP65 5Y 5000K	3 548,66	5600974016066
725.80.90.65	170	Tyson D180 1000W CRI+80 90º IP65 5Y 6500K	3 548,66	5600974020483
725.80.120.30	170	Tyson D180 1000W CRI+80 120º IP65 5Y 3000K	3 548,66	5600974020445
725.80.120.40	170	Tyson D180 1000W CRI+80 120º IP65 5Y 4000K	3 548,66	5600974016073
725.80.120.50	170	Tyson D180 1000W CRI+80 120º IP65 5Y 5000K	3 548,66	5600974016080
725.80.120.65	170	Tyson D180 1000W CRI+80 120º IP65 5Y 6500K	3 548,66	5600974020476
725.90.45.57	170	Tyson D180 1000W CRI+90 45º IP65 5Y 5700K	3 548,66	5600974016257
725.90.60.57	170	Tyson D180 1000W CRI+90 60º IP65 5Y 5700K	3 548,66	5600974016264
725.90.90.57	170	Tyson D180 1000W CRI+90 90º IP65 5Y 5700K	3 548,66	5600974016271
725.90.120.57	170	Tyson D180 1000W CRI+90 120º IP65 5Y 5700K	3 548,66	5600974016288
730.70.15.30	171	Tyson U360 280W CRI+70 15º IP65 5Y 3000K	738,70	5600974020469
730.70.15.40	171	Tyson U360 280W CRI+70 15º IP65 5Y 4000K	738,70	5600974020490
730.70.15.50	171	Tyson U360 280W CRI+70 15º IP65 5Y 5000K	738,70	5600974020513
730.70.15.65	171	Tyson U360 280W CRI+70 15º IP65 5Y 6500K	738,70	5600974020544
730.70.25.30	171	Tyson U360 280W CRI+70 25º IP65 5Y 3000K	738,70	5600974020506
730.70.25.40	171	Tyson U360 280W CRI+70 25º IP65 5Y 4000K	738,70	5600974020537
730.70.25.50	171	Tyson U360 280W CRI+70 25º IP65 5Y 5000K	738,70	5600974020520
730.70.25.65	171	Tyson U360 280W CRI+70 25º IP65 5Y 6500K	738,70	5600974020551
730.70.45.30	171	Tyson U360 280W CRI+70 45º IP65 5Y 3000K	738,70	5600974020575
730.70.45.40	171	Tyson U360 280W CRI+70 45º IP65 5Y 4000K	738,70	5600974020605
730.70.45.50	171	Tyson U360 280W CRI+70 45º IP65 5Y 5000K	738,70	5600974020568
730.70.45.65	171	Tyson U360 280W CRI+70 45º IP65 5Y 6500K	738,70	5600974020599
730.80.15.30	171	Tyson U360 280W CRI+80 15º IP65 5Y 3000K	738,70	5600974020582
730.80.15.40	171	Tyson U360 280W CRI+80 15º IP65 5Y 4000K	738,70	5600974016295
730.80.15.50	171	Tyson U360 280W CRI+80 15º IP65 5Y 5000K	738,70	5600974016301
730.80.15.65	171	Tyson U360 280W CRI+80 15º IP65 5Y 6500K	738,70	5600974020612
730.80.25.30	171	Tyson U360 280W CRI+80 25º IP65 5Y 3000K	738,70	5600974020636
730.80.25.40	171	Tyson U360 280W CRI+80 25º IP65 5Y 4000K	738,70	5600974016318
730.80.25.50	171	Tyson U360 280W CRI+80 25º IP65 5Y 5000K	738,70	5600974016325
730.80.25.65	171	Tyson U360 280W CRI+80 25º IP65 5Y 6500K	738,70	5600974020667
730.80.45.30	171	Tyson U360 280W CRI+80 45º IP65 5Y 3000K	738,70	5600974020629
730.80.45.40	171	Tyson U360 280W CRI+80 45º IP65 5Y 4000K	738,70	5600974016332
730.80.45.50	171	Tyson U360 280W CRI+80 45º IP65 5Y 5000K	738,70	5600974016349
730.80.45.65	171	Tyson U360 280W CRI+80 45º IP65 5Y 6500K	738,70	5600974020650
730.90.15.57	171	Tyson U360 280W CRI+90 15º IP65 5Y 5700K	738,70	5600974016936
730.90.25.57	171	Tyson U360 280W CRI+90 25º IP65 5Y 5700K	738,70	5600974016943
730.90.45.57	171	Tyson U360 280W CRI+90 45º IP65 5Y 5700K	738,70	5600974016950

Tabela de Preços

CATÁLOGO BRILUMEN 2018

Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
731.70.60.30	171	Tyson U360 280W CRI+70 60º IP65 5Y 3000K	739,80	5600974020643
731.70.60.40	171	Tyson U360 280W CRI+70 60º IP65 5Y 4000K	739,80	5600974020674
731.70.60.50	171	Tyson U360 280W CRI+70 60º IP65 5Y 5000K	739,80	5600974020698
731.70.60.65	171	Tyson U360 280W CRI+70 60º IP65 5Y 6500K	739,80	5600974020728
731.70.90.30	171	Tyson U360 280W CRI+70 90º IP65 5Y 3000K	739,80	5600974020681
731.70.90.40	171	Tyson U360 280W CRI+70 90º IP65 5Y 4000K	739,80	5600974020711
731.70.90.50	171	Tyson U360 280W CRI+70 90º IP65 5Y 5000K	739,80	5600974020704
731.70.90.65	171	Tyson U360 280W CRI+70 90º IP65 5Y 6500K	739,80	5600974020735
731.70.120.30	171	Tyson U360 280W CRI+70 120º IP65 5Y 3000K	739,80	5600974020759
731.70.120.40	171	Tyson U360 280W CRI+70 120º IP65 5Y 4000K	739,80	5600974020780
731.70.120.50	171	Tyson U360 280W CRI+70 120º IP65 5Y 5000K	739,80	5600974020742
731.70.120.65	171	Tyson U360 280W CRI+70 120º IP65 5Y 6500K	739,80	5600974020773
731.80.60.30	171	Tyson U360 280W CRI+80 60º IP65 5Y 3000K	739,80	5600974020766
731.80.60.40	171	Tyson U360 280W CRI+80 60º IP65 5Y 4000K	739,80	5600974016356
731.80.60.50	171	Tyson U360 280W CRI+80 60º IP65 5Y 5000K	739,80	5600974016363
731.80.60.65	171	Tyson U360 280W CRI+80 60º IP65 5Y 6500K	739,80	5600974020797
731.80.90.30	171	Tyson U360 280W CRI+80 90º IP65 5Y 3000K	739,80	5600974022135
731.80.90.40	171	Tyson U360 280W CRI+80 90º IP65 5Y 4000K	739,80	5600974016370
731.80.90.50	171	Tyson U360 280W CRI+80 90º IP65 5Y 5000K	739,80	5600974016387
731.80.90.65	171	Tyson U360 280W CRI+80 90º IP65 5Y 6500K	739,80	5600974022166
731.80.120.30	171	Tyson U360 280W CRI+80 120º IP65 5Y 3000K	739,80	5600974022128
731.80.120.40	171	Tyson U360 280W CRI+80 120º IP65 5Y 4000K	739,80	5600974016394
731.80.120.50	171	Tyson U360 280W CRI+80 120º IP65 5Y 5000K	739,80	5600974016400
731.80.120.65	171	Tyson U360 280W CRI+80 120º IP65 5Y 6500K	739,80	5600974022159
731.90.60.57	171	Tyson U360 280W CRI+90 60º IP65 5Y 5700K	739,80	5600974016967
731.90.90.57	171	Tyson U360 280W CRI+90 90º IP65 5Y 5700K	739,80	5600974016974
731.90.120.57	171	Tyson U360 280W CRI+90 120º IP65 5Y 5700K	739,80	5600974016981
732.70.6.30	171	Tyson U360 400W CRI+70 6º IP65 5Y 3000K	1 498,00	5600974022142
732.70.6.40	171	Tyson U360 400W CRI+70 6º IP65 5Y 4000K	1 498,00	5600974022173
732.70.6.50	171	Tyson U360 400W CRI+70 6º IP65 5Y 5000K	1 498,00	5600974022197
732.70.6.65	171	Tyson U360 400W CRI+70 6º IP65 5Y 6500K	1 498,00	5600974022227
732.70.8.30	171	Tyson U360 400W CRI+70 8º IP65 5Y 3000K	1 498,00	5600974022180
732.70.8.40	171	Tyson U360 400W CRI+70 8º IP65 5Y 4000K	1 498,00	5600974022210
732.70.8.50	171	Tyson U360 400W CRI+70 8º IP65 5Y 5000K	1 498,00	5600974022203
732.70.8.65	171	Tyson U360 400W CRI+70 8º IP65 5Y 6500K	1 498,00	5600974022234
732.80.6.30	171	Tyson U360 400W CRI+80 6º IP65 5Y 3000K	1 498,00	5600974022258
732.80.6.40	171	Tyson U360 400W CRI+80 6º IP65 5Y 4000K	1 498,00	5600974016417
732.80.6.50	171	Tyson U360 400W CRI+80 6º IP65 5Y 5000K	1 498,00	5600974016424
732.80.6.65	171	Tyson U360 400W CRI+80 6º IP65 5Y 6500K	1 498,00	5600974022289
732.80.8.30	171	Tyson U360 400W CRI+80 8º IP65 5Y 3000K	1 498,00	5600974022241
732.80.8.40	171	Tyson U360 400W CRI+80 8º IP65 5Y 4000K	1 498,00	5600974016431
732.80.8.50	171	Tyson U360 400W CRI+80 8º IP65 5Y 5000K	1 498,00	5600974016448
732.80.8.65	171	Tyson U360 400W CRI+80 8º IP65 5Y 6500K	1 498,00	5600974022272
732.90.6.57	171	Tyson U360 400W CRI+90 6º IP65 5Y 5700K	1 498,00	5600974016998
732.90.8.57	171	Tyson U360 400W CRI+90 8º IP65 5Y 5700K	1 498,00	5600974017001

Tabela de Preços

CATÁLOGO BRILUMEN 2018

Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
733.70.15.30	171	Tyson U360 400W CRI+70 15º IP65 5Y 3000K	1 198,00	5600974022265
733.70.15.40	171	Tyson U360 400W CRI+70 15º IP65 5Y 4000K	1 198,00	5600974022296
733.70.15.50	171	Tyson U360 400W CRI+70 15º IP65 5Y 5000K	1 198,00	5600974022319
733.70.15.65	171	Tyson U360 400W CRI+70 15º IP65 5Y 6500K	1 198,00	5600974022340
733.70.25.30	171	Tyson U360 400W CRI+70 25º IP65 5Y 3000K	1 198,00	5600974022302
733.70.25.40	171	Tyson U360 400W CRI+70 25º IP65 5Y 4000K	1 198,00	5600974022333
733.70.25.50	171	Tyson U360 400W CRI+70 25º IP65 5Y 5000K	1 198,00	5600974022326
733.70.25.65	171	Tyson U360 400W CRI+70 25º IP65 5Y 6500K	1 198,00	5600974022357
733.70.45.30	171	Tyson U360 400W CRI+70 45º IP65 5Y 3000K	1 198,00	5600974022371
733.70.45.40	171	Tyson U360 400W CRI+70 45º IP65 5Y 4000K	1 198,00	5600974022401
733.70.45.50	171	Tyson U360 400W CRI+70 45º IP65 5Y 5000K	1 198,00	5600974022364
733.70.45.65	171	Tyson U360 400W CRI+70 45º IP65 5Y 6500K	1 198,00	5600974022395
733.80.15.30	171	Tyson U360 400W CRI+80 15º IP65 5Y 3000K	1 198,00	5600974022388
733.80.15.40	171	Tyson U360 400W CRI+80 15º IP65 5Y 4000K	1 198,00	5600974016455
733.80.15.50	171	Tyson U360 400W CRI+80 15º IP65 5Y 5000K	1 198,00	5600974016462
733.80.15.65	171	Tyson U360 400W CRI+80 15º IP65 5Y 6500K	1 198,00	5600974022418
733.80.25.30	171	Tyson U360 400W CRI+80 25º IP65 5Y 3000K	1 198,00	5600974022432
733.80.25.40	171	Tyson U360 400W CRI+80 25º IP65 5Y 4000K	1 198,00	5600974016479
733.80.25.50	171	Tyson U360 400W CRI+80 25º IP65 5Y 5000K	1 198,00	5600974016486
733.80.25.65	171	Tyson U360 400W CRI+80 25º IP65 5Y 6500K	1 198,00	5600974022463
733.80.45.30	171	Tyson U360 400W CRI+80 45º IP65 5Y 3000K	1 198,00	5600974022425
733.80.45.40	171	Tyson U360 400W CRI+80 45º IP65 5Y 4000K	1 198,00	5600974016493
733.80.45.50	171	Tyson U360 400W CRI+80 45º IP65 5Y 5000K	1 198,00	5600974016509
733.80.45.65	171	Tyson U360 400W CRI+80 45º IP65 5Y 6500K	1 198,00	5600974022456
733.90.15.57	171	Tyson U360 400W CRI+90 15º IP65 5Y 5700K	1 198,00	5600974017018
733.90.25.57	171	Tyson U360 400W CRI+90 25º IP65 5Y 5700K	1 198,00	5600974017025
733.90.45.57	171	Tyson U360 400W CRI+90 45º IP65 5Y 5700K	1 198,00	5600974017032
734.70.60.30	171	Tyson U360 400W CRI+70 60º IP65 5Y 3000K	1 198,00	5600974022449
734.70.60.40	171	Tyson U360 400W CRI+70 60º IP65 5Y 4000K	1 198,00	5600974022470
734.70.60.50	171	Tyson U360 400W CRI+70 60º IP65 5Y 5000K	1 198,00	5600974023446
734.70.60.65	171	Tyson U360 400W CRI+70 60º IP65 5Y 6500K	1 198,00	5600974007071
734.70.90.30	171	Tyson U360 400W CRI+70 90º IP65 5Y 3000K	1 198,00	5600974007064
734.70.90.40	171	Tyson U360 400W CRI+70 90º IP65 5Y 4000K	1 198,00	5600974008696
734.70.90.50	171	Tyson U360 400W CRI+70 90º IP65 5Y 5000K	1 198,00	5600974008702
734.70.90.65	171	Tyson U360 400W CRI+70 90º IP65 5Y 6500K	1 198,00	5600974009273
734.70.120.30	171	Tyson U360 400W CRI+70 120º IP65 5Y 3000K	1 198,00	5600974009266
734.70.120.40	171	Tyson U360 400W CRI+70 120º IP65 5Y 4000K	1 198,00	5600974008733
734.70.120.50	171	Tyson U360 400W CRI+70 120º IP65 5Y 5000K	1 198,00	5600974008740
734.70.120.65	171	Tyson U360 400W CRI+70 120º IP65 5Y 6500K	1 198,00	5600974023569
734.80.60.30	171	Tyson U360 400W CRI+80 60º IP65 5Y 3000K	1 198,00	5600974008931
734.80.60.40	171	Tyson U360 400W CRI+80 60º IP65 5Y 4000K	1 198,00	5600974016516
734.80.60.50	171	Tyson U360 400W CRI+80 60º IP65 5Y 5000K	1 198,00	5600974016523
734.80.60.65	171	Tyson U360 400W CRI+80 60º IP65 5Y 6500K	1 198,00	5600974008917
734.80.90.30	171	Tyson U360 400W CRI+80 90º IP65 5Y 3000K	1 198,00	5600974015625
734.80.90.40	171	Tyson U360 400W CRI+80 90º IP65 5Y 4000K	1 198,00	5600974016530
734.80.90.50	171	Tyson U360 400W CRI+80 90º IP65 5Y 5000K	1 198,00	5600974016547
734.80.90.65	171	Tyson U360 400W CRI+80 90º IP65 5Y 6500K	1 198,00	5600974015632
734.80.120.30	171	Tyson U360 400W CRI+80 120º IP65 5Y 3000K	1 198,00	5600974015649
734.80.120.40	171	Tyson U360 400W CRI+80 120º IP65 5Y 4000K	1 198,00	5600974016554
734.80.120.50	171	Tyson U360 400W CRI+80 120º IP65 5Y 5000K	1 198,00	5600974016561
734.80.120.65	171	Tyson U360 400W CRI+80 120º IP65 5Y 6500K	1 198,00	5600974023521

Tabela de Preços

CATÁLOGO BRILUMEN 2018

Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
734.90.60.57	171	Tyson U360 400W CRI+90 60º IP65 5Y 5700K	1 198,00	5600974017049
734.90.90.57	171	Tyson U360 400W CRI+90 90º IP65 5Y 5700K	1 198,00	5600974017056
734.90.120.57	171	Tyson U360 400W CRI+90 120º IP65 5Y 5700K	1 198,00	5600974017063
735.70.45.65	171	Tyson U360 620W CRI+70 45º IP65 5Y 6500K	1 658,00	5600974023606
735.70.45.50	171	Tyson U360 620W CRI+70 45º IP65 5Y 5000K	1 658,00	5600974008528
735.70.45.40	171	Tyson U360 620W CRI+70 45º IP65 5Y 4000K	1 658,00	5600974008511
735.70.45.30	171	Tyson U360 620W CRI+70 45º IP65 5Y 3000K	1 658,00	5600974008504
735.70.25.65	171	Tyson U360 620W CRI+70 25º IP65 5Y 6500K	1 658,00	5600974008467
735.70.25.50	171	Tyson U360 620W CRI+70 25º IP65 5Y 5000K	1 658,00	5600974015540
735.70.25.40	171	Tyson U360 620W CRI+70 25º IP65 5Y 4000K	1 658,00	5600974002236
735.70.25.30	171	Tyson U360 620W CRI+70 25º IP65 5Y 3000K	1 658,00	5600974006081
735.70.15.65	171	Tyson U360 620W CRI+70 15º IP65 5Y 6500K	1 658,00	5600974014635
735.70.15.50	171	Tyson U360 620W CRI+70 15º IP65 5Y 5000K	1 658,00	5600974008795
735.70.15.40	171	Tyson U360 620W CRI+70 15º IP65 5Y 4000K	1 658,00	5600974004629
735.70.15.30	171	Tyson U360 620W CRI+70 15º IP65 5Y 3000K	1 658,00	5600974008818
735.80.15.40	171	Tyson U360 620W CRI+80 15º IP65 5Y 4000K	1 658,00	5600974016578
735.80.15.50	171	Tyson U360 620W CRI+80 15º IP65 5Y 5000K	1 658,00	5600974016585
735.80.25.40	171	Tyson U360 620W CRI+80 25º IP65 5Y 4000K	1 658,00	5600974016592
735.80.25.50	171	Tyson U360 620W CRI+80 25º IP65 5Y 5000K	1 658,00	5600974016608
735.80.45.40	171	Tyson U360 620W CRI+80 45º IP65 5Y 4000K	1 658,00	5600974016615
735.80.45.50	171	Tyson U360 620W CRI+80 45º IP65 5Y 5000K	1 658,00	5600974016622
735.90.15.57	171	Tyson U360 620W CRI+90 15º IP65 5Y 5700K	1 658,00	5600974017070
735.90.25.57	171	Tyson U360 620W CRI+90 25º IP65 5Y 5700K	1 658,00	5600974017087
735.90.45.57	171	Tyson U360 620W CRI+90 45º IP65 5Y 5700K	1 658,00	5600974017094
736.70.90.65	171	Tyson U360 620W CRI+70 90º IP65 5Y 6500K	1 698,00	5600974014789
736.70.90.50	171	Tyson U360 620W CRI+70 90º IP65 5Y 5000K	1 698,00	5600974002922
736.70.90.40	171	Tyson U360 620W CRI+70 90º IP65 5Y 4000K	1 698,00	5600974005381
736.70.90.30	171	Tyson U360 620W CRI+70 90º IP65 5Y 3000K	1 698,00	5600974007866
736.70.60.65	171	Tyson U360 620W CRI+70 60º IP65 5Y 6500K	1 698,00	5600974008832
736.70.60.50	171	Tyson U360 620W CRI+70 60º IP65 5Y 5000K	1 698,00	5600974004483
736.70.60.40	171	Tyson U360 620W CRI+70 60º IP65 5Y 4000K	1 698,00	5600974004476
736.70.60.30	171	Tyson U360 620W CRI+70 60º IP65 5Y 3000K	1 698,00	5600974004469
736.70.120.65	171	Tyson U360 620W CRI+70 120º IP65 5Y 6500K	1 698,00	5600974014550
736.70.120.50	171	Tyson U360 620W CRI+70 120º IP65 5Y 5000K	1 698,00	5600974024719
736.70.120.40	171	Tyson U360 620W CRI+70 120º IP65 5Y 4000K	1 698,00	5600974024726
736.70.120.30	171	Tyson U360 620W CRI+70 120º IP65 5Y 3000K	1 698,00	5600974024733
736.80.120.40	171	Tyson U360 620W CRI+80 120º IP65 5Y 4000K	1 698,00	5600974016677
736.80.120.50	171	Tyson U360 620W CRI+80 120º IP65 5Y 5000K	1 698,00	5600974016684
736.80.60.40	171	Tyson U360 620W CRI+80 60º IP65 5Y 4000K	1 698,00	5600974016639
736.80.60.50	171	Tyson U360 620W CRI+80 60º IP65 5Y 5000K	1 698,00	5600974016646
736.80.90.40	171	Tyson U360 620W CRI+80 90º IP65 5Y 4000K	1 698,00	5600974016653
736.80.90.50	171	Tyson U360 620W CRI+80 90º IP65 5Y 5000K	1 698,00	5600974016660
736.90.120.57	171	Tyson U360 620W CRI+90 IP65 5Y 120º 5700K	1 698,00	5600974017124
736.90.60.57	171	Tyson U360 620W CRI+90 IP65 5Y 60º 5700K	1 698,00	5600974017100
736.90.90.57	171	Tyson U360 620W CRI+90 IP65 5Y 90º 5700K	1 698,00	5600974017117

Tabela de Preços

CATÁLOGO BRILUMEN 2018

Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
737.70.45.65	171	Tyson U360 750W CRI+70 45º IP65 5Y 6500K	2 238,73	5600974024740
737.70.45.50	171	Tyson U360 750W CRI+70 45º IP65 5Y 5000K	2 238,73	5600974024757
737.70.45.40	171	Tyson U360 750W CRI+70 45º IP65 5Y 4000K	2 238,73	5600974024764
737.70.45.30	171	Tyson U360 750W CRI+70 45º IP65 5Y 3000K	2 238,73	5600974024771
737.70.25.65	171	Tyson U360 750W CRI+70 25º IP65 5Y 6500K	2 238,73	5600974024788
737.70.25.50	171	Tyson U360 750W CRI+70 25º IP65 5Y 5000K	2 238,73	5600974024795
737.70.25.40	171	Tyson U360 750W CRI+70 25º IP65 5Y 4000K	2 238,73	5600974024801
737.70.25.30	171	Tyson U360 750W CRI+70 25º IP65 5Y 3000K	2 238,73	5600974024818
737.70.15.65	171	Tyson U360 750W CRI+70 15º IP65 5Y 6500K	2 238,73	5600974024825
737.70.15.50	171	Tyson U360 750W CRI+70 15º IP65 5Y 5000K	2 238,73	5600974024832
737.70.15.40	171	Tyson U360 750W CRI+70 15º IP65 5Y 4000K	2 238,73	5600974024849
737.70.15.30	171	Tyson U360 750W CRI+70 15º IP65 5Y 3000K	2 238,73	5600974024856
737.80.15.40	171	Tyson U360 750W CRI+80 15º IP65 5Y 4000K	2 238,73	5600974016691
737.80.15.50	171	Tyson U360 750W CRI+80 15º IP65 5Y 5000K	2 238,73	5600974016707
737.80.25.40	171	Tyson U360 750W CRI+80 25º IP65 5Y 4000K	2 238,73	5600974016714
737.80.25.50	171	Tyson U360 750W CRI+80 25º IP65 5Y 5000K	2 238,73	5600974016721
737.80.45.40	171	Tyson U360 750W CRI+80 45º IP65 5Y 4000K	2 238,73	5600974016738
737.80.45.50	171	Tyson U360 750W CRI+80 45º IP65 5Y 5000K	2 238,73	5600974016745
737.90.15.57	171	Tyson U360 750W CRI+90 IP65 5Y 15º 5700K	2 238,73	5600974017131
737.90.25.57	171	Tyson U360 750W CRI+90 IP65 5Y 25º 5700K	2 238,73	5600974017148
737.90.45.57	171	Tyson U360 750W CRI+90 IP65 5Y 45º 5700K	2 238,73	5600974017155
738.70.90.65	171	Tyson U360 750W CRI+70 90º IP65 5Y 6500K	2 248,51	5600974024863
738.70.90.50	171	Tyson U360 750W CRI+70 90º IP65 5Y 5000K	2 248,51	5600974024870
738.70.90.40	171	Tyson U360 750W CRI+70 90º IP65 5Y 4000K	2 248,51	5600974024887
738.70.90.30	171	Tyson U360 750W CRI+70 90º IP65 5Y 3000K	2 248,51	5600974024894
738.70.60.65	171	Tyson U360 750W CRI+70 60º IP65 5Y 6500K	2 248,51	5600974024900
738.70.60.50	171	Tyson U360 750W CRI+70 60º IP65 5Y 5000K	2 248,51	5600974024917
738.70.60.40	171	Tyson U360 750W CRI+70 60º IP65 5Y 4000K	2 248,51	5600974024924
738.70.60.30	171	Tyson U360 750W CRI+70 60º IP65 5Y 3000K	2 248,51	5600974024931
738.70.120.65	171	Tyson U360 750W CRI+70 120º IP65 5Y 6500K	2 248,51	5600974024948
738.70.120.50	171	Tyson U360 750W CRI+70 120º IP65 5Y 5000K	2 248,51	5600974024955
738.70.120.40	171	Tyson U360 750W CRI+70 120º IP65 5Y 4000K	2 248,51	5600974024962
738.70.120.30	171	Tyson U360 750W CRI+70 120º IP65 5Y 3000K	2 248,51	5600974024979
738.80.120.40	171	Tyson U360 750W CRI+80 120º IP65 5Y 4000K	2 248,51	5600974016790
738.80.120.50	171	Tyson U360 750W CRI+80 120º IP65 5Y 5000K	2 248,51	5600974016806
738.80.60.40	171	Tyson U360 750W CRI+80 60º IP65 5Y 4000K	2 248,51	5600974016752
738.80.60.50	171	Tyson U360 750W CRI+80 60º IP65 5Y 5000K	2 248,51	5600974016769
738.80.90.40	171	Tyson U360 750W CRI+80 90º IP65 5Y 4000K	2 248,51	5600974016776
738.80.90.50	171	Tyson U360 750W CRI+80 90º IP65 5Y 5000K	2 248,51	5600974016783
738.90.120.57	171	Tyson U360 750W CRI+90 120º IP65 5Y 5700K	2 248,51	5600974017186
738.90.60.57	171	Tyson U360 750W CRI+90 60º IP65 5Y 5700K	2 248,51	5600974017162
738.90.90.57	171	Tyson U360 750W CRI+90 90º IP65 5Y 5700K	2 248,51	5600974017179

Tabela de Preços

CATÁLOGO BRILUMEN 2018

Artigo	Pag.	Descrição	PVP (EUR) Recomendado	EAN
739.70.45.65	171	Tyson U360 800W CRI+70 45º IP65 5Y 6500K	2 744,09	5600974024986
739.70.45.50	171	Tyson U360 800W CRI+70 45º IP65 5Y 5000K	2 744,09	5600974024993
739.70.45.40	171	Tyson U360 800W CRI+70 45º IP65 5Y 4000K	2 744,09	5600974025006
739.70.45.30	171	Tyson U360 800W CRI+70 45º IP65 5Y 3000K	2 744,09	5600974025013
739.70.25.65	171	Tyson U360 800W CRI+70 25º IP65 5Y 6500K	2 744,09	5600974025020
739.70.25.50	171	Tyson U360 800W CRI+70 25º IP65 5Y 5000K	2 744,09	5600974025037
739.70.25.40	171	Tyson U360 800W CRI+70 25º IP65 5Y 4000K	2 744,09	5600974025044
739.70.25.30	171	Tyson U360 800W CRI+70 25º IP65 5Y 3000K	2 744,09	5600974025051
739.70.15.65	171	Tyson U360 800W CRI+70 15º IP65 5Y 6500K	2 744,09	5600974025068
739.70.15.50	171	Tyson U360 800W CRI+70 15º IP65 5Y 5000K	2 744,09	5600974025075
739.70.15.40	171	Tyson U360 800W CRI+70 15º IP65 5Y 4000K	2 744,09	5600974025082
739.70.15.30	171	Tyson U360 800W CRI+70 15º IP65 5Y 3000K	2 744,09	5600974025099
739.80.15.40	171	Tyson U360 800W CRI+80 15º IP65 5Y 4000K	2 744,09	5600974016813
739.80.15.50	171	Tyson U360 800W CRI+80 15º IP65 5Y 5000K	2 744,09	5600974016820
739.80.25.40	171	Tyson U360 800W CRI+80 25º IP65 5Y 4000K	2 744,09	5600974016837
739.80.25.50	171	Tyson U360 800W CRI+80 25º IP65 5Y 5000K	2 744,09	5600974016844
739.80.45.40	171	Tyson U360 800W CRI+80 45º IP65 5Y 4000K	2 744,09	5600974016851
739.80.45.50	171	Tyson U360 800W CRI+80 45º IP65 5Y 5000K	2 744,09	5600974016868
739.90.15.57	171	Tyson U360 800W CRI+90 15º IP65 5Y 5700K	2 744,09	5600974017193
739.90.25.57	171	Tyson U360 800W CRI+90 25º IP65 5Y 5700K	2 744,09	5600974017209
739.90.45.57	171	Tyson U360 800W CRI+90 45º IP65 5Y 5700K	2 744,09	5600974017216
740.70.90.65	171	Tyson U360 800W CRI+70 90º IP65 5Y 6500K	2 753,88	5600974025105
740.70.90.50	171	Tyson U360 800W CRI+70 90º IP65 5Y 5000K	2 753,88	5600974025112
740.70.90.40	171	Tyson U360 800W CRI+70 90º IP65 5Y 4000K	2 753,88	5600974025129
740.70.90.30	171	Tyson U360 800W CRI+70 90º IP65 5Y 3000K	2 753,88	5600974025136
740.70.60.65	171	Tyson U360 800W CRI+70 60º IP65 5Y 6500K	2 753,88	5600974025143
740.70.60.50	171	Tyson U360 800W CRI+70 60º IP65 5Y 5000K	2 753,88	5600974025150
740.70.60.40	171	Tyson U360 800W CRI+70 60º IP65 5Y 4000K	2 753,88	5600974025167
740.70.60.30	171	Tyson U360 800W CRI+70 60º IP65 5Y 3000K	2 753,88	5600974025174
740.70.120.65	171	Tyson U360 800W CRI+70 120º IP65 5Y 6500K	2 753,88	5600974025181
740.70.120.50	171	Tyson U360 800W CRI+70 120º IP65 5Y 5000K	2 753,88	5600974025198
740.70.120.40	171	Tyson U360 800W CRI+70 120º IP65 5Y 4000K	2 753,88	5600974025204
740.70.120.30	171	Tyson U360 800W CRI+70 120º IP65 5Y 3000K	2 753,88	5600974025211
740.80.120.40	171	Tyson U360 800W CRI+80 120º IP65 5Y 4000K	2 753,88	5600974016912
740.80.120.50	171	Tyson U360 800W CRI+80 120º IP65 5Y 5000K	2 753,88	5600974016929
740.80.60.40	171	Tyson U360 800W CRI+80 60º IP65 5Y 4000K	2 753,88	5600974016875
740.80.60.50	171	Tyson U360 800W CRI+80 60º IP65 5Y 5000K	2 753,88	5600974016882
740.80.90.40	171	Tyson U360 800W CRI+80 90º IP65 5Y 4000K	2 753,88	5600974016899
740.80.90.50	171	Tyson U360 800W CRI+80 90º IP65 5Y 5000K	2 753,88	5600974016905
740.90.120.57	171	Tyson U360 800W CRI+90 120º IP65 5Y 5700K	2 753,88	5600974017247
740.90.60.57	171	Tyson U360 800W CRI+90 60º IP65 5Y 5700K	2 753,88	5600974017223
740.90.90.57	171	Tyson U360 800W CRI+90 90º IP65 5Y 5700K	2 753,88	5600974017230
747.80.120.12.MO.40	175	Siftos High Performance 55W CRI+80 120º IP65 5Y 1X1200mm PMMA opalino 4000K	138,00	5600974015700
747.80.120.12.MO.50	175	Siftos High Performance 55W CRI+80 120º IP65 5Y 1X1200mm PMMA opalino 5000K	138,00	5600974015717
748.80.120.15.MO.40	175	Siftos High Performance 70W CRI+80 120º IP65 5Y 1X1500mm PMMA opalino 4000K	158,00	5600974015724
748.80.120.15.MO.50	175	Siftos High Performance 70W CRI+80 120º IP65 5Y 1X1500mm PMMA opalino 5000K	158,00	5600974019784
749.80.120.12.PC.40	175	Siftos High Performance 55W CRI+80 120º IP67 IK10 5Y 1X1200mm PC opalino 4000K	142,00	5600974022487
749.80.120.12.PC.50	175	Siftos High Performance 55W CRI+80 120º IP67 IK10 5Y 1X1200mm PC opalino 5000K	142,00	5600974022494
750.80.120.15.PC.40	175	Siftos High Performance 70W CRI+80 120º IP67 IK10 5Y 1X1500mm PC opalino 4000K	168,00	5600974022500

Tabela de Preços

CATÁLOGO BRILUMEN 2018

Artigo	Pag.	Descrição	PVP (EUR)	
			Recomendado	EAN
750.80.120.15.PC.50	175	Siftos High Performance 70W CRI+80 120º IP67 IK10 5Y 1X1500mm PC opalino 5000K	168,00	5600974022517
743.80.120.12.MO.40	179	Siftos Efficiency 36W CRI+80 120º IP65 5Y 1X1200mm PMMA opalino 4000K	79,80	5600974022524
744.80.120.15.MO.40	179	Siftos Efficiency 45W CRI+80 120º IP65 5Y 1X1500mm PMMA opalino 4000K	97,61	5600974022531
745.80.120.12.PC.40	179	Siftos Efficiency 36W CRI+80 120º IP67 IK10 5Y 1X1200mm PC opalino 4000K	87,80	5600974022548
746.80.120.15.PC.40	179	Siftos Efficiency 45W CRI+80 120º IP67 IK10 5Y 1X1500mm PC opalino 4000K	103,80	5600974022555
C6012-010	183	FOLLOW-ME PERM Armadura Emergência c/ telecomando 2W seta p/ baixo	47,80	5600974004063
C6012-015	183	FOLLOW-ME PERM Armadura Emergência c/ telecomando 2W seta p/ o lado	47,80	5600974004070
C6012-020	183	FOLLOW-ME PERM Armadura Emergência c/ telecomando 2W seta lateral descendente	47,80	5600974005497
C6012-025	183	FOLLOW-ME PERM Armadura Emergência c/ telecomando 2W seta lateral ascendente	47,80	5600974005503
C6012-021	183	FOLLOW-ME Armadura de Emergência c/ telecomando Permanente 2W seta escadas descer	47,80	5600974023026
C6012-026	183	FOLLOW-ME Armadura de Emergência c/ telecomando Permanente 2W seta escadas ascenc	47,80	5600974023033
C6012-040	183	FOLLOW-ME N/PERM Armadura Emergência c/ telecomando 2W seta p/ baixo	47,80	5600974008535
C6012-041	183	FOLLOW-ME N/PERM Armadura Emergência c/ telecomando 2W seta p/ o lado	47,80	5600974008542
C6012-042	183	FOLLOW-ME N/PERM Armadura Emergência c/ telecomando 2W seta lateral descendente	47,80	5600974008559
C6012-043	183	FOLLOW-ME N/PERM Armadura Emergência c/ telecomando 2W seta lateral ascendente	47,80	5600974008566
C6012-044	183	FOLLOW-ME Armadura de Emergência c/ telecomando Não Permanente 2W seta escadas de	47,80	5600974023040
C6012-045	183	FOLLOW-ME Armadura de Emergência c/ telecomando Não Permanente 2W seta escadas as	47,80	5600974023057
6080-110	183	Aro INOX p/ Embutir BAIS LED	19,76	5600974005510
6080-120	183	Aro branco p/ Embutir BAIS LED	19,76	5600974005527
6012-047	185	Brammer non maintained bulkhead for emergency lighting	52,60	5600974022562
6012-046	185	Brammer maintained bulkhead for emergency lighting	52,60	5600974023019
6080-006	187	Tridonic emergency kit 150W 50-200VDC 1H 4 cells	118,00	5600974025228
6080-007	187	Tridonic emergency kit 150W 50-200VDC 3H 4 cells	127,80	5600974025235
6080-008	187	Tridonic emergency kit 150W 10-50VDC 1H 4 cells	118,00	5600974025242
6080-009	187	Tridonic emergency kit 150W 10-50VDC 3H 4 cells	127,80	5600974025259